

**A Bibliography on
Chemoreception in Fishes,
1807-1983**

D.A. Klaprat and T.J. Hara

Western Region
Department of Fisheries and Oceans
Winnipeg, Manitoba R3T 2N6

May 1984

**Canadian Technical Report of
Fisheries and Aquatic Sciences
No. 1268**

Canadian Technical Report of Hydrography and Ocean Sciences

Technical reports contain scientific and technical information that contributes to existing knowledge but which is not normally appropriate for primary literature. The subject matter is related generally to programs and interests of the Ocean Science and Surveys (OSS) sector of the Department of Fisheries and Oceans.

Technical reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report is abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Technical reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out of stock reports will be supplied for a fee by commercial agents.

Regional and headquarters establishments of Ocean Science and Surveys ceased publication of their various report series as of December 1981. A complete listing of these publications is published in the *Canadian Journal of Fisheries and Aquatic Sciences*, Volume 39: Index to Publications 1982. The current series, which begins with report number 1, was initiated in January 1982.

Rapport technique canadien sur l'hydrographie et les sciences océaniques

Les rapports techniques contiennent des renseignements scientifiques et techniques qui constituent une contribution aux connaissances actuelles, mais qui ne sont pas normalement appropriés pour la publication dans un journal scientifique. Le sujet est généralement lié aux programmes et intérêts du service des Sciences et levés océaniques (SLO) du ministère des Pêches et des Océans.

Les rapports techniques peuvent être cités comme des publications complètes. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports techniques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les rapports techniques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Les établissements des Sciences et levés océaniques dans les régions et à l'administration centrale ont cessé de publier leurs diverses séries de rapports en décembre 1981. Une liste complète de ces publications figure dans le volume 39, Index des publications 1982 du *Journal canadien des sciences halieutiques et aquatiques*. La série actuelle a commencé avec la publication du rapport numéro 1 en janvier 1982.

Canadian Technical Report of
Fisheries and Aquatic Sciences 1268

May 1984

A BIBLIOGRAPHY ON CHEMORECEPTION IN FISHES, 1807-1983

by

D.A. Klaprat and T.J. Hara

Western Region
Department of Fisheries and Oceans
Winnipeg, Manitoba R3T 2N6

This is the 167th Technical Report
from the Western Region, Winnipeg

© Ministry of Supply and Services Canada 1984

Cat no. Fs 97-6/1268

ISSN 0706-6457

Correction citation for this publication is:

Klaprat, D.A., and T.J. Hara. 1984. A bibliography on chemoreception in fishes, 1807-1983. Can. Tech. Rep. Fish. Aquat. Sci. 1268: iv + 47 p.

TABLE OF CONTENTS

	<u>Page</u>
ABSTRACT/RESUME	iv
INTRODUCTION	1
PRIMARY PUBLICATIONS	1
REVIEW PAPERS	45
RELATED BOOKS	46

ABSTRACT

Klaprat, D.A., and T.J. Hara. 1984. A bibliography on chemoreception in fishes, 1807-1983. Can. Tech. Rep. Fish. Aquat. Sci. 1268: iv + 47 p.

The bibliography consists of over 900 references dealing with chemoreception in fish. Citations date from 1807 to 1983.

Key words: bibliographies; chemoreception; fish.

RESUME

Klaprat, D.A., and T.J. Hara. 1984. A bibliography on chemoreception in fishes, 1807-1983. Can. Tech. Rep. Fish. Aquat. Sci. 1268: iv + 47 p.

La bibliographie comprend plus de 900 références portant sur la chimioréception des poissons. Ces références datent de 1807 à 1983.

Mots-clés: bibliographies; chimioréception; poissons.

INTRODUCTION

The literature on chemoreception in fishes has been growing at a rapid rate with studies published in a wide spectrum of journals, technical reports, symposia, and books. A consequence of the interdisciplinary nature of this field has been difficulty with information retrieval. This bibliography was compiled to facilitate access to this substantial amount of information.

A collection of papers belonging to one of the authors (T.J.H.) formed the basis from which other references were located. Computer searches were made of various data bases, and a manual search was conducted of pertinent bibliographies, review papers and books. Whenever possible citations were taken from original papers; Biological Abstracts was used in cases where the original paper was unavailable. Hopefully there is sufficient detail so that every paper listed can be located.

The bibliography is divided into three sections. The first section lists primary publications including books and review papers dealing entirely with fish chemoreception and papers only indirectly related to olfaction and olfactory systems of fishes. The second section covers review papers on chemoreception in general. The third section contains symposium proceedings and books dealing generally with all aspects of chemoreception in all animal phyla. Books that partially discuss fish chemoreception, and all those that deal with related subjects in fishes are also listed here. References are listed in alphabetical order by author. Works by the same author(s) are arranged chronologically, the oldest paper listed first. The abbreviations for journals follow that of the "Bibliographic Guide for Editors & Authors" published in 1974 by the American Chemical Society, Washington, D.C.

Readers may assume that a paper is written in the same language as that of the title unless a note in parentheses at the end of the citation indicates otherwise.

No bibliography can ever be considered complete, and this compilation is no exception. We apologize for any references that have been missed or cited incorrectly. The authors would be glad to be informed of any such omissions and errors.

We thank Mrs. Donna Laroque and Mrs. Lillian Wilson who did the typing and corrections without losing their patience.

PRIMARY PUBLICATIONS

- ABROSIMOVA, A.M. 1976. Role of sense organs in the orientation of the bream, blue bream roach and white bream, in the Kiev reservoir Ukrainian-SSR USSR. *Vestn. Zool.* 3: 40-44. (In Russian)
- ADLER, H.E. 1963. Sensory factors in migration. *Anim. Behav.* 11: 566-577.
- ADRIAN, E.D., and F.J. BUYTENDIJK. 1931. Potential changes in the isolated brain stem of the goldfish. *J. Physiol.* (London) 71: 121-135.
- ADRIAN, E.D., and C. LUDWIG. 1938. Nervous discharges from the olfactory organs of fish. *J. Physiol.* (London) 94: 441-460.
- ADRON, J.W., and A.M. MACKIE. 1978. Identification of inosine-5'-monophosphate as the gustatory feeding stimulants for the turbot, *Scophthalmus maximus*. *Comp. Biochem. Physiol.* 60A: 79-83.
- ADRON, J.W., and A.M. MACKIE. 1978. Studies on the chemical nature of feeding stimulants for rainbow trout, *Salmo gairdneri*. *J. Fish Biol.* 12: 303-310.
- AGALIDES, E. 1967. The electrical activity of the forebrain of sharks recorded with deep chronic implanted electrodes. *Trans. N.Y. Acad. Sci.* 29: 378-389.
- AICHEL, O. 1895. Kurze Mitteilung über den histologischen Bau der Riechschleimhaut embryonaler Teleostier. *Sitzungsber. Gesellschaft Morphol. Physiol.* 11: 73-78.
- AIRAPET'YANTS, E.Sh., and N.E. VASILEVSKAYA. 1970. The chemical analyzer in fish. *Prog. Physiol. Sci.* 1: 51-63.
- ALDERDICE, D.F., J.R. BRETT, D.R. IDLER, and U. FAGERLUND. 1954. Further observations on olfactory perception in migrating adult coho and spring salmon - properties of the repellent in mammalian skin. *Fish. Res. Board Can. Prog. Rep. Pac. Coast St.* 98: 10-12.
- ALESSIO, G., and G. GANDOLFI. 1975. Valutazione dell'effetto sostanza allarmante su piccoli gruppi di Ostariophysi (Teleostei) e su singoli individui. *Ateneo Parmense, Acta Nat.* 11: 107-118.
- ALGRANATI, F.D., and A. PERLMUTTER. 1981. Attraction of zebrafish, *Brachydanio rerio*, to isolated and partially purified chromatographic fractions. *Environ. Biol. Fishes* 6: 31-38.
- ALLEN, W.F. 1940. Effect of ablating the frontal lobes, hippocampi, and occipitoparieto-temporal (excepting pyriform areas) lobes on positive and negative olfactory conditioned reflexes. *Am. J. Physiol.* 128: 754-771.
- ALLISON, J.B. 1932. Stimulation by hydrochloric acid and by the normal aliphatic acids in the sunfish *Eupomotis*. *J. Gen. Physiol.* 15: 621-628.
- ALLISON, J.B., and W.N. COLE. 1934. Stimulation of *Fundulus* by hydrochloric and fatty acids in fresh water, and by fatty acids, mineral acids, and the sodium salts of mineral acids in sea water. *J. Gen. Physiol.* 17: 803-816.

- AMOURIO, L. 1965. L'activité et le phénomène social chez *Lebistes reticulatus* (Poeciliidae-Cyprinodontiformes). *Ann. Sci. Nat. Zool.* 7: 151-172.
- AMOURIO, L. 1965. Origine de la substance dynamogène émise par *Lebistes reticulatus* femelle (Poisson, Poeciliidae, Cyprinodontiformes). *C. R. Acad. Sci. Paris* 260: 2334-2335.
- ANDRES, K.H. 1970. Anatomy and ultrastructure of the olfactory bulb in fish, amphibia, reptiles, birds and mammals, p. 177-196. In G.E.W. Wolstenholme and J. Knight (ed.) Taste and smell in vertebrates. J. & A. Churchill, London.
- AOKI, I., and T. KUROKI. 1975. Alarm reaction of three Japanese cyprinid fishes, *Tribolodon hakonensis*, *Gnathopogon elongatus*, and *Rhodeus ocellatus ocellatus*. *Bull. Jpn. Soc. Sci. Fish.* 41: 507-513.
- APPELBAUM, S. 1978. Verhaltensstudie zur Futteraufnahme von Larven der kleinen Maräne (*Coregonus albula* L.). *Arch. Fischereiwiss.* 29: 85-91.
- APPELBAUM, S. 1980. Zur Fresslust der Regenbogenforellen (*Salmo gairdneri* Richardson) bei der Aufnahme von aromatisiertem bzw. nicht aromatisiertem Futter. *Arch. Fischereiwiss.* 31: 21-27.
- APPELBAUM, S. 1980. Versuche zur Geschmacksperzeption einiger Süßwasserfische im larvalen und adulten Stadium. *Arch. Fischereiwiss.* 31: 105-114.
- APPELBAUM, S. 1981. Zum Geruchsorgan der Karpfenlarven (*Cyprinus carpio* L.). *Zool. Anz.* 206: 227-233.
- APPELBAUM, S., J.W. ADRON, S.G. GEORGE, A.M. MACKIE, and B.J.S. PIRIE. 1983. On the development of the olfactory and the gustatory organs of the Dover sole, *Solea solea*, during metamorphosis. *J. Mar. Biol. Assoc. U.K.* 63: 97-108.
- ARONOV, M.P. 1959. The role of sensory organs in the search for food by the Black Sea whiting. *Tr. Sevastop. Biol. Stn. Akad. Nauk Ukr. SSSR* 11: 229-237. (In Russian)
- ARONOV, M.P. 1960. The role of the sense organs in the obtaining of food by the mullet (*Mugil auratus* R.). *Byull. Mosk. Ova Ispyt. Priro. Otd. Biol.* 65: 46-51. (In Russian)
- ARONOV, M.P. 1961. The role of the sense organs in the obtaining of food by the ombre (*Corvina umbra* L.). *Vopr. Ikhtiol.* 1: 194-199. (In Russian)
- ARONOV, M.P. 1962. Methods for the study of taste and smell in fish, p. 283-301. In *Rukovodstvo po metodike issledovaniya fiziologii ryb. [Handbook of procedures for the study of fish physiology]*. Akad. Nauk SSSR, Moscow.
- ARONSON, L.R. 1967. Forebrain function in teleost fishes. *Trans. N.Y. Acad. Sci.* 29: 390-396.
- ARONSON, L.R., and H. KAPLAN. 1968. Functions of the teleostean forebrain, p. 107-125. In D. Ingle (ed.) The central nervous system and fish behavior. University of Chicago Press, Chicago.
- ASAI, T. 1913. Untersuchungen über die Struktur der Riechorgane bei *Mustelus laevis* (Glatter Hai, Selachier). *Anat. Hefte. (Weisbaden)* Abt. 1 49: 441-521.
- ASBURY, K., W.J. MATTHEWS, and L.G. HILL. 1981. Attraction of *Notropis lutrensis* (Cyprinidae) to water conditioned by the presence of conspecifics. *Southwest. Nat.* 25: 525-528.
- ATEMA, J. 1971. Structures and functions of the sense of taste in the catfish (*Ictalurus natalis*). *Brain Behav. Evol.* 4: 273-294.
- ATEMA, J. 1977. Functional separation of smell and taste in fish and crustacea, p. 165-174. In J. Le Magnen and P. MacLeod (ed.) Olfaction and taste VI. Information Retrieval, London.
- ATEMA, J. 1980. Smelling and tasting underwater. *Oceanus* 23: 4-18.
- ATEMA, J. 1980. Chemical senses, chemical signals and feeding behavior in fishes, p. 57-101. In J.E. Bardach, J.J. Magnuson, R.C. May and J.M. Reinhart (ed.) Fish behavior and its use in the capture and culture of fishes. International Center for Living Aquatic Resources Management, Manila.
- ATEMA, J., K. HOLLAND, and W. IKEHARA. 1980. Olfactory responses of yellow fin tuna (*Thunnus albacares*) to prey odors: chemical search image. *J. Chem. Ecol.* 6: 457-465.
- ATEMA, J., S. JACOBSON, J. TODD, and D. BAYLAN. 1973. The importance of chemical signals in stimulating behavior of marine organisms: effects of altered environmental chemistry on animal communication, p. 177-197. In G.E. Glass (ed.) Bioassay techniques and environmental chemistry. Ann Arbor Science Publishers, Ann Arbor.
- ATEMA, J., J.H. TODD, and J.E. BARDACH. 1969. Olfaction and behavioral sophistication in fish, p. 241-251. In C. Pfaffman (ed.) Olfaction and taste III. Rockefeller University Press, New York.
- ATZ, J.W. 1952. Narial breathing in fishes and the evolution of internal nares. *Q. Rev. Biol.* 27: 366-377.
- ATZ, J.W. 1952. Internal nares in the teleost, *Astroscoptes*. *Anat. Rec.* 113: 105-115.
- ATZ, J.W. 1972. The supersensitivity of fishes. *Nat. Hist.* 81: 60-65.

- BAENNINGER, R. 1968. Catecholamines and social relations in Siamese fighting fish. *Anim. Behav.* 16: 442-447.
- BAGLIONI, S. 1908. Zur Physiologie des Geruchssinnes und des Tastsinnes der Seetiere. Versuche an Octopus und einigen Fischen. *Zentralbl. Physiol.* 22: 719-723.
- BAGLIONI, S. 1910. Zur Kenntnis der Leistungen einiger Sinnesorgane (Gesichtssinn, Tastsinn und Geruchssinn), und des Zentralnervensystems der Cephalopoden und Fische. *Z. Biol. (Munich)* 53: 255-286.
- BAGLIONI, S. 1910. Contributions experimentales à la physiologie du sens olfactif et du sens tactile des animaux marins. *Arch. Ital. Biol.* 52: 225-230.
- BAKHTIN, E.K. 1975. Comparative electron microscopic study of small secretory cells of the olfactory epithelium of sterlets and sharks. *Tsitologiya* 17: 499-503. (In Russian)
- BAKHTIN, E.K. 1975. Origin and possible role of microvesicles in olfactory receptor cells. *Tsitologiya* 17: 898-901. (In Russian)
- BAKHTIN, E.K. 1976. Morphology of the olfactory organ of some fish species and a possible functional interpretation. *J. Ichthyol.* 16: 786-804.
- BAKHTIN, E.K. 1977. Characteristics of the fine structure of the olfactory organ of the dogfish *Squalus acanthias*. *Tsitologiya* 19: 725-731. (In Russian)
- BAKHTIN, E.K. 1977. Ultrastructure of the non-ciliary receptor cells of the olfactory epithelium of some species of fish after fixation with different fixatives. *Izv. Sib. Otd. Akad. Nauk SSSR Ser. Biol. Nauk.* 3: 133-140. (In Russian)
- BAKHTIN, E.K. 1978. The fine structure of ciliary nonolfactory cells of the olfactory lining of *Squalus acanthias* and *Acipenser ruthenus*. *Tsitologiya* 20: 992-997. (In Russian)
- BAKHTIN, E.K., and E.E. Filyushina. 1969. Electron microscopic studies of the fine structure of the olfactory lining of the pike perch. *Izv. Sib. Otd. Akad. Nauk. SSSR, Ser. Biol. Med. Nauk.* 1: 121-128. (In Russian)
- BAKHTIN, E.K., and E.E. Filyushina. 1974. Ultrastructural basis of secretion in the small secretory cells of the olfactory epithelium in pike perch and perch. *Tsitologiya* 16: 90-93. (In Russian)
- BAKHTIN, E.K., and E.E. Filyushina. 1974. A unique type of olfactory lining secretory cells in the zander *Lucioperca lucioperca*. *Arkh. Anat. Gistol. Embriol.* 67: 87-90. (In Russian)
- BAKHTIN, E.K., and E.E. Filyushina. 1974. The electron microscope study of differentiation of the olfactory epithelium receptor cells in ganoidmorph fishes. *Tsitologiya* 16: 936-940. (In Russian)
- BAKHTIN, E.K., and E.E. Filyushina. 1974. Some ultrastructural peculiarities of secretory cells and of the olfactory epithelium secrete in some fish species related to a possible mechanism of olfactory perception. *Tsitologiya* 16: 1089-1094. (In Russian)
- BALLOWITZ, E. 1904. Ueber den Bau des Geruchsorgans der Cyclostomata. *Sitzungsber. Kl. Preuss. Akad. Wiss. Physikmath. Klasse.* 1904: 671-676.
- BANKS, J.W. 1969. A review of the literature on the upstream migration of adult salmonids. *J. Fish Biol.* 1: 85-136.
- BANNISTER, C.H. 1965. The fine structure of the olfactory surface of teleostean fishes. *Q. J. Microsc. Sci.* 106: 333-342.
- BARBER, V.C., and A. BOYDE. 1968. Scanning electron microscopic studies of cilia. *Z. Zellforsch.* 84: 269-284.
- BARDACH, J.E. 1967. The chemical senses and food intake in the lower vertebrates, p. 19-43. In M.R. Kare and O. Møller (ed.) *The chemical senses and nutrition*. Johns Hopkins Press, Baltimore.
- BARDACH, J.E. 1975. Chemoreception of aquatic animals, p. 121-132. In D.A. Denton and J.P. Coglian (ed.) *Olfaction and taste V*. Academic Press, New York.
- BARDACH, J.E., and J. ATEMA. 1971. The sense of taste in fishes, p. 293-336. In L. M. Beidler (ed.) *Handbook of sensory physiology*. Vol. 4, Part 2. Springer-Verlag, Berlin.
- BARDACH, J.E., and J. CASE. 1965. Sensory capabilities of the modified fins of squirrel hake (*Urophycis chuss*) and searobins (*Prionotus carolinus* and *P. evolans*). *Copeia* 1965 (2): 194-206.
- BARDACH, J.E., M. FUJIYA, and A. HOLL. 1965. Detergents: effects on the chemical senses of the fish *Ictalurus natalis* (le Sueur). *Science (Wash. D.C.)* 148: 1605-1607.
- BARDACH, J., M. FUJIYA, and A. HOLL. 1967. Investigations of external chemoreceptors of fishes, p. 647-666. In T. Hayashi (ed.) *Olfaction and taste II*. Pergamon Press, Oxford.
- BARDACH, J., G. JOHNSON, and J. TODD. 1967. A new laboratory method for tracking aquatic animals. *Med. Biol. Illus.* 17: 108-111.
- BARDACH, J.E., G.H. JOHNSON, and J.H. TODD. 1969. Orientation by bulk messenger sensors in aquatic vertebrates. *Ann. N.Y. Acad. Sci.* 163: 227-235.

- BARDACH, J.E., and J.H. TODD. 1970. Chemical communication in fish, p. 205-240. In J.W. Johnston, D.G. Moulton and A. Turk (ed.) *Advances in chemoreception*. Vol. 1. Communication by chemical signals. Appleton-Century-Crofts, New York.
- BARDACH, J.E., J.H. TODD, and R. CRICKMER. 1967. Orientation by taste in fish of the genus *Ictalurus*. *Science* (Wash. D.C.) 155: 1276-1278.
- BARDACH, J.E., and T. VILLARS. 1974. The chemical senses of fishes, p. 49-104. In P.T. Grant and A.M. Mackie (ed.) *Chemoreception in marine organisms*. Academic Press, London.
- BARDACH, J.E., H.E. WINN, and D.W. MENZEL. 1959. The role of the senses in the feeding of the nocturnal reef predators *Gymnothorax moringa* and *G. vicinus*. *Copeia* 1959(2): 133-139.
- BARNARD, J.W. 1936. A phylogenetic study of the visceral afferent areas associated with the facial, glossopharyngeal and vagus nerves and their fiber connections. The efferent facial nucleus. *J. Comp. Neurol.* 65: 503-602.
- BARNETT, C. 1977. Chemical recognition of the mother by the young of the cichlid fish, *Cichlasoma citrinellum*. *J. Chem. Ecol.* 3: 461-466.
- BARNETT, C. 1977. Aspects of chemical communication with special reference to fish. *Biosci. Commun.* 3: 331-392.
- BARNETT, C. 1981. Role of urine in parent offspring communication in a cichlid fish *Cichlasoma citrinellum*. *Z. Tierpsychol.* 55: 173-182.
- BARNETT, C. 1982. The chemosensory responses of young cichlid fish to parents and predators. *Anim. Behav.* 30: 35-42.
- BARTHELEMY, L., C. PEYRAUD, A. BELAUD, and D. MABIN. 1975. Etude électroencéphalographique de l'anguille (*Anguilla anguilla* L.). *J. Physiol. (Paris)* 70: 173-186.
- BARWICK, D.H., and D.E. HOLCOMB. 1976. Relation of largemouth bass reproduction to crowded sunfish populations in Florida ponds. *Trans. Am. Fish. Soc.* 105: 244-246.
- BASHOR, D.P., R.W. BEUERMAN, and D.M. EASTON. 1974. Ciliary action and normal movement of odorant wavefronts in garfish nasal capsule of *Lepisosteus osseus*. *Experientia* 30: 777-779.
- BASS, A.H. 1981. Olfactory bulb efferents in the channel catfish, *Ictalurus punctatus*. *J. Morphol.* 169: 91-111.
- BASS, A.H. 1981. Organization of the telencephalon in the channel catfish, *Ictalurus punctatus*. *J. Morphol.* 169: 71-90.
- BASS, A.H. 1981. Telencephalic efferents in the channel catfish, *Ictalurus punctatus*: projections to the olfactory bulb and optic tectum. *Brain Behav. Evol.* 19: 1-16.
- BASS, E.L. 1971. Temperature acclimation in the nervous system of the brown bullhead (*Ictalurus nebulosus*). *Comp. Biochem. Physiol.* 40A: 833-849.
- BATESON, W. 1890. The sense-organs and perceptions of fishes; with remarks on the supply of bait. *J. Mar. Biol. Assoc. U.K.* 1: 225-256.
- BELAUD, A., D. MABIN, L. BARTHELEMY, and C. PEYRAUD. 1976. Activité électroencéphalographique d'un poisson (*Anguilla anguilla* L.) soumis à diverses conditions hyperbares. *J. Physiol. (Paris)* 72: 639-652.
- BELGHAUG, R. and K. B. ØVING. 1977. Odour threshold determined by studies of the induced waves in the olfactory bulb of the char (*Salmo alpinus* L.). *Comp. Biochem. Physiol.* 57A: 327-330.
- BELL, W.J., and T.R. TOBIN. 1982. Chemo-orientation. *Biol. Rev. Cambridge Philos. Soc.* 57: 219-260.
- BELLONCI, G. 1885. Intorno all'apparato olfattivo ed olfattivo-ottico (nuclei rotondi Fritsch) del cervello dei Telostei. *Atti (Memorie) reale accad. Lincei 4th ser.* 1: 317-323.
- BELOUSOVA, T.A., and G.I. FLEROVA. 1980. Regulation of signals in the fish chemosensory systems. *Fiziol. Zh. SSSR im. I.M. Sechenova* 66: 680-686. (In Russian)
- BELOUSOVA, T.A., G.V. DEVITSYNA, and G.A. MALYUKINA. 1978. An electrophysiological study of the functional characteristics of the olfactory system of the cod. *Biol. Nauki (Moscow)* 6: 73-78. (In Russian)
- BERLINER, K. 1902. Die Entwicklung des Geruchsorgans der Selachier. *Arch. Mikroskop. Anat.* 60: 386-406.
- BERT, J., M. DUPÉ, and R. GODET. 1964. Potentiel évoqué visuel à la surface du tectum mésencéphalique d'un Dipneuste. Importance des réponses "off". *C.R. Seances Soc. Biol. Paris* 158: 788-790.
- BERT, J., and R. GODET. 1963. Réaction d'éveil télencéphalique d'un Dipneuste. *C.R. Seances Soc. Biol. Paris* 157: 1787-1790.
- BERTI, R., and G. THINÈS. 1980. Influence of chemical signals on the topographic orientation of the cave fish *Caecobarbus geertsi* Boulenger (Pisces, Cyprinidae). *Experientia* 36: 1384-1385.
- BERTMAR, G. 1969. The vertebrate nose, remarks on its structural and functional adaptation and evolution. *Evolution* 23: 131-152.

- BERTMAR, G. 1972. Secondary folding of olfactory organ in young and adult sea trout. *Acta Zool. (Stockholm)* 53: 113-120.
- BERTMAR, G. 1972. Scanning electron microscopy of olfactory rosette in sea trout. *Z. Zellforsch.* 128: 336-346.
- BERTMAR, G. 1972. Ecostructural studies on olfactory organ in young and adult sea trout (*Osteichthyes*, *Salmonidae*). *Z. Morphol. Tiere* 72: 307-330.
- BERTMAR, G. 1972. Labyrinth cells, a new cell type in vertebrate olfactory organs. *Z. Zellforsch.* 132: 245-256.
- BERTMAR, G. 1973. Ultrastructure of the olfactory mucosa in the homing Baltic sea trout *Salmo trutta trutta*. *Mar. Biol.* 19: 74-88.
- BERTMAR, G. 1978. Electron microscopy of the olfactory mucosa in migrating Baltic Sea trout (*Salmo trutta trutta* L.), with special reference to phagocytic and immunological cells, p. 25-42. In *Beiträge zur Fisch-Oekologie, Fisch und Umwelt*, 6. Gustav Fischer Verlag, Stuttgart.
- BERTMAR, G. 1979. Home range, migrations and orientation mechanisms of the River Indalsälven trout, *Salmo trutta* L. *Fish. Board Swed. Inst. Freshwater Res. Drottningholm Rep.* 58: 5-26.
- BERTMAR, G. 1980. Phagocytic and immunological cells in the olfactory mucosa of migrating Baltic sea trout, p. 159-162. In H. van der Starre (ed.) *Olfaction and taste VII*. IRL Press, London.
- BERTMAR, G. 1981. Evolution of vomeronasal organs in vertebrates. *Evolution* 35: 359-366.
- BERTMAR, G. 1982. Structure and function of the olfactory mucosa of migrating Baltic trout under environmental stresses, with special reference to water pollution, p. 395-422. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- BERTMAR, G., and K. MUELLER. 1970. The daily periodicity of brook trout *Salvelinus fontinalis* which have been blinded and in which the olfactory sense has been eliminated. *Oikos Suppl.* 13: 139-142.
- BERTMAR, G., and R. TOFT. 1969. Sensory mechanisms of homing in salmonid fish. I. Introductory experiments on the olfactory sense of grilse of Baltic salmon (*Salmo salar*). *Behaviour* 35: 235-241.
- BHIMACHAR, B.S. 1935. A study of the correlation between the feeding habits and the structure of the hind brain in the South Indian cyprinoid fishes. *Proc. R. Soc. London Ser. B* 117: 258-272.
- BHIMACHAR, B.S. 1937. A study of the medulla oblongata of cyprinodont fishes with special reference to their feeding habits. *Proc. R. Soc. London Ser. B* 123: 59-68.
- BIANCHI, S. 1978. Le cellule mucose e l'istochimica dei mucopolisaccaridi nell'epitelio olfattivo di *Uegitglanis zammara-noi* Gianferrari (*Clariidae*, *Siluriformes*), pesce freatico anoftalmo della somalia. *Riv. Istoch. Norm. Pat.* 22: 101-107.
- BIANCHI, S., G. DELFINO, and A. ERCOLINI. 1978. Morphology and fine structure of the olfactory organ in *Uegitglanis zammara-noi* Gianferrari (*Clariidae*, *Siluriformes*), anophthalmic phreatic fish from Somalia. *Monit. Zool. Ital. Suppl.* 10: 157-171.
- BIANKI, V.L. 1961. Spatial analysis and bilateral symmetry of the brain in fishes. III. The role of perception by the swim bladder. Olfactory spatial analysis. Conclusion. *Vetn. Leningr. Univ.* 15: 105-125. (In Russian)
- BIECK, B., and H.P. ZIPPEL. 1971. Spontaneous behavior and taste discrimination in the goldfish *Carassius auratus* after a shock-free training procedure. *J. Biol. Psychol.* 13: 13-16.
- BIEDERBACH, M.A. 1973. Functional properties and projection areas of cutaneous receptors in catfish. *J. Comp. Physiol.* 84: 227-250.
- BISHT, J.S., and M. JOSHI. 1977. Histomorphology of olfactory organs of a hill stream teleost *Schizothorax richardsonii*. *Geobios (Jodhpur)* 4: 228-231.
- BLOOM, H.D., and A. PERLMUTTER. 1977. A sexual aggregating pheromone system in the zebrafish, *Brachydanio rerio* (Hamilton-Buchanan). *J. Exp. Zool.* 199: 215-226.
- BLOOM, H.D., and A. PERLMUTTER. 1978. Possible pheromone mediated reproductive isolation in two species of cyprinid fishes of the genus, *Brachydanio*. *J. Fish Biol.* 13: 47-50.
- BLOOM, H.D., A. PERLMUTTER, and R.J. SEELEY. 1978. Effect of a sublethal concentration of zinc on an aggregating pheromone system in the zebrafish, *Brachydanio rerio* (Hamilton-Buchanan). *Environ. Pollut.* 17: 127-131.
- BODZNICK, D. 1975. The relationship of the olfactory EEG evoked by naturally-occurring stream waters to the homing behavior of sockeye salmon (*Oncorhynchus nerka*, Walbaum). *Comp. Biochem. Physiol.* 52A: 487-495.
- BODZNICK, D. 1978. Water source preference and lakeward migration of sockeye salmon fry (*Oncorhynchus nerka*). *J. Comp. Physiol.* 127: 139-146.
- BODZNICK, D. 1978. Characterization of olfactory bulb units of sockeye salmon with behaviorally relevant stimuli. *J. Comp. Physiol.* 127: 147-155.

- BODZNICK, D. 1978. Calcium ion: an odorant for natural water discriminations and the migratory behavior of sockeye salmon. *J. Comp. Physiol.* 127: 157-166.
- BORIE, F., N. CHANTRIER, J.-L. HUVE, and M.-A. THOMSON. 1981. Use of rainbow trout olfactory bulb bioelectric activity for pesticide detection. *C.R. Acad. Sci. Ser. 3* 292: 235-238.
- BOUDREAU, J.C. 1962. Electrical activity in the olfactory tract of the catfish. *Jpn. J. Physiol.* 12: 272-278.
- BOWEN, E.S. 1931. The role of sense organs in aggregations of Ameiurus melas. *Ecol. Monogr.* 1: 1-35.
- BRAFORD, M.R., and R.G. NORTHCUTT. 1974. Olfactory bulb projections in the bichir, Polypterus. *J. Comp. Neurol.* 156: 165-178.
- BRANNON, E.L. 1972. Mechanisms controlling migration of sockeye salmon fry. *Bull. Int. Pac. Salmon Fish. Comm.* 21: 1-86.
- BRANSON, B.A. 1963. The olfactory apparatus of Hybopsis gelida (Girard) and Hybopsis aestivalis (Girard) (Pisces: Cyprinidae). *J. Morphol.* 113: 215-229.
- BRANSON, B.A. 1975. Post-hatching sequence of olfactory lamella formation and pigmentation in Hybopsis aestivalis (Pisces: Cyprinidae). *Copeia* 1975(1): 109-112.
- BRANSON, B.A. 1979. Variation in the olfactory organ in Hybopsis aestivalis (Pisces: Cyprinidae). *Trans. Ky Acad. Sci.* 40: 112-121.
- BRANSON, B.A. 1979. Observations on the gross anatomy of the olfactory organ and eyes in five genera of American barbeled minnows (Pisces: Cyprinidae). *Southwest. Nat.* 24: 501-507.
- BREDER, C.M. Jr., and P. RASQUIN. 1943. Chemical sensory reactions in the Mexican blind characins. *Zoologica (N.Y.)* 28: 169-200.
- BREIPOHL, W. 1974. Licht- und elektronenmikroskopische Befunde zur Struktur der Regio olfactoria des Goldfisches. *Verh. Anat. Ges.* 68: 479-485.
- BREIPOHL, W., G.J. BIJVANK, and H.P. ZIPPEL. 1973. Rastermikroskopische Untersuchungen der olfaktorischen Rezeptoren im Riechepithel des Goldfisches (Carassius auratus). *Z. Zellforsch.* 138: 439-454.
- BREIPOHL, W., G.J. BIJVANK, and H.P. ZIPPEL. 1973. Die Oberflächenstruktur der olfaktorischen Drüsen des Goldfisches (Carassius auratus). Eine rastermikroskopische Studie. *Z. Zellforsch.* 140: 567-582.
- BREIPOHL, W., H. LAUGWITZ, and J. BIJVANK. 1974. Rastermikroskopische Befunde an olfaktorischen Rezeptoren. *Verh. Anat. Ges.* 68: 793-797.
- BREIPOHL, W., H.J. LAUGWITZ, and N. BORNFELD. 1974. Topological relations between the dendrites of olfactory sensory cells and sustentacular cells in different vertebrates. An ultrastructural study. *J. Anat.* 117: 89-94.
- BREIPOHL, W., and M. OHYAMA. 1981. Comparative and developmental SEM studies on olfactory epithelia in vertebrates (Biomedical aspects and speculations). *Biomed. Res.* 2 Suppl.: 437-448.
- BRETT, B.L.H., and D.J. GROSSE. 1982. A reproductive pheromone in the Mexican poeciliid fish Poecilia chichu. *Copeia* 1982(1): 219-223.
- BRETT, J.R., and C. GROOT. 1963. Some aspects of olfactory and visual responses in Pacific salmon. *J. Fish. Res. Board Can.* 20: 287-303.
- BRETT, J.R., and D. MacKINNON. 1952. Some observations on olfactory perception in migrating adult coho and spring salmon. *Fish. Res. Board Can. Prog. Rep. Pac. Coast St.* 90: 21-23.
- BRETT, J.R., and D. MacKINNON. 1954. Some aspects of olfactory perception in migrating adult coho and spring salmon. *J. Fish. Res. Board Can.* 11: 310-318.
- BREUCKER, H., E. ZEISKE, and R. MELINKAT. 1979. Development of the olfactory organ in the rainbow fish Nematocentris maccullochi (Atheriniformes, Melanotaenidae). *Cell Tissue Res.* 200: 53-68.
- BRONSHTEIN, A.A. 1962. Localization of dehydrogenase in the olfactory cells of vertebrates. *Dokl. Akad. Nauk SSSR* 142: 936-939. (In Russian)
- BRONSHTEIN, A.A. 1964. Intravital observations on movement of the hairs of the olfactory cells. *Dokl. Akad. Nauk SSSR* 156: 715-718. (In Russian)
- BRONSHTEIN, A.A. 1965. Histochemistry of the olfactory organ. *Arkh. Anat. Gistol. Embriol.* 48: 106-116. (In Russian)
- BRONSHTEIN, A.A. 1974. Electron microscopic study of the olfactory organ in vertebrates. *Arkh. Anat. Gistol. Embriol.* 69: 22-40. (In Russian)
- BRONSHTEIN, A.A. 1976. Fine structure of the elasmobranch (Elasmobranchii) olfactory organ. *J. Evol. Biochem. Physiol.* 12: 54-58.
- BRONSHTEIN, A.A. 1976. Regularities of the ultrastructural organization of the olfactory receptors in a comparative series of vertebrates. *Tsitologiya* 18: 535-548. (In Russian)
- BRONSHTEIN, A.A., and V.P. IVANOV. 1965. Electron microscopic investigation of the olfactory organ in the lamprey. *J. Evol. Biochem. Physiol.* 1: 251-261.

- BRONSHTEIN, A.A., and G.A. PYATKINA. 1966. Ultrastructural organization of olfactory cell hairs of the fish. *Tsitologiya* 8: 642-645. (In Russian)
- BROOKOVER, C. 1910. The olfactory nerve, the nervus terminalis and the pre-optic sympathetic system in *Amia calva* L. *J. Comp. Neurol. Psychol.* 20: 49-118.
- BROOKOVER, C. 1914. The development of the olfactory nerve and its associated ganglion in *Lepidosteus*. *J. Comp. Neurol.* 24: 113-130.
- BROOKOVER, C., and T.S. JACKSON. 1911. The olfactory nerve and the nervus terminalis of *Ameiurus*. *J. Comp. Neurol.* 21: 237-259.
- BROWN, S.B., R.E. EVANS, B.E. THOMPSON, and T.J. HARA. 1982. Chemoreception and aquatic pollutants, p. 363-394. In T.J. Hara (ed.) *Chemoreception in Fishes*. Elsevier, Amsterdam.
- BROWN, S.B., and T.J. HARA. 1981. Accumulation of chemostimulatory amino acids by a sedimentable fraction isolated from olfactory rosette of rainbow trout (*Salmo gairdneri*). *Biochim. Biophys. Acta* 675: 149-162.
- BROWN, S.B., and T.J. HARA. 1982. Biochemical aspects of amino acid receptors in olfaction and taste, p. 159-180. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- BRUCKMOSER, P. 1973. Beziehungen zwischen Struktur und Funktion in der Evolution des Telencephalon. *Verh. Dtsch. Zool. Ges.* 66: 219-229.
- BRUCKMOSER, P. 1971. Elektrische Antworten im Vorderhirn von *Lampetra fluviatilis* (L.) bei Reizung des Nervus olfactorius. *Z. Vgl. Physiol.* 75: 69-85.
- BRUCKMOSER, P., and N. DIERINGER. 1973. Evoked potentials in the primary and secondary olfactory projection areas of the forebrain in Elasmobranchia. *J. Comp. Physiol.* 87: 65-74.
- BRUCKMOSER, P., and A.K. DOBRYLKO. 1972. Evoked potentials in the telencephalon of the lamprey *Lampetra fluviatilis* during stimulation of the olfactory nerve. *Zh. Evol. Biokhim. Fiziol.* 8: 558-560. (In Russian)
- BULL, H.O. 1928. Studies on conditioned responses in fishes. Part I. *J. Mar. Biol. Assoc. U.K.* 15: 485-533.
- BULL, H.O., 1930. Studies on conditioned responses in fishes. Part II. *J. Mar. Biol. Assoc. U.K.* 16: 615-637.
- BURNE, R.H. 1909. The anatomy of the olfactory organ of teleostean fishes. *Proc. Zool. Soc. London* 2: 610-663.
- BUSNITA, T. 1932. Contributions à l'étude de la muqueuse nasale des poissons. *C.R. Soc. Biol. Bucarest* 110: 647-650.
- BYRD, R.P. Jr. and J. CAPRIO. 1982. Comparison of olfactory receptor (EOG) and bulbar (EEG) responses to amino acids in the catfish, *Ictalurus punctatus*. *Brain Res.* 249: 73-80.
- CAGAN, R.H. 1979. Biochemical studies of taste sensation. VII. Enhancement of taste stimulus binding to a catfish taste receptor preparation by prior exposure to the stimulus. *J. Neurobiol.* 10: 207-220.
- CAGAN, R.H. 1981. Recognition of taste stimuli at the initial binding interaction, p. 175-203. In R.H. Cagan and M.R. Kare (ed.) *Biochemistry of taste and olfaction*. Academic Press, New York.
- CAGAN, R.H., and K.N. HOLLAND. 1982. Relationship of biochemical recognition of taste compounds to behavioral and physiological response in the catfish *Ictalurus punctatus*, p. 7-18. In J.E. Steiner and J.R. Ganchrow (ed.) *Determination of behaviour by chemical stimuli*. IRL Press, London.
- CAGAN, R.H., and L.D. RHEIN. 1980. Biochemical basis of recognition of taste and olfactory stimuli, p. 35-44. In H. van der Starre (ed.) *Olfaction and taste VII*. IRL Press, London.
- CAGAN, R.H., and W.N. ZEIGER. 1978. Biochemical studies of olfaction: binding specificity of radioactively labeled stimuli to an isolated olfactory preparation from rainbow trout (*Salmo gairdneri*). *Proc. Natl Acad. Sci. U.S.A.* 75: 4679-4683.
- CAMPOS, H. 1969. The taste buds in the foregut of fresh water fish; the number, distribution, and development (*Phoxinus phoxinus*, *Gasterosteus aculeatus*, *Hemigrammus caudovittatus*, *Anoptichthys jordani*, and *Salmo gairdneri*). *Z. Wiss. Zool. Abt. A* 179: 253-299. (In German)
- CANCALON, P. 1978. Isolation and characterization of the olfactory epithelial cells of the catfish. *Chem. Senses Flavor* 3: 381-396.
- CANCALON, P. 1979. Subcellular and polypeptide distributions of slowly transported proteins in the garfish olfactory nerve. *Brain Res.* 161: 115-130.
- CANCALON, P. 1979. Influence of temperature on the velocity and on the isotope profile of slowly transported labeled proteins. *J. Neurochem.* 32: 997-1007.
- CANCALON, P. 1980. Effect of salts, pH and detergents on the catfish olfactory mucosa, p. 73-76. In H. van der Starre (ed.) *Olfaction and taste VII*. IRL Press, London.
- CANCALON, P. 1982. Degeneration and regeneration of olfactory cells induced by $ZnSO_4$

- and other chemicals. *Tissue Cell* 14: 717-733.
- CANCALON, P. 1982. Slow flow in axons detached from their perikarya. *J. Cell Biol.* 95: 989-992.
- CANCALON, P. 1983. Influence of temperature on slow flow in populations of regenerating axons with different elongation velocities. *Dev. Brain Res.* 9: 279-289.
- CANCALON, P. 1983. Regeneration of three populations of olfactory axons as a function of temperature. *Dev. Brain Res.* 9: 265-278.
- CANCALON, P. 1983. Proximodistal degeneration of C-fibers detached from their perikarya. *J. Cell. Biol.* 97: 6-14.
- CANCALON, P. 1983. Influence of detergent on the catfish olfactory mucosa. *Tissue Cell* 15: 245-258.
- CANCALON, P. 1983. Receptor cells of the catfish olfactory mucosa. *Chem. Senses Flavor* 8: 203-209.
- CANCALON, P., and L.M. BEIDLER. 1975. Distribution along the axon and into various subcellular fractions of molecules labeled with [³H]leucine and rapidly transported in the garfish olfactory nerve. *Brain Res.* 89: 225-224.
- CANCALON, P., and L.M. BEIDLER. 1977. Differences in the composition of the polypeptides deposited in the axon and the nerve terminals by fast axonal transport in the garfish olfactory nerve. *Brain Res.* 121: 215-228.
- CANCALON, P., and J.S. ELAM. 1980. Study of regeneration in the garfish olfactory nerve. *J. Cell Biol.* 84: 779-794.
- CANCALON, P., and J.S. ELAM. 1980. Rate of movement and composition of rapidly transported proteins in regenerating olfactory nerve. *J. Neurochem.* 35: 889-897.
- CANCALON, P., J.S. ELAM, and L.M. BEIDLER. 1976. SDS gel electrophoresis of rapidly transported proteins in garfish olfactory nerve. *J. Neurochem.* 27: 687-693.
- CAPRIO, J. 1975. High sensitivity of catfish taste receptors to amino acids. *Comp. Biochem. Physiol.* 52A: 247-251.
- CAPRIO, J. 1975. Extreme sensitivity and specificity of catfish gustatory receptors to amino acids and derivatives, p. 157-161. In D.A. Denton and J.P. Coghlan (ed.) *Olfaction and taste V.* Academic Press, New York.
- CAPRIO, J. 1977. Electrophysiological distinctions between the taste and smell of amino acids in catfish. *Nature (London)* 266: 850-851.
- CAPRIO, J. 1978. Olfaction and taste in the channel catfish: an electrophysiological study of the responses to amino acids and derivatives. *J. Comp. Physiol.* 123: 357-371.
- CAPRIO, J. 1980. Similarity of olfactory receptor response (EOG) of freshwater and marine catfish to amino acids. *Can. J. Zool.* 58: 1778-1784.
- CAPRIO, J. 1982. High sensitivity and specificity of olfactory and gustatory receptors of catfish to amino acids, p. 109-134. In T.J. Hara (ed.) *Chemoreception in fishes.* Elsevier, Amsterdam.
- CAPRIO, J., and R. RADERMAN-LITTLE. 1978. Scanning electron microscopy of the channel catfish olfactory lamellae. *Tissue Cell* 10: 1-9.
- CARLIN, B. 1968. The migration of salmon, p. 14-22. In *Atlantic Salmon Association Centennial Award Fund, Series of Lectures.* Atlantic Salmon Association, Montreal.
- CARR, W.E.S. 1976. Chemoreception and feeding behavior in the pigfish, *Orthopristis chrysopterus*: characterization and identification of stimulatory substances in a shrimp extract. *Comp. Biochem. Physiol.* 55A: 153-157.
- CARR, W.E.S. 1982. Chemical stimulation of feeding behavior, p. 259-274. In T.J. Hara (ed.) *Chemoreception in Fishes.* Elsevier, Amsterdam.
- CARR, W.E.S., K.M. BLUMENTHAL, and J.C. NETHERTON III. 1977. Chemoreception in the pigfish, *Orthopristis chrysopterus*: the contribution of amino acids and betaine to stimulation of feeding behavior by various extracts. *Comp. Biochem. Physiol.* 58A: 69-73.
- CARR, W.E.S., and T.B. CHANEY. 1976. Chemical stimulation of feeding behavior in the pinfish, *Lagodon rhomboides*: characterization and identification of stimulatory substances extracted from shrimp. *Comp. Biochem. Physiol.* 54A: 437-441.
- CARR, W.E.S., A.R. GONDECK, and R.L. DELANOY. 1976. Chemical stimulation of feeding behavior in the pinfish, *Lagodon rhomboides*: a new approach to an old problem. *Comp. Biochem. Physiol.* 54A: 161-166.
- CARUSO, J.H. 1975. Sexual dimorphism of the olfactory organs of lophiids. *Copeia* 1975(2): 380-381.
- CHABANAUD, P. 1927. L'organ nasal de *Solea vulgaris* Quens. *C.R. Acad. Sci.* 185: 1306-1307.
- CHABANAUD, P. 1936. Situation particulière de l'organe nasal nadiral des téléostéens dyssymétriques de la famille des Achiridae. *C.R. Acad. Sci.* 202: 586-588.

- CHACKO, G.K. 1979. Effect of purified phospholipases on the binding of tetrodotoxin to axon plasma membrane. *J. Membr. Biol.* 47: 285-302.
- CHACKO, G.K., F.V. BARNOLA, R. VILLEGAS, and D.E. GOLDMAN. 1974. The binding of tetrodotoxin to axonal membrane fraction isolated from garfish olfactory nerve. *Biochim. Biophys. Acta* 373: 308-312.
- CHACKO, G.K., D.E. GOLDMAN, H.C. MALHOTRA, and M.H. DEWEY. 1974. Isolation and characterization of plasma membrane fractions from garfish *Lepisosteus osseus* olfactory nerve. *J. Cell Biol.* 62: 831-843.
- CHACKO, G.K., D.E. GOLDMAN, and B.E. PENNOCK. 1972. Composition and characterization of the lipids of garfish (*Lepisosteus osseus*) olfactory nerve, a tissue rich in axonal membrane. *Biochim. Biophys. Acta* 280: 1-16.
- CHACKO, G.K., G.M. VILLEGAS, F.V. BARNOLA, R. VILLEGAS, and D.E. GOLDMAN. 1976. The polypeptide and the phospholipid components of axon plasma membranes. *Biochim. Biophys. Acta* 443: 19-32.
- CHANCONIE, M., and P. CLAIRAMBAULT. 1975. Morphogenetic influence of the olfactory placode during the development of the trout telencephalon. *C.R. Acad. Sci. Ser. D* 280: 475-478.
- CHANDRASEKHAR, K., and T. CHACKO. 1972. Effect of electrical stimulation of the olfactory mucosa on the hypothalamo hypophysial neurosecretory system in the fresh water teleostean fish, *Ophiocephalus punctatus*. *Indian J. Zootomy* 11: 105-113.
- CHEAL, M., and R.E. DAVIS. 1974. Sexual behavior: social and ecological influence in the anabantoid fish, *Trichogaster trichopterus*. *Behav. Biol.* 10: 435-445.
- CHEN, L-C., and R.L. MARTINICH. 1975. Pheromonal stimulation and metabolite inhibition of ovulation in the zebrafish, *Brachydanio rerio*. *Fish. Res. Bull.* 73: 889-894.
- CHIDESTER, F.E. 1924. A critical examination of the evidence for physical and chemical influences on fish migration. *J. Exp. Biol.* 2: 79-118.
- CHIEN, A.K. 1973. Reproductive behaviour of the angelfish *Pterophyllum scalare* (Pisces: Cichlidae). II. Influence of male stimuli upon the spawning rate of females. *Anim. Behav.* 21: 457-463.
- COLE, G.J., and J.S. ELAM. 1981. Axonal transport of glycoproteins in regenerating olfactory nerve: enhanced glycopeptide concanavalin A-binding. *Brain Res.* 222: 437-441.
- COLE, G.J., and J.S. ELAM. 1983. Characterization of axonally transported glycoproteins in regenerating garfish olfactory nerve. *J. Neurochem.* 41: 691-702.
- COLE, W.H., and J.B. ALLISON. 1931. Stimulation by hydrochloric acid in the catfish, *Schilbeodes*. *J. Gen. Physiol.* 15: 119-124.
- COLOMBO, L., P.C. BELVEDERE, A. MARCONATO, and F. BENTIVEGNA. 1982. Pheromones in teleost fish, p. 84-94. In C.J.J. Richter and H.J.Th. Goos (ed.) *Reproductive physiology in fish*. Pudoc, Wageningen.
- COOPER, J. 1982. Comment on electroencephalographic responses to morpholine and their relationship to homing. *Can. J. Fish. Aquat. Sci.* 39: 1544-1545.
- COOPER, J.C., and A.D. HASLER. 1973. II. An electrophysiological approach to salmon homing. *Fish. Res. Board Can. Tech. Rep.* 415: 44 p.
- COOPER, J.C., and A.D. HASLER. 1974. Electroencephalographic evidence for retention of olfactory cues in homing coho salmon. *Science (Wash. D.C.)* 183: 336-338.
- COOPER, J.C., and A.D. HASLER. 1975. Morpholine as olfactory stimulus in fish. *Science (Wash. D.C.)* 187: 182.
- COOPER, J.C., and A.D. HASLER. 1976. Electrophysiological studies of morpholine-imprinted coho salmon (*Oncorhynchus kisutch*) and rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Board Can.* 33: 688-694.
- COOPER, J.C., and P.J. HIRSCH. 1982. The role of chemoreception in salmonid homing, p. 343-362. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- COOPER, J.C., and A.T. SCHOLZ. 1976. Homing of artificially imprinted steelhead (rainbow) trout, *Salmo gairdneri*. *J. Fish. Res. Board Can.* 33: 826-829.
- COOPER, J.C., A.T. SCHOLZ, R.M. HERRALL, A.D. HASLER, and D.M. MADISON. 1976. Experimental confirmation of the olfactory hypothesis with homing, artificially imprinted coho salmon (*Oncorhynchus kisutch*). *J. Fish. Res. Board Can.* 33: 703-710.
- COPELAND, M. 1912. The olfactory reactions of the puffer or swellfish *Spheroideus maculatus* (Bloch and Schneider). *J. Exp. Zool.* 12: 363-368.
- CRAIGIE, E.H. 1926. A preliminary experiment on the relation of the olfactory sense to the migration of the sockeye salmon (*Oncorhynchus nerka*). *Trans. R. Soc. Can. Sect. 5 Ser. 3* 20: 215-224.
- CRAPON DE CAPRONA, M.-D. 1974. The effect of chemical stimuli from conspecifics on the behavior of *Haplochromis burtoni* (Cichlidae, Pisces). *Experientia* 30: 1394-1395.

- CRAPON DE CAPRONA, M.-D. 1980. Olfactory communication in a cichlid fish, Haplochromis burtoni. *Z. Tierpsychol.* 52: 113-134.
- CRAPON DE CAPRONA, M.-D. 1982. The influence of early experience on preferences for optical and chemical cues produced by both sexes in the cichlid fish Haplochromis burtoni (Astatotilapia burtoni, Greenwood 1979). *Z. Tierpsychol.* 58: 329-361.
- CREUTZBERG, F. 1958. Use of tidal streams by migrating elvers (Anguilla vulgaris Turt.). *Nature (London)* 181: 857-858.
- CREUTZBERG, F. 1959. Discrimination between ebb and flood tide in migrating elvers (Anguilla vulgaris Turt.) by means of olfactory perception. *Nature (London)* 184: 1961-1962.
- CREUTZBERG, F. 1961. On the orientation of migrating elvers (Anguilla vulgaris Turt.) in tidal areas. *Neth. J. Sea Res.* 1: 257-338.
- CREUTZBERG, F. 1963. The role of tidal streams in the navigation of migrating elvers (Anguilla vulgaris Turt.). *Ergeb. Biol.* 26: 118-127.
- CRISP, M., G.A. LOWE, and M.S. LAVERACK. 1975. On the ultrastructure and permeability of taste buds of the marine teleost Ciliata mustela. *Tissue Cell* 7: 191-202.
- CROW, R.T., and N.R. LILEY. 1979. A sexual pheromone in the guppy, Poecilia reticulata (Peters). *Can. J. Zool.* 57: 184-188.
- DAHLGREN, V. 1908. The oral opening of the nasal cavity in Astroscopus. *Science (Wash. D.C.)* 27: 993-994.
- DATTA, N.C., and A. DAS. 1980. Anatomy of the olfactory apparatus of some Indian gobioids (Pisces, Perciformes). *Zool. Anz.* 205: 241-252.
- DATTA, N.C., A.K. SAHA, and A. DAS. 1976. Investigation on the morphology of the olfactory apparatus of Anabas testudineus (Bloch). *J. Inland Fish. Soc. India* 8: 13-18.
- DAUGHERTY, C.H., L.B. DAUGHERTY, and A.P. BLAIR. 1976. Visual and olfactory stimuli in the feeding behavior of darters (Etheostoma) inhabiting clear and muddy water. *Copeia* 1976(2): 380-382.
- DAVENPORT, C.J., and J. CAPRIO. 1982. Taste and tactile recordings from the ramus recurrens facialis innervating flank taste buds in the catfish. *J. Comp. Physiol.* 147: 217-229.
- DAVIS, B.J., and R.J. MILLER. 1967. Brain patterns in minnows of the genus Hybopsis in relation to feeding habits and habitat. *Copeia* 1967(1): 1-39.
- DAVIS, R.E., R. CHASE, J. MORRIS, and B. KAUFMAN. 1981. Telencephalon of the teleost Macropodus: experimental localization of secondary olfactory areas and of components of the lateral forebrain bundle. *Behav. Neural Biol.* 33: 257-279.
- DAVIS, R.E., and N.J. PILOTTE. 1975. Attraction to conspecific and nonconspecific chemical stimuli in male and females Macropodus opercularis (Teleostei, Anabantoidi). *Behav. Biol.* 13: 191-196.
- DEBRUIN, J.P.C. 1983. Neural correlates of motivated behavior in fish, p. 969-995. In J.-P. Ewert, R.R. Capranica and D.J. Ingle (ed.) *Advances in vertebrate neuroethology*. Plenum Press, New York.
- DE GROOT, S.J. 1969. Digestive system and sensorial factors in relation to the feeding behaviour of flatfish (Pleuronectiformes). *J. Cons. Cons. Int. Explor. Mer* 32: 385-395.
- DE KOCK, L.L. 1963. A histological study of the head region of two salmonids with special reference to pressor- and chemoreceptors. *Acta Anat.* 55: 39-50.
- DELACY, A.C., L.R. DONALDSON, and E.L. BRANNON. 1969. Homing behavior of chinook salmon. *Res. Fish. Fish. Res. Inst. Univ. Wash.* 300: 59-60.
- DELFINO, G., S. BIANCHI, and A. ERCOLINI. 1981. The olfactory epithelium in cyprinids: a comparison between hypogean and epigean species. *Monit. Zool. Ital. Suppl.* 10: 153-180.
- DE LORENZO, A.J. 1957. Electron microscopic observations of the olfactory mucosa and olfactory nerve. *J. Biophys. Biochem. Cytol.* 3: 839-850.
- DEMPSEY, C.H. 1978. Chemical stimuli as a factor in feeding and intraspecific behaviour of herring larvae. *J. Mar. Biol. Assoc. U.K.* 58: 739-747.
- DEMSKI, L.S. 1982. A hypothalamic feeding area in the brains of sharks and teleosts. *Fla. Sci.* 45: 34-39.
- DEMSKI, L.S., and R.G. NORTHCUTT. 1983. The terminal nerve: a new chemosensory system in vertebrates? *Science (Wash. D.C.)* 220: 435-437.
- DERIVOT, J.H., M. DUPÉ, and R. GODET. 1979. Anatomie fonctionnelle de l'organe olfactif de Protopterus annectens Owen (Dipneustes): contribution à la connaissance du mécanisme d'irrigation de l'organe olfactif. *Acta Zool. (Stockholm)* 60: 251-257.
- DERIVOT, J.H., X. MATTEI, R. GODET, and M. DUPÉ. 1979. Etude ultrastructurale de la région apicale des cellules de l'épithélium olfactif de Protopterus annectens Owen (Dipneustes). *J. Ultrastr. Res.* 66: 22-31.

- DERSCHEID, J.M. 1923. Structure de l'organe olfactif chez les poissons. Première partie. Osteichthyes, Teleostei, Malacopterygii. Ann. Soc. R. Zool. Belg. 54: 79-162.
- DERSCHEID, J.M. 1924. Contributions à la morphologie céphalique des vertebres. A: Structure de l'organe olfactif chez les poissons. Ann. Soc. R. Zool. Belg. 54: 79-162.
- DESGRANGES, J.-C. 1965. Sur l'existence de plusieurs types de cellules sensorielles dans les bourgeons du goût des barbillons du poisson-chat. C.R. Acad. Sci. Ser. D 261: 1095-1098.
- DESGRANGES, J.-C. 1966. Sur la double innervation des cellules sensorielles des bourgeons du goût des barbillons du poisson-chat. C.R. Acad. Sci. Ser. D 263: 1103-1106.
- DESGRANGES, J.-C. 1972. Sur les bourgeons du goût du poisson-chat *Ictalurus melas*: ultrastructure des cellules basales. C.R. Acad. Sci. Ser. D 274: 1814-1817.
- DESGRANGES, J.-C. 1978. Nerves and taste bud degeneration in the catfish *Ictalurus melas*. *Experientia* 34: 1072-1073.
- DESVIGNES. 1835. Sur l'odorat des poissons. l'Institut (Journal Général des Sociétés et Travaux Scientifiques de la France et de l'Etranger) 3: 207.
- DEVITSINA, G.V. 1972. Morphology of the organs of olfaction in the Gadidae. J. Ichthyol. 12: 994-1002.
- DEVITSINA, G.V. 1973. Certain morphological and functional properties of the olfactory bulb of pike and burbot. Vestn. Mosk. Univ. Ser. 6 Biol. Pochvoved 28: 10-18. (In Russian)
- DEVITSINA, G.V. 1977. Comparative morphology of the olfactory analyzer in fish. J. Ichthyol. 17: 116-125.
- DEVITSINA, G.V., and T.A. BELOUSOVA. 1978. On the participation of the trigeminal system in odor reception in fish. J. Ichthyol. 18: 114-119.
- DEVITSINA, G.V., T.A. BELOUSOVA, and G.A. MALYUKINA. 1981. Sensory functions of the trigeminal system in connection with olfactory reception in White Sea coastal cod (*Gadus morhua maris albi*). Biol. Nauki (Moscow) 5: 52-58. (In Russian)
- DEVITSINA, G.V., T.A. BELOUSOVA, G.A. MALYUKINA, and V.E. SOKOLOV. 1982. Electrophysiological study of the olfactory system in ecologically different fish species, p. 198-209. In V.E. Sokolov (ed.) Chemical signals in animals. Izd. Nauka, Moscow. (In Russian)
- DEVITSINA, G.V., and G.A. MALYUKINA. 1977. The functional organization of the olfactory organ in macrosomatic and microsomatic fish. J. Ichthyol. 17: 432-440.
- DISSE, J. 1894. Ueber Epithelknospen in der Regio olfactoria der Säuger. Nachr. Ges. Wiss. Goettingen, Math.-Phys. Kl. 1: 66-71.
- DIJKGRAAF, S. 1975. Zur Sinnesphysiologie der Beutewahrnehmung beim Hundshai, *Scyllorhinus canicula*. Rev. Suisse Zool. 82: 41-46.
- DIZON, A.E., R.M. HORRALL, and A.D. HASLER. 1973. Long-term olfactory "memory" in coho salmon, *Oncorhynchus kisutch*. U.S. Natl Mar. Fish. Serv. Fish. Bull. 71: 315-317.
- DIZON, A.E., R.M. HORRALL, and A.D. HASLER. 1973. Olfactory electroencephalographic responses of homing coho salmon, *Oncorhynchus kisutch*, to water conditioned by conspecifics. U.S. Natl Mar. Fish. Serv. Fish. Bull. 71: 893-896.
- DMITRIEVA, T.M. 1980. Characteristics of non-olfactory chemoreception of golomankas *Comephorus dybowskii* from Baikal Lake, Russian-SFSR, USSR. Biol. Nauki (Moscow) 3: 29-34. (In Russian)
- DODSON, J.J., and W.C. LEGGETT. 1974. Role of olfaction and vision in the behavior of American shad (*Alosa sapidissima*) homing to the Connecticut River from Long Island Sound. J. Fish. Res. Board Can. 31: 1607-1619.
- DOGIEL, A. 1886. Ueber den Bau des Geruchsorgan bei Fischen und Amphibien. Biol. Zentralbl. 6: 428-431.
- DOGIEL, A. 1887. Ueber den Bau des Geruchsorganes bei Ganoiden, Knochenfischen und Amphibien. Arch. Mikrosk. Anat. Entwicklungsmech. 29: 74-139.
- DOGIEL, A.S. 1897. Ueber die Nervenendigungen in den Gerschnacksendknospen der Ganoiden. Arch. Mikrosk. Anat. Entwicklungsmech. 49: 769-790.
- DOMAGH, G.F., and H.P. Zippel. 1971. Chemical transfer of color and taste discrimination in goldfish *Carassius auratus*, p. 185-189. In G. Adam (ed.) Biology of memory. Akadémiai Kiado, (Hungary). Symposia Biologica Hungarica, Vol. 10.
- DOROSHENKO, M.A. 1981. Comparative morphometric analysis of olfactory system in marine fishes. Biol. Morya 3: 3-15.
- DOROSHENKO, M.A., and L.E. PINCHUK. 1974. New data on secretory elements of the olfactory epithelium in certain marine bottom fish. Dokl. Biol. Sci. 219: 537-539.
- DOROSHENKO, M.A., and N.I. TISHCHENKO-POPOVA. 1975. Comparative morphology and histochemistry of the olfactory epithelium of sharks and rays. Izv. Sib. Otd. Akad.

- Nauk SSSR Ser. Biol. Med. Nauk 2: 127-133. (In Russian)
- DØVING, K.B. 1966. The influence of olfactory stimuli upon the activity of secondary neurons in the burbot (*Lota lota* L.). *Acta Physiol. Scand.* 66: 290-299.
- DØVING, K.B. 1966. Efferent influence upon the activity of single neurons in the olfactory bulb of the burbot. *J. Neurophysiol.* 29: 675-683.
- DØVING, K.B. 1967. Comparative electrophysiological studies on the olfactory tract of some teleosts. *J. Comp. Neurol.* 131: 365-370.
- DØVING, K.B. 1976. Evolutionary trends in olfaction, p. 149-156. In G. Benz (ed.) *Structure-activity relationships in chemoreception*. Information Retrieval, London.
- DØVING, K.B. 1981. Olfactory induced behavior in fish and the role of centrifugal fibers in the olfactory pathways, p. 105-116. In J.E. Steiner and J.R. Ganchrow (ed.) *Determination of behaviour by chemical stimuli*. IRL Press, London.
- DØVING, K.B., and R. BELGHAUG. 1977. Frequency of induced waves in the olfactory bulb in char (*Salmo alpinus* L.); a temperature dependence. *Comp. Biochem. Physiol.* 56A: 577-579.
- DØVING, K.B., M. DUBOIS-DAUPHIN, A. HOLLEY, and F. JOURDAN. 1977. Functional anatomy of the olfactory organ of fish and the ciliary mechanism of water transport. *Acta Zool. (Stockholm)* 58: 245-255.
- DØVING, K.B., P.S. ENGER, and H. NORDENG. 1973. Electrophysiological studies on the olfactory sense in char (*Salmo alpinus* L.). *Comp. Biochem. Physiol.* 45A: 21-24.
- DØVING, K.B., and G. GEMNE. 1965. Electrophysiological and histological properties of the olfactory tract of the burbot (*Lota lota* L.). *J. Neurophysiol.* 28: 139-153.
- DØVING, K.B., and G. GEMNE. 1966. An electrophysiological study of the efferent olfactory system in the burbot. *J. Neurophysiol.* 29: 665-674.
- DØVING, K.B., and K. HOLMBERG. 1974. A note on the function of the olfactory organ of the hagfish *Myxine glutinosa*. *Acta Physiol. Scand.* 91: 430-432.
- DØVING, K.B., and J. HYVÄRINEN. 1969. Afferent and efferent influences on the activity pattern of single olfactory neurons. *Acta Physiol. Scand.* 75: 111-123.
- DØVING, K.B., H. NORDENG, and B. OAKLEY. 1974. Single unit discrimination of fish odours released by char (*Salmo alpinus* L.) populations. *Comp. Biochem. Physiol.* 47A: 1051-1063.
- DØVING, K.B., and R. SELSET. 1980. Behavior patterns in cod released by electrical stimulation of olfactory tract bundles. *Science (Wash. D.C.)* 207: 559-560.
- DØVING, K.B., R. SELSET, and G. THOMMESSEN. 1980. Olfactory sensitivity to bile acids in salmonid fishes. *Acta Physiol. Scand.* 108: 123-131.
- DØVING, K.B., and G. THOMMESSEN. 1977. Some properties of the fish olfactory system, p. 175-183. In J. Le Magnen and P. MacLeod (ed.) *Olfaction and taste VI*. Information Retrieval, London.
- DUBOIS-DAUPHIN, M., K.B. DØVING, and A. HOLLEY. 1980. Topographical relation between the olfactory bulb and the olfactory tract in tench (*Tinca tinca* L.). *Chem. Senses* 5: 159-169.
- DUMÉNIL, A.M.C. 1807. Mémoire sur l'odorat des poissons. *Magasin Encyclopédique (Paris)* 5: 99-113.
- DUMÉNIL, A.M.C. 1807. Mémoire sur l'odorat des poissons. *Nouv. Bull. Sci. Soc. Philom* 1: 14-15.
- DUMÉNIL, A.M.C. 1858. Sur les organes des sens et en particulier sur ceux de l'odorat, du goût et de l'ouïe dans les poissons. *C.R. Acad. Sci. Ser. D* 46: 867-879.
- DUPE, M. 1967. Relation entre activité cholinestérasiqne et activité électrique du télencéphale, chez *Protopterus annectens* (Dipneuste). *C.R. Acad. Sci., Ser. D* 265: 1063-1066.
- DUPE, M. 1973. Factors conditioning the awakening reaction of olfactory origin in the lungfish (*Protopterus annectens*). *Comp. Biochem. Physiol.* 44A: 647-653.
- DUPE, M., and R. GODET. 1969. Variations de la réponse électrique d'origine olfactive sous l'effet d'un traitement thyroïdien. *C.R. Acad. Sci. Ser. D* 268: 1314-1317.
- DUPE, M., and R. GODET. 1969. Caractéristiques et variations de la réponse électrique induite par la stimulation de l'organe olfactif chez un poisson Dipneuste (*Protopterus annectens* Ow.). *C.R. Seances Soc. Biol. Paris* 163: 267-270.
- EASTON, D.M. 1965. Impulses at the artifactual nerve end, p. 15-18. In L. Fritsch (ed.) *Sensory receptors*. Cold Spring Harbor Laboratory of Quantitative Biology, Cold Spring Harbor, New York. (Cold Spring Harbor Symposia on Quantitative Biology, Vol. 30.)
- EASTON, D.M. 1971. Garfish olfactory nerve: easily accessible source of numerous long, homogeneous, nonmyelinated axons. *Science (Wash. D.C.)* 172: 952-955.
- EATON, T.H. Jr. 1956. Notes on the olfactory organs in Centrarchidae. *Copeia* 1956(3): 196-199.

- EBBESSON, S.O.E., and L. HEIMER. 1970. Projections of the olfactory tract fibers in the nurse shark (*Ginglymostoma cirratum*). *Brain Res.* 17: 47-55.
- EBBESSON, S.O.E., D.L. MEYER, and H. SCHEICH. 1981. Connections of the olfactory bulb in the piranha (*Serrasalmus nattereri*). *Cell Tissue Res.* 216: 167-180.
- ELAM, J.S. 1982. Composition and subcellular distribution of glycoproteins and glycosaminoglycans undergoing axonal transport in garfish olfactory nerves. *J. Neurochem.* 39: 1220-1229.
- ELAM, J.S., and N.W. PETERSON. 1976. Axonal transport of sulfated glycoproteins and mucopolysaccharides in the garfish olfactory nerve. *J. Neurochem.* 26: 845-850.
- ELAM, J.S., and N.W. PETERSON. 1979. Axonal transport of glycoproteins in the garfish olfactory nerve: isolation of high molecular weight glycopeptides labeled with [³H]fucose and [³H]glucosamine. *J. Neurochem.* 33: 571-574.
- ELSTON, R., L. CORAZZA, and J.G. NICKUM. 1981. Morphology and development of the olfactory organ in larval walleye, *Stizostedion vitreum*. *Copeia* 1981(4): 890-893.
- EMANUEL, M.E., and J.J. DODSON. 1979. Modification of the rheotropic behavior of male rainbow trout (*Salmo gairdneri*) by ovarian fluid. *J. Fish. Res. Board Can.* 36: 63-68.
- EVANS, H.E. 1952. The correlation of brain pattern and feeding habits in four species of cyprinid fishes. *J. Comp. Neurol.* 97: 133-142.
- EVANS, H.M. 1931. A comparative study of the brains in British cyprinoids in relation to their habits of feeding, with special reference to the anatomy of the medulla oblongata. *Proc. R. Soc. London Ser. B* 108: 233-253.
- EVANS, H.M. 1932. Further observations on the medulla oblongata of cyprinoids; and a comparative study of the medulla of clupeoids and cyprinoids with special reference to the acoustic tubercles. *Proc. R. Soc. London Ser. B* 111: 247-280.
- EVANS, R.E., and T.J. HARA. 1977. Histochemical localization of phospholipids in the olfactory epithelium of fish. *Can. J. Zool.* 55: 776-781.
- EVANS, R.E., B. ZIELINSKI, and T.J. HARA. 1982. Development and regeneration of the olfactory organ in rainbow trout, p. 15-38. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- EZEASOR, D.N. 1982. Distribution and ultrastructure of taste buds in the oropharyngeal cavity of the rainbow trout, *Salmo gairdneri* Richardson. *J. Fish Biol.* 20: 53-68.
- FAGERLUND, U.H.M., J.R. MCBRIDE, M. SMITH, and N. TOMLINSON. 1963. Olfactory perception in migrating salmon. III. Stimulants for adult sockeye salmon (*Oncorhynchus nerka*) in home stream waters. *J. Fish. Res. Board Can.* 20: 1457-1463.
- FARBMAN, A.I., and N. GROVER. 1974. Fine structure of the taste buds in barbels of the channel catfish *Ictalurus punctatus*. *Anat. Rec.* 178: 353-354.
- FAUCETTE, J.R. 1969. The olfactory bulb and medial hemisphere wall of the rat-fish, *Chimaera*. *J. Comp. Neurol.* 137: 377-406.
- FAUCETTE, J.R. 1969. The accessory olfactory bulbs and the lateral telencephalic wall of the rat-fish, *Chimaera*. *J. Comp. Neurol.* 137: 407-432.
- FAURE, M.-L. 1944. Contribution a l'etude morphologique de l'appareil olfactif chez quelques téléostéens. *Bull. Mus. Hist. Nat. Marseille* 4: 1-16.
- FIEDLER, K. 1974. Hormonale Kontrolle des Verhaltens bei Fischen. *Fortschr. Zool.* 22: 268-309.
- FILYUSHINA, Ye.Ye., and Ye.K. BAKHTIN. 1969. Fine structure of the nonciliated olfactory cells of the pike-perch, *Lucioperca lucioperca*. *Arch. Anat. Histol. Embryol.* 56: 79-82. (In Russian)
- FILYUSHINA, Ye.Ye., and Ye.K. BAKHTIN. 1975. Electron microscopic investigation of the olfactory epithelium of the Baikal omul *Coregonus autumnalis migratorius*. *J. Ichthyol.* 15: 284-290.
- FINGER, T.E. 1975. The distribution of the olfactory tracts in the bullhead catfish, *Ictalurus nebulosus*. *J. Comp. Neurol.* 161: 125-142.
- FINGER, T.E. 1976. Gustatory pathways in the bullhead catfish. I. Connections of the anterior ganglion. *J. Comp. Neurol.* 165: 513-526.
- FINGER, T.E. 1978. Gustatory pathways in the bullhead catfish. II. Facial lobe connections. *J. Comp. Neurol.* 180: 691-706.
- FINGER, T.E. 1978. Efferent neurons of the teleost cerebellum. *Brain Res.* 153: 608-614.
- FINGER, T.E. 1978. Cerebellar afferents in teleost catfish (*Ictaluridae*). *J. Comp. Neurol.* 181: 173-182.
- FINGER, T.E. 1980. Nonolfactory sensory pathway to the telencephalon in a teleost fish. *Science (Wash. D.C.)* 210: 671-673.
- FINGER, T.E. 1981. Enkephaline-like immunoreactivity in the gustatory lobes and visceral nuclei in the brains of goldfish and catfish. *Neuroscience* 6: 2747-2758.

- FINGER, T.E. 1982. Somatotopy in the representation of the pectoral fin and free fin ray in the spinal cord of the sea robin, *Priotelus carolinus*. Biol. Bull. (Woods Hole, Mass.) 163: 154-161.
- FISKNES, B., and K.B. ØVING. 1982. Olfactory sensitivity to group specific substances in Atlantic salmon (*Salmo salar* L.). J. Chem. Ecol. 8: 1083-1092.
- FLEROV, B.A. 1962. Olfaction in fishes. Vopr. Ikhtiol. 2: 517-529. (In Russian)
- FLEROVA, G.I., and T.A. BELOUSOVA. 1978. Non-olfactory effects from olfactory bulb in fishes. Fiziol. Zh. SSSR im. I.M. Sechenova 3: 301-308. (In Russian)
- FLEROVA, G.I., and T.A. BELOUSOVA. 1978. Reflex effects on the activity of the olfactory bulb in fishes. Fiziol. Zh. SSSR im. I.M. Sechenova 64: 301-308. (In Russian)
- FLEROVA, G.I., and P.A. GDOVSKII. 1975. Effect of temperature change on evoked potentials of the fish olfactory bulb. Neurophysiology (USSR) 7: 79-81.
- FLEROVA, G.I., and P.A. GDOVSKII. 1976. The rate of propagation of a stimulus through the olfactory nerve fibers and the responses elicited in the rhinencephalon of fishes under changing temperature conditions. J. Ichthyol. 16: 106-112.
- FLOOD, N.B., and J.B. OVERMIER. 1971. Effects of telencephalic and olfactory lesions on appetitive learning in goldfish. Physiol. Behav. 6: 35-40.
- FLOOD, N.C., J.B. OVERMIER, and G.E. SAVAGE. 1976. Teleost telencephalon and learning: an interpretive review of data and hypotheses. Physiol. Behav. 16: 783-798.
- FOETTINGER, A. 1876. Recherches sur la structure de l'épiderme des cyclostomes et quelques mots sur les cellules olfactives des ces animaux. Bull. Acad. Belg. (Bruxelles) 61: 599-679.
- FOX, H., E.B. LANE, and M. WHITEAR. 1980. Sensory nerve endings and receptors in fish and amphibians, p. 271-282. In R.I.C. Spearman and P.A. Riley (ed.) The skin of vertebrates. Academic Press, London. (Linnean Soc. Symp. Ser. 9.)
- FRANK, A.H., N.B. FLOOD, and J.B. OVERMIER. 1972. Reversal learning in forebrain ablated and olfactory tract sectioned teleost *Carassius auratus*. Psychonomic Sci. Sect. Anim. Physiol. Psychol. 26: 149-151.
- FREIHOFFER, W.C. 1972. Trunk lateral line nerves, hyoid arch gill rakers, and olfactory bulb location in atheriniform, mugilid, and percoid fishes. Occas. Pap. Calif. Acad. Sci. 95: 1-31.
- FUJIMOTO, S., and K. YAMAMOTO. 1980. Electron microscopy of terminal buds on the barbels of the silurid fish, *Corydoras paleatus*. Anat. Rec. 197: 133-141.
- FUJIYA, M., and J.E. BARDACH. 1966. A comparison between the external taste sense of marine and freshwater fishes. Bull. Jpn. Soc. Sci. Fish. 32: 45-56.
- FULLARTON, M.H. 1933. On the development of the olfactory organ in *Protopterus*. Proc. R. Soc. Edinburgh 53: 1-6.
- FUNAKOSHI, M., K. KAWAKITA and T. MARUI. 1981. Taste responses in the facial nerve of the carp, *Cyprinus carpio* L. Jpn. J. Physiol. 31: 381-390.
- GANDOLFI, G. 1968. Reazione di paura nel cypriinide *Brachydanio rerio*: variazioni della reattività indotte sperimentalmente. Arch. Zool. Ital. 53: 245-259.
- GANDOLFI, G. 1969. A chemical sex attractant in the guppy *Poecilia reticulata* Peters (Pisces, Poeciliidae). Monit. Zool. Ital. 3: 89-98.
- GANDOLFI, G. 1972. Selection for high and low reactivity to alarm substance in the zebra fish, *Brachydanio rerio* (Osteichthyes, Cyprinidae). Atti. Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano 113: 28-36.
- GANDOLFI, G., D. MAINARDI, and A.C. ROSSI. 1968. The fright reaction of zebra fish. Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano 57: 74-88.
- GANDOLFI, G., D. MAINARDI, and A.C. ROSSI. 1968. La reazione di paura e lo svantaggio individuale dei pesci allarmisti (esperimenti con modelli). Rend. Inst. Lomb. Accad. Sci. Lett. B 102: 8-14.
- GASSER, H.S. 1956. Olfactory nerve fibers. J. Gen. Physiol. 39: 473-496.
- GAWRILENKO, A. 1910. Die Entwicklung des Geruchsorgans bei *Salmo salar*. (Zur Stammesentwicklung des Jacobsonischen Organs.). Anat. Anz. 36: 411-427.
- GEMNE, G., and K.B. ØVING. 1969. Ultrastructural properties of primary olfactory neurons in fish (*Lota lota* L.). Am. J. Anat. 126: 457-476.
- GENSCHOW, J. 1934. Ueber den Bau und die Entwicklung des Geruchsorgans der Sirenen. Z. Morphol. Oekol. Tiere 28: 402-444.
- GEORGESCAULD, D., and H. DUCLOHIER. 1978. Transient fluorescence signals from pyrene labeled pike nerves during action potential. Possible implications for membrane fluidity changes. Biochem. Biophys. Res. Commun. 85: 1186-1191.
- GERANDIE, J., and M. SINGER. 1977. Morphologic effects of denervation on the taste buds of the catfish barbel. Exp. Neurol. 57: 1012-1025.

- GERKING, S.D. 1959. The restricted movements of fish populations. *Biol. Rev. Cambridge Philos. Soc.* 34: 221-242.
- GHONEUM, M.M.H., K. IJIRI, M.S. HAMED, O.M. GABR, and N. EGAMI. 1983. Effects of gamma-rays on the taste buds of embryos and adults of the fish *Oryzias latipes*. *J. Radiat. Res.* 24: 278-283.
- GILBERT, P.W., E.S. HODGSON, and R.F. MATHEWSON. 1964. Electroencephalograms of sharks. *Science (Wash. D.C.)* 145: 949-951.
- GLADYSHEVA, O.S., G.I. MARTYNOVA, and T.M. DMITRIEVA. 1982. The localization of alkaline phosphatase in the olfactory organ of the teleostean fish. *Tsitologiya* 24: 92-94.
- GLASER, D. 1966. Untersuchungen über die absoluten Geschmacksschwellen von Fischen. *Z. Vgl. Physiol.* 52: 1-25.
- GODET, R., J. BERT, and H. COLLOMB. 1964. Apparition de la réaction d'éveil télencéphalique chez *Protopterus annectens* et cycle biologique. *C.R. Seances Soc. Biol. Paris* 158: 146-149.
- GODET, R., and M. DUPÉ. 1965. Quelques aspects des relations neuro-endocriniennes chez *Protopterus annectens* (Poisson Dipneuste). *Arch. Anat. Microsc.* 54: 319-330.
- GODET, R., M. DUPÉ, and J. BERT. 1964. Action de la chlorpromazine et de la Psilocybine sur la réaction d'éveil télencéphalique d'un Dipneuste. *C.R. Seances Soc. Biol. Paris* 158: 1385-1388.
- GOEL, H.R. 1978. Functional anatomy of the olfactory organ in the fresh water teleost, *Heteropneustes fossilis* (Bl.) Okajimas. *Folia Anat. Jpn.* 55: 289-300.
- GOEL, H.R. 1980. The functional anatomy of the olfactory organs in the fresh water teleost fish, *Channa marulius* Hamilton. *Arch. Biol.* 91: 1-13.
- GOEL, H.R. 1980. Functional anatomy of the olfactory organs in the fresh water Indian catfish *Clarias batrachus*. *Zool. Pol.* 28: 5-14.
- GOFF, G.P., and J.M. GREEN. 1978. Field studies of the sensory basis of homing and orientation to the home site in *Ulvaria subbifurcata* (Pisces: Stichaeidae). *Can. J. Zool.* 56: 2220-2224.
- GOH, Y., and T. TAMURA. 1978. The electrical responses of the olfactory tract to amino acids in carp. *Bull. Jpn. Soc. Sci. Fish.* 44: 341-344.
- GOH, Y., and T. TAMURA. 1978. Electrical responses of the olfactory tract to some chemical stimulants in carp. *Bull. Jpn. Soc. Sci. Fish.* 44: 1289-1294.
- GOH, Y., and T. TAMURA. 1980. Olfactory and gustatory responses to amino acids in two marine teleosts - Red Sea bream and mullet. *Comp. Biochem. Physiol.* 66C: 217-224.
- GOH, Y., and T. TAMURA. 1980. Effect of amino acids on the feeding behaviour in Red Sea bream. *Comp. Biochem. Physiol.* 66C: 225-229.
- GOH, Y., T. TAMURA, and H. KOBAYASHI. 1979. Olfactory responses to amino acids in marine teleosts. *Comp. Biochem. Physiol.* 62A: 863-868.
- GOLDSTEIN, N.I., and R.H. CAGAN. 1982. Biochemical studies of taste sensation - monoclonal antibody against L-alanine binding activity of catfish taste epithelium. *Proc. Natl Acad. Sci. U.S.A.* 79: 7595-7597.
- GOODING, R.M. 1963. The olfactory organ of the skipjack *Katsuwonus pelamis*. *FAO Fish. Rep.* 6: 1621-1631.
- GORDON, D. 1979. Effects of forebrain ablation on taste aversion in goldfish (*Carassius auratus*). *Exp. Neurol.* 63: 356-366.
- GOROVAYA, S.L. 1969. Structure of the olfactory organ of some fishes. *Vestsi Akad. Nauk BSSR Ser. Biyol. Nauk* 5: 117-119. (In Russian)
- GOSS, R.J. 1956. An experimental analysis of taste barbel regeneration in the catfish. *J. Exp. Zool.* 131: 27-44.
- GÖZ, H. 1941. Ueber den Art- und Individualgeruch bei Fischen. *Z. Vgl. Physiol.* 29: 1-45.
- GREEN, C.W. 1925. Notes on the olfactory and other physiological reactions of the Californian hagfish. *Science (Wash. D.C.)* 61: 68-70.
- GRIMM, R.J. 1960. Feeding behavior and electrical stimulation of the brain of *Carassius auratus*. *Science (Wash. D.C.)* 131: 162-163.
- GROSS, G.W., and L.M. BEIDLER. 1973. Fast axonal transport in the C-fibers of the garfish olfactory nerve. *J. Neurobiol.* 4: 413-428.
- GROSS, G.W., and L.M. BEIDLER. 1975. A quantitative analysis of isotope concentration profiles and rapid transport velocities in the C-fibers of the garfish olfactory nerve. *J. Neurobiol.* 6: 213-232.
- GROSS, G.W., and G.W. KREUTZBERG. 1978. Rapid axoplasmic transport in the olfactory nerve of the pike. Part 1. Basic transport parameters for proteins and amino acids. *Brain Res.* 139: 65-76.
- GROSS, G.W., and D.G. WEISS. 1977. Subcellular fractionation of rapidly transported

- axonal material in olfactory nerve. Evidence for a size dependent molecule separation during transport. *Neurosci. Lett.* 5: 15-20.
- GROVER-JOHNSON, N., and A.I. FARBMAN. 1976. Fine structure of taste buds in the barbel of the catfish, *Ictalurus punctatus*. *Cell Tissue Res.* 169: 395-404.
- GROVES, A.B., G.B. COLLINS, and P.S. TREFETHEN. 1968. Roles of olfaction and vision in choice of spawning site by homing adult chinook salmon (*Oncorhynchus tshawytscha*). *J. Fish. Res. Board Can.* 25: 867-876.
- GRUBER, D., and P.H. CAHN. 1975. Localization of chemical sources by blinded mummichogs, *Fundulus heteroclitus*. *Am. Midl. Nat.* 94: 500-503.
- GRUBER, S.H. 1982. Shark repellents: perspectives for the future. *Oceanus* 24: 72-76.
- GUNNING, G.E. 1959. The sensory basis for homing in the longear sunfish, *Lepomis megalotis megalotis* (Rafinesque). *Invest. Indiana Lakes Streams* 5: 103-130.
- GUSEL'NIKOV, V.I., M.I. ONUFRIEVA, and A. Ya. SUPIN. 1965. Projection of visual, olfactory and lateral line receptors in the fish brain. *Fed. Proc. Trans. Suppl.* 24: T768-T772.
- GUSEL'NIKOVA, K.G., and A.A. POTAPOV. 1979. Some data on presynaptic inhibition in carp olfactory bulb. *Biол. Nauki (Moscow)* 10: 46-53. (In Russian)
- GUSEL'NIKOVA, K.G., L.E. TSITOLOVSKII, and A.A. POTAPOV. 1971. Characteristics of electrical activity of olfactory bulb neurons in fish. *Neirofiziologiya* 3: 505-511. (In Russian)
- GUSEL'NIKOVA, K.G., L.E. TSITOTOVSKII, and A.A. POTAPOV. 1971. Inhibition in the fish olfactory bulb. *Neirofiziologiya* 3: 650-656. (In Russian)
- HAGELIN, L.O., and A.G. JOHNELS. 1955. On the structure and function of the accessory olfactory organ in lampreys. *Acta Zool. (Stockholm)* 36: 113-125.
- HAHN, W.E. 1976. Electroencephalography of the olfactory bulb in relation to prespawn homing. *Experientia* 32: 1095-1097.
- HAMA, K. 1978. A study of the fine structure of the pit organ of the common Japanese sea eel *Conger myriaster*. *Cell Tissue Res.* 189: 375-388.
- HARA, T.J. 1967. Olfaction in fishes. *Biol. Sci. (Tokyo)* 19: 19-25. (In Japanese)
- HARA, T.J. 1967. Olfaction and migration in salmon. *Biol. Sci. (Tokyo)* 19: 153-159. (In Japanese)
- HARA, T.J. 1967. Electrophysiological studies of the olfactory system of the goldfish, *Carassius auratus* L. II. Response patterns of the olfactory bulb neurones to chemical stimulation, and their centrifugal control. *Comp. Biochem. Physiol.* 22: 199-208.
- HARA, T.J. 1967. Electrophysiological studies of the olfactory system of the goldfish, *Carassius auratus* L. III. Effects of sex hormones on the electrical activity of the olfactory bulb. *Comp. Biochem. Physiol.* 22: 209-226.
- HARA, T.J. 1970. An electrophysiological basis for olfactory discrimination in homing salmon: a review. *J. Fish. Res. Board Can.* 27: 565-586.
- HARA, T.J. 1971. Chemoreception, p. 79-120. In W.S. Hoar and D.J. Randall (ed.) *Fish physiology*, Vol. 5. Academic Press, New York.
- HARA, T.J. 1972. Electrical responses of the olfactory bulb of Pacific salmon *Oncorhynchus nerka* and *Oncorhynchus kisutch*. *J. Fish. Res. Board Can.* 29: 1351-1355.
- HARA, T.J. 1973. Olfactory responses to amino acids in rainbow trout, *Salmo gairdneri*. *Comp. Biochem. Physiol.* 44A: 407-416.
- HARA, T.J. 1974. Is morpholine an effective olfactory stimulant in fish? *J. Fish. Res. Board Can.* 31: 1547-1550.
- HARA, T.J. 1975. Olfaction in fish. *Prog. Neurobiol. (Oxford)* 5: 271-335.
- HARA, T.J. 1975. Molecular structure and stimulatory effectiveness of amino acids in fish olfaction, p. 223-25. In D.A. Denton and J.P. Coghlan (ed.) *Olfaction and taste V*. Academic Press, New York.
- HARA, T.J. 1976. Structure-activity relationships of amino acids in fish olfaction. *Comp. Biochem. Physiol.* 54A: 31-36.
- HARA, T.J. 1976. Effects of pH on the olfactory responses to amino acids in rainbow trout, *Salmo gairdneri*. *Comp. Biochem. Physiol.* 54A: 37-39.
- HARA, T.J. 1977. Further studies on the structure-activity relationships of amino acids in fish olfaction. *Comp. Biochem. Physiol.* 56A: 559-565.
- HARA, T.J. 1977. Olfactory discrimination between glycine and deuterated glycine by fish. *Experientia* 33: 618-619.
- HARA, T.J. 1977. Amino acids as olfactory stimuli in fish, p. 157-164. In J. LeMagnen and P. Macleod (ed.) *Olfaction and taste VI*. Information Retrieval, London.
- HARA, T.J. 1981. Behavioural and electrophysiological studies of chemosensory reactions in fish, p. 123-136. In P.R. Laming (ed.) *Brain mechanisms of behaviour*

- in lower vertebrates. Cambridge University Press, Cambridge.
- HARA, T.J. 1981. Structure-activity relationships of olfactory stimulants for fish, p. 48-62. In Japanese Society of Scientific Fisheries (ed.) Chemical senses of fish and feeding stimulants. Koseisha-Koseikaku, Tokyo. (In Japanese)
- HARA, T.J. 1981. Perception of behavior-altering chemicals in aquatic environments, p. 29-57. In D.M. Norris (ed.) Perception of behavioral chemicals. Elsevier/North-Holland, Amsterdam.
- HARA, T.J. (ed.) 1982. Chemoreception in fishes. Elsevier, Amsterdam. 433 p.
- HARA, T.J. 1982. Structure-activity relationships of amino acids as olfactory stimuli, p. 135-158. In T.J. Hara (ed.) Chemoreception in fishes. Elsevier, Amsterdam.
- HARA, T.J., and S.B. BROWN. 1979. Olfactory bulbar electrical responses of rainbow trout (*Salmo gairdneri*) exposed to morpholine during smoltification. J. Fish. Res. Board Can. 36: 1186-1190.
- HARA, T.J., M. FREESE, and K.R. SCOTT. 1973. Spectral analysis of olfactory bulbar responses in rainbow trout. Jpn. J. Physiol. 23: 325-333.
- HARA, T.J., and A. GORBMAN. 1967. Electrophysiological studies of the goldfish, *Carassius auratus* L. I. Modification of the electrical activity of the olfactory bulb by other central nervous structures. Comp. Biochem. Physiol. 21: 185-200.
- HARA, T.J., and Y.M.C. LAW. 1972. Adaptation of the olfactory bulbar response in fish. Brain Res. 47: 259-261.
- HARA, T.J., Y.M.C. LAW, and B.R. HOBDEN. 1973. Comparison of the olfactory response to amino acids in rainbow trout, brook trout, and whitefish. Comp. Biochem. Physiol. 45A: 969-977.
- HARA, T.J., Y.M.C. LAW, and S. MACDONALD. 1976. Effects of mercury and copper on the olfactory response in rainbow trout, *Salmo gairdneri*. J. Fish. Res. Board Can. 33: 1568-1573.
- HARA, T.J., Y.M.C. LAW, and E. VAN DER VEEN. 1973. A stimulatory apparatus for studying the olfactory activity in fishes. J. Fish. Res. Board Can. 30: 283-285.
- HARA, T.J., and S. MACDONALD. 1975. Morpholine as olfactory stimulus in fish. Science (Wash. D.C.) 187: 81-82.
- HARA, T.J., and S. MACDONALD. 1976. Olfactory responses to skin mucus substances in rainbow trout, *Salmo gairdneri*. Comp. Biochem. Physiol. 54A: 41-44.
- HARA, T.J., and B.E. THOMPSON. 1978. The reaction of whitefish *Coregonus clupeaformis* to the anionic detergent sodium lauryl sulphate and its effects on their olfactory responses. Water Res. 12: 893-897.
- HARA, T.J., K. UEDA, and A. GORBMAN. 1965. Electroencephalographic studies of homing salmon. Science (Wash. D.C.) 149: 884-885.
- HARADA, K. 1982. The attractive effect of food based on the behavioral responses of juvenile yellowtail *Seriola quinqueradiata*. Bull. Jpn. Soc. Sci. Fish. 48: 1047-1054.
- HARADA, K. 1983. Statistical approach to finding probable feeding attractants for Oriental weatherfish. Bull. Jpn. Soc. Sci. Fish. 49: 521-526.
- HARADA, K., H. MAEDA, and K. KOBAYASHI. 1982. Application of logistic curve as an index of the attractive effect of food for Oriental weatherfish. Bull. Jpn. Soc. Sci. Fish. 48: 21-29.
- HARADA, K., and A. OHWADA. 1983. Statistical approach to finding probable feeding attractants for juvenile yellow-tail. Bull. Jpn. Soc. Sci. Fish. 49: 1541-1546.
- HARAVAYA, S.L. 1972. Data on the morphology of the olfactory analyzer of the European eel *Anguilla anguilla*. Vestsi Akad. Navuk BSSR Ser. Biyal. Navuk 5: 104-108. (In Russian)
- HARAVAYA, S.L. 1976. Morphohistological characteristics of the olfactory organ in glass and pigmented eels. Vestsi Akad. Navuk BSSR Ser. Biyal. Navuk 5: 114-118. (In Russian)
- HARAVAYA, S.L. 1976. Morphological characteristics of the olfactory organ of European eel larvae. Vestsi Akad. Navuk BSSR Ser. Biyal. Navuk 1: 81-83. (In Russian)
- HARDEN JONES, F.R. 1958. Reactions of fish to stimuli. Proc. Indo-Pac. Fish. Council. 3: 18-28.
- HARDER, W. 1968. Zum Aufbau der epidermalen Sinnesorgane der Mormyridae (Mormyri-formes, Teleostei). Z. Zellforsch. Mikrosk. Anat. 89: 212-224.
- HASHIMOTO, Y., S. KONOSU, N. FUSEYANI, and T. NOSE. 1968. Attractants for eels in the extracts of short-necked clam - I. Survey of constituents eliciting feeding behavior by the omission test. Bull. Jpn. Soc. Sci. Fish. 34: 78-83.
- HASLER, A.D. 1954. Odour perception and orientation in fishes. J. Fish. Res. Board Can. 11: 107-129.
- HASLER, A.D. 1956. Influence of environmental reference points on learned orientation in fish (*Phoxinus*). Z. Vgl. Physiol. 38: 303-310.

- HASLER, A.D. 1956. Perception of pathways by fishes in migration. *Q. Rev. Biol.* 31: 200-209.
- HASLER, A.D. 1957. Olfactory and gustatory senses of fishes, p. 187-209. In M.E. Brown (ed.) *The physiology of fishes*. Academic Press, New York.
- HASLER, A.D. 1960. Guideposts of migrating fishes. *Science (Wash. D.C.)* 132: 785-792.
- HASLER, A.D. 1960. Homing orientation in migrating fishes. *Ergeb. Biol.* 23: 94-115.
- HASLER, A.D. 1966. Underwater Guideposts. University of Wisconsin Press, Madison. 155 p.
- HASLER, A.D. 1968. Memory in homing of migratory fishes, p. 247-255. In D. Ingle (ed.) *The central nervous system and fish behavior*. University of Chicago Press, Chicago.
- HASLER, A.D. 1970. Chemical ecology of fish, p. 219-234. In E. Sondheimer and J.B. Simeone (ed.) *Chemical ecology*. Academic Press, New York.
- HASLER, A.D. 1971. Orientation and fish migration, p. 429-510. In W.S. Hoar and D.J. Randall (ed.) *Fish physiology*. Vol. 6. Academic Press, New York.
- HASLER, A.D., and A.T. SCHOLZ. 1980. Artificial imprinting: a procedure for conserving salmon stocks, p. 179-199. In J.E. Bardach, J.J. Magnuson, R.C. May, and J.M. Reinhart (ed.) *Fish behavior and its use in the capture and culture of fishes*. International Center for Living Aquatic Resources Management, Manila.
- HASLER, A.D., A.T. SCHOLZ, and R.M. HORRALL. 1978. Olfactory imprinting and homing in salmon. *Am. Sci.* 66: 347-355.
- HASLER, A.D., and W.J. WISBY. 1950. Use of fish for the olfactory assay of pollutants (phenols) in water. *Trans. Am. Fish. Soc.* 79: 64-70.
- HASLER, A.D., and W.J. WISBY. 1951. Discrimination of stream odors by fishes and its relation to parent stream behavior. *Am. Nat.* 85: 223-238.
- HASLER, A.D., and J. WISBY. 1958. The return of displaced largemouth bass and green sunfish to a "home" area. *Ecology* 39: 289-293.
- HATTINGH, J., and N. COETZEE. 1975. Possible stimuli for social behaviour in three species of freshwater fish. *Zool. Afr.* 10: 219-222.
- HAYNES, L.J., A.W. SANGSTER, D.M. STEVEN, and S. THOMAS. 1967. Chemical factors inducing exploratory feeding behavior in fish - E.F.B.-inducing properties of marine invertebrates. *Comp. Biochem. Physiol.* 20: 755-765.
- HECZKO, E.J., and B.H. SEGHERS. 1981. Effects of alarm substance on schooling in the common shiner (*Notropis cornutus*, Cyprinidae). *Environ. Biol. Fishes* 6: 25-29.
- HEILIGENBERG, W. 1976. Chemical stimuli and reproduction in fish. *Experientia* 32: 1091-1100.
- HEINTZ, A. 1961. The olfactory organs of the Heterostraci. *Problèmes actuels de paléontologie (Evolution des vertébrés)*. Colloq. Int. C.N.R.S. 104: 13-19.
- HEINTZ, E. 1963. Le comportement de poissons sous l'influence de substances odorantes et la réactivité (in vitro) de la muqueuse olfactive de poissons et du veau. *Fr. Ses Parfums* 6: 311-315.
- HEINTZ, E., and P.-P. GRASSÉ. 1962. Le comportement de poissons sous l'influence de substances odorantes en solutions. *C. R. Acad. Sci.* 25: 2283-2284.
- HEMMINGS, C.C. 1966. Olfaction and vision in fish schooling. *J. Exp. Biol.* 45: 449-464.
- HEMMINGS, C.C. 1966. The mechanism of orientation of roach, *Rutilus rutilus* L. in an odour gradient. *J. Exp. Biol.* 45: 465-474.
- HENDERSON, R., and G. STRICHARTZ. 1974. Ion fluxes through the sodium channels of garfish olfactory nerve membranes. *J. Physiol. (London)* 238: 329-342.
- HERBERHOLD, C. 1968. Vergleichende histochemische Untersuchungen am peripheren Riechorgan von Säugetieren und Fischen. *Arch. Klin. Exp. Ohren-Nasen Kehlkopfheilkd.* 190: 166-182.
- HERRICK, C.J. 1901. The cranial nerves and cutaneous sense organs of the North American siluroid fishes. *J. Comp. Neurol. Psychol.* 11: 177-249.
- HERRICK, C.J. 1902. The organ and sense of taste in fishes. *Bull. U.S. Fish. Comm.* 22: 237-272.
- HERRICK, C.J. 1903. On the morphological and physiological classification of the cutaneous sense organs of fishes. *Am. Nat.* 37: 313-318.
- HERRICK, C.J. 1903. On the phylogeny and morphological position of the terminal buds of fishes. *J. Comp. Neurol.* 13: 121-138.
- HERRICK, C.J. 1906. On the centers for taste and touch in the medulla oblongata of fishes. *J. Comp. Neurol. Psychol.* 16: 403-421.
- HERRICK, C.J. 1907. The tactile centers on the spinal cord and brain of the searobin,

- Prionotus carolinus*. J. Comp. Neurol. Psychol. 17: 307-325.
- HERRICK, C.J. 1908. On the phylogenetic differentiation of the organs of smell and taste. J. Comp. Neurol. Psychol. 18: 157-166.
- HEUTS, B., and G. THINÈS. 1971. Behavioural changes in a stock of *Barbus conchionius* (Hamilton, Pisces, Cyprinidae) after accidentally induced partial depigmentation and blindness. Z. Tierpsychol. 28: 113-163.
- HIATT, R.W., J.J. NAUGHTON, and D.C. MATTHEWS. 1953. Effects of chemicals on a schooling fish, *Kuhlia sandvicensis*. Biol. Bull. (Woods Hole, Mass.) 104: 28-44.
- HIATT, R.W., J.J. NAUGHTON, and D.C. MATTHEWS. 1953. Relation of chemical structure to irritant responses in marine fish. Nature (London) 172: 904-905.
- HIDAKA, I. 1970. The effects of transition metals on the palatal chemoreceptors of the carp. Jpn. J. Physiol. 20: 599-609.
- HIDAKA, I. 1970. The effect of carbon dioxide on the carp palatal chemoreceptors. Bull. Jpn. Soc. Sci. Fish. 36: 1034-1039.
- HIDAKA, I. 1970. Effects of salts and pH on fish chemoreceptor responses. Nature (London) 228: 1102-1103.
- HIDAKA, I. 1972. Stimulation of the palatal chemoreceptors of the carp by mixed solutions of acid and salt. Jpn. J. Physiol. 22: 39-51.
- HIDAKA, I. 1982. Taste receptor stimulation and feeding behavior in the puffer, p. 243-258. In T.J. Hara (ed.) Chemoreception in fishes. Elsevier, Amsterdam.
- HIDAKA, I., and S. KIYOHARA. 1975. Taste responses to ribonucleotides and amino acids in fish, p. 147-151. In D.A. Denton and J.P. Coghlan (ed.) Olfaction and taste V. Academic Press, New York.
- HIDAKA, I., S. KIYOHARA, and S. ODA. 1977. Gustatory response in the puffer - III. Stimulatory effectiveness of nucleotides and their derivatives. Bull. Jpn. Soc. Sci. Fish. 43: 423-428.
- HIDAKA, I., S. KIYOHARA, M. TABATA, and K. YONEZAWA. 1975. Gustatory responses in the puffer. Bull. Jpn. Soc. Sci. Fish. 41: 275-281.
- HIDAKA, I., N. NYU, and S. KIYOHARA. 1976. Gustatory response in the puffer - IV. Effects of mixtures of amino acids and betaine. Bull. Fac. Fish. Mie Univ. 3: 17-28.
- HIDAKA, I., and T. OHSUGI. 1979. High sensitivity of the palatal chemoreceptors of the yellowtail to dilution of sea water. Bull. Jpn. Soc. Sci. Fish. 45: 643.
- HIDAKA, I., T. OHSUGI, and T. KUBOMATSU. 1978. Taste receptor stimulation and feeding behaviour in the puffer, *Fugu pardalis*. I. Effect of single chemicals. Chem. Senses Flavor 3: 341-354.
- HIDAKA, I., and S. YOKOTA. 1967. Taste receptor stimulation by sweet-tasting substances in the carp. Jpn. J. Physiol. 17: 652-666.
- HILL, D.A., and M.H. SHEREBRIN. 1976. Action potential fatigue in nonmyelinated nerve fibers. Garfish olfactory and rabbit vagus nerve. Can. J. Physiol. Pharmacol. 54: 485-493.
- HIRATA, Y. 1966. Fine structure of the terminal buds on the barbels of some fishes. Arch. Histol. Jpn. (Niigata, Jpn) 26: 507-523.
- HIYAMA, Y., T. TANIUCHI, K. SUYAMA, K. ISHIOKA, R. SATO, T. KAJIHARA, and T. MAIWA. 1967. A preliminary experiment on the return of tagged chum salmon to the Otsuchi River, Japan. Bull. Jpn. Soc. Sci. Fish. 33: 18-19.
- HIYAMA, Y., S. YOSHIZAKI, and H. NAKAI. 1955. An analysis of fish attracting effect of "komashi" or fish attracting bait. Jpn. J. Ichthyol. 4: 139-152.
- HOAGLAND, H. 1933. Specific nerve impulses from gustatory and tactile receptors in catfish. J. Gen. Physiol. 16: 685-693.
- HOBSON, E.S. 1963. Feeding behavior in three species of sharks. Pac. Sci. 17: 145-170.
- HODGSON, E.S., and R.F. MATHEWSON. 1971. Chemosensory orientation in sharks. Ann. N.Y. Acad. Sci. 188: 175-182.
- HODGSON, E.S., and R.F. MATHEWSON. 1978. Electrophysiological studies of chemoreception in elasmobranchs, p. 227-267. In E.S. Hodgson and R.F. Mathewson (ed.) Sensory biology of sharks, skates, and rays. Office of Naval Research, Arlington.
- HOESE, H.D., and D. HOESE. 1967. Studies on the biology of the feeding reaction in *Gobiosoma boscii*. Tulane Stud. Zool. 14: 55-62.
- HÖGLUND, L.B. 1953. A new method of studying the reactions of fishes in gradients of chemical and other agents. Oikos 3: 247-267.
- HÖGLUND, L.B. 1961. The reactions of fish in concentration gradients - a comparative study based on fluvium experiments with special reference to oxygen, acidity, carbon dioxide, and sulphite waste liquor (SWL). Fish. Board Swed. Inst. Freshwater Res. Drottningholm Rep. 43: 147 p.
- HÖGLUND, L.B., and M. ASTRAND. 1973. Preferences among juvenile char (*Salvelinus alpinus* L.) to intraspecific odours and water

- currents studied with the fluvium technique. Fish. Board Swed. Inst. Freshwater Res. Drottningholm Rep. 53: 21-30.
- HÖGLUND, L.B., A. BOHMAN, and N.A. NILSSON. 1975. Possible odour responses of juvenile Arctic char (*Salvelinus alpinus* (L.)) to three other species of subarctic fish. Fish. Board Swed. Inst. Freshwater Res. Drottningholm Rep. 54: 21-35.
- HÖGLUND, L.B., and J. HÄRDIG. 1969. Reactions of young salmonids to sudden changes of pH, carbon dioxide tension and oxygen content. Fish. Board Swed. Inst. Freshwater Res. Drottningholm Rep. 49: 76-119.
- HÖGLUND, L.B., and A. PERSSON. 1971. Effects of locomotor restraint and of anaesthesia with urethane or MS-222 on the reactions of young salmon (*Salmo salar* L.) to environmental fluctuations of pH and carbon dioxide tension. Fish. Board Swed. Inst. Freshwater Res. Drottningholm Rep. 51: 75-89.
- HOLEY, D.T., and D.K. BELSARE. 1973. Morphology of the olfactory sac in some teleosts. Z. Mikrosk. Anat. Forsch. 87: 463-469.
- HOLL, A. 1965. Vergleichende morphologische und histologische Untersuchungen am Geruchsorgan der Knochenfische. Z. Morphol. Ökol. Tiere 54: 707-782.
- HOLL, A. 1973. Funktionsmorphologie der Nase von *Chimaera monstrosa* (Holocephali). Z. Morphol. Tiere 74: 271-296.
- HOLL, A. 1973. Feinstruktur des Riechepithels von *Chimaera monstrosa* (Holocephali). Mar. Biol. 23: 59-72.
- HOLL, A. 1974. Aktive, rhythmische Ventilation des Geruchsorgans bei Stachelaalen (Mastacembelidae). Z. Naturforsch. Teil C 29: 787-789.
- HOLL, A. 1980. Selektivdarstellung der Riechsinneszellen des Zwergwelses *Ictalurus nebulosus* mit Procionfarbstoffen. Z. Naturforsch. Teil C 35: 526-528.
- HOLL, A. 1981. Marking of olfactory axons of fishes by intravital staining with Procion brilliant yellow. Stain Technol. 56: 67-70.
- HOLL, A., and W. MEINEL. 1968. The olfactory organ of the deep sea fish *Aphanopus carbo* (Percomorphi, Trichiuridae). Helgol. Wiss. Meeresunters. 18: 404-423. (In German)
- HOLL, A., E. SCHULTE, and W. MEINEL. 1970. Functional morphology of the olfactory organ and histology of the head appendages of the moray eel *Rhinomuraena ambonensis* (Teleostei, Anguilliformes). Helgol. Wiss. Meeresunters. 21: 103-123. (In German)
- HOLLAND, K. 1978. Chemosensory orientation to food by a Hawaiian goatfish (*Parupeneus porphyreus*, Mullidae). J. Chem. Ecol. 4: 173-186.
- HOLLAND, K.N., and J.H. TEETER. 1981. Behavioral and cardiac reflex assays of the chemosensory acuity of channel catfish to amino acids. Physiol. Behav. 27: 699-707.
- HOLM, J.F. 1894. The development of the olfactory organ in the Teleostei. Morphol. Jahrb. Gegenbauer 21: 620-624.
- HOLM, J.F. 1895. Some notes on the early development of the olfactory organ of *Torpedo*. Anat. Anz. 10: 201-207.
- HOLMBERG, L., and V. LUNDIN. 1973. The olfactory system in the hagfish *Myxine glutinosa*. II. Fine structure of olfactory bulbs. Acta Zool. (Stockholm) 54: 285-295.
- HOLMGREN, N. 1920. Zur Anatomie und Histologie des Vorder- und Zwischenhirns der Knochenfische. Acta Zool. (Stockholm) 1: 137-315.
- HOLTON, J.B., and D.M. EASTON. 1971. Major lipids of non-myelinated olfactory and myelinated trigeminal nerve of garfish *Lepisosteus osseus*. Biochim. Biophys. Acta 239: 61-70.
- HOLZ, A., and W. WEBER. 1970. Periodically occurring transverse structures in nerve fibers of the olfactory bulb of *Phoxinus laevis*. Experientia 26: 1349-1350.
- HONDA, H. 1979. Female sex pheromone of the ayu, *Plecoglossus altivelis*, involved in courtship behaviour. Bull. Jpn. Soc. Sci. Fish. 45: 1375-1380.
- HONDA, H. 1980. Female sex pheromone of rainbow trout, *Salmo gairdneri*, involved in courtship behaviour. Bull. Jpn. Soc. Sci. Fish. 46: 1109-1112.
- HONDA, H. 1980. Female sex pheromone of the loach, *Misgurnus anguillicaudatus*, involved in courtship behaviour. Bull. Jpn. Soc. Sci. Fish. 46: 1223-1225.
- HONDA, H. 1982. On the female sex pheromones and courtship behaviour in the bitterlings *Rhodeus ocellatus ocellatus* and *Acheilognathus lanceolatus*. Bull. Jpn. Soc. Sci. Fish. 48: 43-45.
- HONDA, H. 1982. On the female sex pheromones and courtship behaviour in the salmonids, *Oncorhynchus masou* and *O. rhodurus*. Bull. Jpn. Soc. Sci. Fish. 48: 47-49.
- HOPPE, G. 1926. Das Geruchsorgan von *Hatteria punctata*. Z. Anat. Entwicklungsgesch. 102: 434-461.
- HORRALL, R.M. 1981. Behavioral stock-isolating mechanisms in Great Lakes fishes with special reference to homing and site imprinting. Can. J. Fish. Aquat. Sci. 38: 1481-1496.

- HOSSLER, F.E., and L.H. MERCHANT. 1983. Morphology of taste buds on the gill arches of the mullet Mugil cephalus, and the killifish Fundulus heteroclitus. Am. J. Anat. 166: 299-312.
- HOWARTH, J.V., R.D. KEYNES, J.M. RITCHIE, and A. VON MURALT. 1975. The heat production associated with the passage of a single impulse in pike olfactory nerve fibres. J. Physiol. (London) 249: 349-368.
- HOWARTH, J.V., R.D. KEYNES, A. VON MURALT, and J.M. RITCHIE. 1975. Initial heat production in nonmyelinated pike olfactory nerve. Experientia 31: 710-711.
- HOWARTH, J.V., and J.M. RITCHIE. 1979. The recovery heat production in nonmyelinated garfish olfactory nerve fibers. J. Physiol. (London) 292: 167-176.
- HOWARTH, J.V., J.M. RITCHIE, and D. STAGG. 1979. The initial heat production in garfish olfactory nerve fibers. Proc. R. Soc. London Ser. B 205: 347-368.
- HUMBACK, I. 1960. Geruch und Geschmack bei den augenlosen Hohlenfischen Anoptichthys jordani Hubbs und Innes und Anoptichthys hubbsi Alvarez. Naturwissenschaften 47: 551.
- HÜTTEL, R. 1941. Die chemische Untersuchung des Schreckstoffes aus Elritzenhaut. Naturwissenschaften 29: 333-334.
- HÜTTEL, R., and G. SPRENGLING. 1943. Ueber Ichthyopterin, einen blaufluoreszierenden Stoff aus Fischhaut. Justus Liebig's Ann. Chem. 554: 69-82.
- HUVE, J.L., M.A. THOMPSON, C. BOTTERI, and N. CHANTRIER. 1983. Spatio-temporal study of the electric activities in the olfactory bulb of the trout Salmo gairdneri. J. Hirnforsch. 24: 281-287.
- ICHIKAWA, M. 1975. The central projections of the olfactory tract in the goldfish, Carassius auratus. J. Fac. Sci. Univ. Tokyo Sect. 4 13: 257-263.
- ICHIKAWA, M. 1976. Fine structure of the olfactory bulb in the goldfish, Carassius auratus. Brain Res. 115: 43-56.
- ICHIKAWA, M., and K. UEDA. 1977. Fine structure of the olfactory epithelium in the goldfish, Carassius auratus. A study of retrograde degeneration. Cell Tissue Res. 183: 445-455.
- ICHIKAWA, M., and K. UEDA. 1978. Electron microscopic study of the terminal regions of the olfactory tract fibers in the goldfish telencephalic hemisphere. J. Fac. Sci. Univ. Tokyo Sect. 4 14: 127-134.
- ICHIKAWA, M., and K. UEDA. 1979. Electron microscopic study of the termination of the centrifugal fibers in the goldfish olfactory bulb. Cell Tissue Res. 197: 257-262.
- IDLER, D.R., U.H. FAGERLUND, and H. MAYOH. 1956. Olfactory perception in migrating salmon. I. L-Serine, a salmon repellent in mammalian skin. J. Gen. Physiol. 39: 889-892.
- IDLER, D.R., J.R. MCBRIDE, R.E.E. JONAS, and N. TOMLINSON. 1961. Olfactory perception in migrating salmon. II. Studies on a laboratory bioassay for homestream water and mammalian repellent. Can. J. Biochem. Physiol. 39: 1575-1584.
- IINO, M., and S.F. TAKAGI. 1978. Stimulation of the olfactory epithelium with odorants in gaseous and aqueous phases. Jpn. J. Physiol. 28: 149-157.
- INA, K., and K. HIGASHI. 1978. Survey of feeding stimulants for the sea bream (Chrysophrys major). J. Agric. Chem. Soc. Jpn. 52: 19-23.
- INA, K., and H. MATSUI. 1980. Survey of feeding stimulants for the sea bream (Chrysophrys major) in the marine worm (Perinereis vancaurica tetradentata). (Feeding stimulants for fishes. Part IV). Nippon Nogei Kagaku Kaishi 54: 7-12.
- INGERSOLL, D.W., and C.-T. LEE. 1980. Belontiidae chemosignal activity: interspecific attraction and perceived chemosignal similarity. Behav. Neural Biol. 29: 463-472.
- ISHIKAWA, T., PRINCE MASAHITO, and S. TAKAYAMA. 1978. Olfactory neuroepithelioma in a domestic carp Cyprinus carpio. Cancer Res. 38: 3954-3959.
- ISMAILOV, A.A., Sh.K. TAGIEV, and R.Yu. KASIMOV. 1980. Electrophysiological characteristics of fish visual and olfactory systems depending on the time fish stay in oil-polluted environment. Izv. Akad. Nauk AzSSR Ser. Biol. Nauk 6: 105-112. (In Russian)
- ITO, H. 1973. Normal and experimental studies on synaptic patterns in the carp telencephalon, with special reference to the secondary olfactory termination. J. Hirnforsch. 14: 237-253.
- IWAI, T. 1963. Taste buds on the gill rakers and gill arches of sea catfish, Plotosus anguillaris (Lacépède). Copeia 1963(2): 271-274.
- IWAI, T. 1964. A comparative study of the taste buds in gill rakers and gill arches of teleostean fishes. Bull. Misaki Mar. Biol. Inst. Kyoto Univ. 7: 19-34.
- IWAI, T., and I. NAKAMURA. 1964. Olfactory organs of tunas with special reference to their systematic significance. Bull. Misaki Mar. Biol. Inst. Kyoto Univ. 7: 1-8.
- JAGODOWSKI, K.P. 1901. Zur Frage nach der Endigung des Geruchsnerven bei den Knochenfischen. Anat. Anz. 19: 257-267.

- JAHN, L.A. 1969. Movements and homing of cutthroat trout (*Salmo clarki*) from open-water areas of Yellowstone Lake. *J. Fish. Res. Board Can.* 26: 1243-1261.
- JAHN, L.A. 1972. Development of the olfactory apparatus of the cutthroat trout. *Trans. Am. Fish. Soc.* 101: 284-289.
- JAHN, L.A. 1976. Responses to odors by fingerling cutthroat trout from Yellowstone Lake. *Prog. Fish-Cult.* 38: 207-210.
- JAISWAL, A.G., and D.K. BELSARE. 1975. Effect of electrical stimulation of the olfactory tract and the caudal spinal cord on the Dahlgren cells in *Clarias batrachus* L. *Z. Mikrosk. Anat. Forsch.* 89: 410-414.
- JAKUBOWSKI, M. 1975. Anatomical structure of olfactory organs provided with internal nares in the antarctic fish *Gymnodraco acuticeps* (Bathydraconidae). *Bull. Acad. Pol. Sci. Ser. Sci. Biol.* 23: 115-120.
- JAKUBOWSKI, M. 1981. Ultrastructure scanning electron microscopy, transmission electron microscopy of the olfactory epithelium in the wels, *Silurus glanis* (Siluridae, Pisces). *Z. Mikrosk. Anat. Forsch.* 95: 337-352.
- JAKUBOWSKI, M., and E. KUNYSZ. 1979. Anatomy and morphometry of the olfactory organ of the wels *Silurus glanis* (Siluridae, Pisces). *Z. Mikrosk. Anat. Forsch.* 93: 728-735.
- JOHNSEN, P.B., and A.D. HASLER. 1980. The use of chemical cues in the upstream migration of coho salmon, *Oncorhynchus kisutch* Walbaum. *J. Fish Biol.* 17: 67-73.
- JOHNSEN, P.B., and J.H. TEETER. 1980. Spatial gradient detection of chemical cues by catfish. *J. Comp. Physiol.* 140: 95-99.
- JOHNSON, H.E., and C.J.D. BROWN. 1962. Olfactory apparatus in the black rockfish, *Sebastes melanops*. *Copeia* 1962(4): 838-840.
- JOHNSON, R.H., and D.R. NELSON. 1978. Copulation and possible olfaction-mediated pair formation in two species of carcharhinid sharks. *Copeia* 1978(3): 539-542.
- JOHNSTON, J.B. 1898. The olfactory lobes, fore-brain and habenular tracts of *Acipenser*. A summary of work on their minute structure. *Zool. Bull.* 1: 221-241.
- JOHNSTON, J.B. 1902. The brain of *Acipenser*. A contribution to the morphology of the vertebrate brain. *Zool. Jahrb. Abt. Anat. Ontog. Tiere* 15: 59-260.
- JOHNSTON, J.B. 1911. The telencephalon of ganoids and teleosts. *J. Comp. Neurol.* 21: 489-591.
- JOHNSTONE, A.D.F. 1980. The detection of dissolved amino acids by the Atlantic cod, *Gadus morhua* L. *J. Fish Biol.* 17: 219-230.
- JOHNSTONE, A.D.F., D. WHITFORD, and A.D. HAWKINS. 1982. The effects of an industrial waste (cryolite recovery sludge) upon the Atlantic salmon, *Salmo salar* (L.). Detection thresholds and the effects of exposure to the waste upon detection of an amino acid. *Water Res.* 16: 1529-1535.
- JONES, J.R.E. 1951. The reactions of the minnow, *Phoxinus phoxinus* (L.) to solutions of phenol, orthocresol and paracresol. *J. Exp. Biol.* 28: 261-270.
- JONSSON, L. 1980. Chemical stimuli: role in the behavior of fishes, p. 353-367. In M.A. Ali (ed.) *Environmental physiology*. Plenum Press, New York.
- JOYCE, E.C., and G.B. CHAPMAN. 1978. Fine structure of the nasal barbel of the channel catfish, *Ictalurus punctatus*. *J. Morphol.* 158: 109-154.
- KAJI, S., M. SATOU, Y. KUDO, K. UEDA, and A. GORBMAN. 1975. Spectral analysis of olfactory responses of adult spawning salmon (*Oncorhynchus keta*) to stream waters. *Comp. Biochem. Physiol.* 51A: 711-716.
- KAKU, T., M. TSUMAGARI, S. KIYOHARA, and S. YAMASHITA. 1980. Gustatory responses in the minnow, *Pseudorasbora parva*. *Physiol. Behav.* 25: 99-105.
- KALUZA, J. 1959. The blood vessels of the olfactory organ of the eel (*Anguilla anguilla* L.). *Acta Biol. Cracov. Ser. Zool.* 2: 89-96.
- KAMRIN, R.P., and M. SINGER. 1953. Influence of sensory neurons isolated from central nervous system on maintenance of taste buds and regeneration of barbels in the catfish, *Ameiurus nebulosus*. *Am. J. Physiol.* 174: 146-148.
- KAMRIN, R.P., and M. SINGER. 1955. The influence of the nerve on regeneration and maintenance of the barbel of the catfish, *Ameiurus nebulosus*. *J. Morphol.* 96: 173-188.
- KANWAL, J.S., and J. CAPRIO. 1983. An electrophysiological investigation of the oropharyngeal (IX-X) taste system in the channel catfish, *Ictalurus punctatus*. *J. Comp. Physiol.* 150: 345-357.
- KAPOOR, A.S., and P.P. OJHA. 1972. Studies on ventilation of the olfactory chambers of fishes with a critical reevaluation of the role of accessory nasal sacs. *Arch. Biol. (Liège)* 83: 167-178.
- KAPOOR, A.S., and P.P. OJHA. 1972. Occurrence of synapses in olfactory epithelium of fish. *Experientia* 28: 64-65.
- KAPOOR, A.S., and P.P. OJHA. 1972. Functional anatomy of the olfactory organs in the

- moray, *Muraena undulata*. Jpn. J. Ichthyol. 19: 82-88.
- KAPOOR, A.S., and P.P. QJHA. 1973. Functional anatomy of the nose and accessory nasal sacs in the teleost *Channa punctatus* Bloch. Acta Anat. 84: 96-105.
- KAPOOR, A.S., and P.P. QJHA. 1973. The olfactory apparatus in the flatfish *Cynoglossus oligolepis*. Trans. Am. Microsc. Soc. 92: 298-304.
- KAPOOR, A.S., and P.P. QJHA. 1974. Histology of the olfactory epithelium of the fish, *Channa punctatus* Bloch. Acta Anat. 87: 534-554.
- KAPOOR, B.G., H.E. EVANS, and R.A. PEVNER. 1975. The gustatory system in fish. Adv. Mar. Biol. 13: 53-108.
- KASUMYAN, A.O., and N.Ye. LEBEDEV. 1979. New data on the nature of the alarm pheromone in cyprinids. J. Ichthyol. 19(5): 109-114.
- KASUMYAN, A.O., and N.I. PASHCHENKO. 1982. The role of olfaction in the defense reaction of grass carp, *Ctenopharyngodon idella* (Cyprinidae), to alarm pheromone. J. Ichthyol. 22(2): 122-126.
- KATSUKI, Y., T. HASHIMOTO, and J.I. KENDALL. 1971. The chemoreception in the lateral-line organs of teleosts. Jpn. J. Physiol. 21: 99-118.
- KATSUKI, Y., and A. ONODA. 1973. The lateral line organ of fish as a chemoreceptor, p. 389-411. In W. Chavin (ed.) Responses of fish to environmental changes. C.C. Thomas, Springfield.
- KATSUKI, Y., and K. YANAGISAWA. 1982. Chemoreception in the lateral-line organ, p. 227-242. In T. J. Hara (ed.) Chemoreception in fishes. Elsevier, Amsterdam.
- KATSUKI, Y., K. YANAGISAWA, A.L. TESTER, and J.I. KENDALL. 1969. Shark pit organs: response to chemicals. Science (Wash. D.C.) 163: 405-407.
- KAWAMURA, G., and Y. KAWASHIMA. 1973. Tank-experiment on the biting behaviour of fish in response to the inedible lure permeated with the extract of food. Mem. Fac. Fish. Kagoshima Univ. 22: 143-146.
- KAWAMURA, T., and T. TAMURA. 1980. Responses of the carp pit organ to chemical and thermal stimuli. Bull. Jpn. Soc. Sci. Fish. 46: 819-830.
- KAWAMURA, T., and S. YAMASHITA. 1981. Chemical and thermal responses from buccal and maxillary nerves in the minnow, *Pseudorasbora parva*. Comp. Biochem. Physiol. 69A: 187-195.
- KAWAMURA, T., and S. YAMASHITA. 1983. Chemical sensitivity of lateral line organs in the goby, *Gobius giurinus*. Comp. Biochem. Physiol. 74A: 253-257.
- KEENLEYSIDE, M.H.A. 1955. Some aspects of the schooling behaviour of fish. Behaviour 8: 183-248.
- KHO, H.W. 1974. Sensory basis of homing in the intertidal fish *Oligocottus maculosus* Girard. Can. J. Zool. 52: 1023-1029.
- KIM, J.B., and B.S. KIM. 1981. The observation on the epithelium in the olfactory sac of teleosts. J. Pusan Med. Coll. (Pusan Uidae Chapchi) 21: 21-30. (In Korean)
- KIMBRELL, G.M., M.R. WEINROTT, E.K. MORRIS, Jr., J. SCHEID, and D. SANGSTON. 1970. Alarm pheromone and avoidance conditioning in goldfish, *Carassius auratus*. Nature (London) 225: 754.
- KINOSITA, H. 1975. Schooling behaviour of marine catfish eel (*Plotosus anguillaris*), p. 71-154. In A. Okajima and K. Maruyama (ed.) Biological sciences. Vol. 9. Iwanami, Tokyo. (In Japanese)
- KIYOHARA, S., and S. YAMASHITA. 1980. Distribution of taste buds on the lips and inside the mouth in the minnow, *Pseudorasbora parva*. Physiol. Behav. 24: 1143-1147.
- KIYOHARA, S., I. HIDAKA, and T. TAMURA. 1975. Gustatory response in the puffer. II. Single fiber analyses. Bull. Jpn. Soc. Sci. Fish. 41: 383-391.
- KIYOHARA, S., I. HIDAKA, and T. TAMURA. 1975. The anterior cranial gustatory pathway in fish. Experientia 31: 1051-1053.
- KIYOHARA, S., S. YAMASHITA, and S. HARADA. 1981. High sensitivity of minnow gustatory receptors to amino acids. Physiol. Behav. 26: 1103-1108.
- KLEEREKOPER, H. 1967. Some effects of olfactory stimulation on locomotory patterns in fish, p. 625-646. In T. Hayashi (ed.) Olfaction and taste II. Pergamon Press, Oxford.
- KLEEREKOPER, H. 1967. Some aspects of olfaction in fishes, with special reference to orientation. Am. Zool. 7: 385-396.
- KLEEREKOPER, H. 1969. Olfaction in fishes. Indiana University Press, Bloomington. 222 p.
- KLEEREKOPER, H. 1972. Orientation through chemoreception in fishes. NASA Spec. Publ. 262: 459-468.
- KLEEREKOPER, H. 1974. Effects of exposure to a subacute concentration of parathion on the interaction between chemoreception and water flow in fish, p. 237-245. In F.J. Vernberg and W.B. Vernberg (ed.) Potlution and physiology of marine organisms. Academic Press, New York.
- KLEEREKOPER, H. 1978. Chemoreception and its interaction with flow and light perception in the locomotion and orientation of some

- elasmobranchs, p. 269-329. In E.S. Hodgson and R.F. Mathewson (ed.) *Sensory biology of sharks, skates, and rays*. Office of Naval Research, Arlington.
- KLEEREKOPER, H. 1982. Research on olfaction in fishes: historical aspects, p. 1-14. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- KLEEREKOPER, H. 1982. The role of olfaction in the orientation of fishes, p. 202-226. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- KLEEREKOPER, H., and D. GRUBER. 1975. Accuracy of localization of a chemical stimulus in flowing and stagnant water by the nurse shark, *Ginglymostoma cirratum*. *J. Comp. Physiol.* 98: 257-275.
- KLEEREKOPER, H., and J.A. MOGENSEN. 1959. The chemical composition of scent of freshwater fish with special reference to amines and amino acids. *Z. Vgl. Physiol.* 42: 492-500.
- KLEEREKOPER, H., and J. MOGENSEN. 1963. Role of olfaction in the orientation of *Petromyzon marinus*: I. Response to a single amine in prey's body odour. *Physiol. Zool.* 36: 347-360.
- KLEEREKOPER, H., G. TAYLOR, and R. WILTON. 1961. Diurnal periodicity in the activity of *Petromyzon marinus* and the effects of chemical stimulation. *Trans. Am. Fish. Soc.* 90: 73-78.
- KLEEREKOPER, H., and G.A. VAN ERKEL. 1960. The olfactory apparatus of *Petromyzon marinus* L. *Can. J. Zool.* 38: 209-223.
- KLEEREKOPER, H., J.B. WAXMAN, and J. MATIS. 1973. Interaction of temperature and copper ions as orienting stimuli in the locomotor behavior of the goldfish (*Carassius auratus*). *J. Fish. Res. Board Can.* 30: 725-728.
- KLEEREKOPER, H., G.F. WESTLAKE, J.M. MATIS, and P. GENSLER. 1972. Orientation of goldfish (*Carassius auratus*) in response to a shallow gradient of a sublethal concentration of copper in an open field. *J. Fish. Res. Board Can.* 29: 45-54.
- KONISHI, J. 1966. Fresh-water fish chemoreceptors responsive to dilute solutions of electrolytes. *J. Gen. Physiol.* 49: 1241-1264.
- KONISHI, J. 1966. Excitation of the fish chemoreceptors and interface electrochemistry. *Surfaces* 4: 247-255. (In Japanese)
- KONISHI, J. 1967. Studies on the stimulation of chemoreceptors of fresh-water fish by dilute solutions of electrolytes, p. 667-692. In T. Hayashi (ed.) *Olfaction and taste II*. Pergamon Press, Oxford.
- KONISHI, J., and I. HIDAKA. 1967. Stimulation of the chemoreceptors of the sea catfish by dilute electrolyte solutions. *Jpn. J. Physiol.* 17: 726-737.
- KONISHI, J., and I. HIDAKA. 1969. On the stimulation of fish chemoreceptors by dilute solutions of polyelectrolytes. *Jpn. J. Physiol.* 19: 315-326.
- KONISHI, J., I. HIDAKA, M. TOYOTA, and H. MATSUDA. 1969. High sensitivity of the palatal chemoreceptors of the carp to carbon dioxide. *Jpn. J. Physiol.* 19: 327-341.
- KONISHI, J., and H. NIWA. 1964. Some properties of taste receptors in freshwater fish: responses to weak solutions. *Jpn. J. Physiol.* 14: 328-343.
- KONISHI, J., M. UCHIDA, and Y. MORI. 1966. Gustatory fibers in the sea catfish. *Jpn. J. Physiol.* 16: 194-204.
- KONISHI, J., and Y. ZOTTERMAN. 1961. Function of taste fibers in the carp. *Nature (London)* 191: 286-287.
- KONISHI, J., and Y. ZOTTERMAN. 1961. Taste functions in the carp. *Acta Physiol. Scand.* 52: 150-161.
- KONISHI, J., and Y. ZOTTERMAN. 1963. Taste functions in fish, p. 215-233. In Y. Zotterman (ed.) *Olfaction and taste*. Pergamon Press, Oxford.
- KONOSU, S., N. FUSEYANI, T. NOSE, and Y. HASHIMOTO. 1968. Attractants for eels in the extracts of short-necked clam. II. Survey of constituents eliciting feeding behavior by fractionation of the extracts. *Bull. Jpn. Soc. Sci. Fish.* 34: 84-87.
- KOSAKA, T. 1980. Ruffed cell: a new type of neuron with a distinctive initial unmyelinated portion of the axon in the olfactory bulb of the goldfish (*Carassius auratus*). II. Fine structure of the ruffed cell. *J. Comp. Neurol.* 193: 119-145.
- KOSAKA, T., and K. HAMA. 1979. Ruffed cell: a new type of neuron with a distinctive initial unmyelinated portion of the axon in the olfactory bulb of the goldfish (*Carassius auratus*). I. Golgi impregnation and serial thin sectioning studies. *J. Comp. Neurol.* 186: 301-320.
- KOSAKA, T., and K. HAMA. 1979. A new type of neuron with a distinctive axon initial segment. *Brain Res.* 163: 151-155.
- KOSAKA, T., and K. HAMA. 1979. Pre- and post-synaptic character of the axon initial segment of the mitral cell of the goldfish olfactory bulb. *Brain Res.* 169: 570-574.
- KOSAKA, T., and K. HAMA. 1980. Presence of the ruffed cell in the olfactory bulb of the catfish *Parasilurus asotus* and the sea eel *Conger myriaster*. *J. Comp. Neurol.* 193: 103-117.

- KOSAKA, T., and K. HAMA. 1981. Ruffed cell: a new type of neuron with a distinctive initial unmyelinated portion of the axon in the olfactory bulb of the goldfish (*Carassius auratus*). III. Three-dimensional structure of the ruffed cell dendrite. *J. Comp. Neurol.* 201: 571-587.
- KOSAKA, T., and K. HAMA. 1982. Structure of the mitral cell in the olfactory bulb of the goldfish (*Carassius auratus*). *J. Comp. Neurol.* 212: 365-384.
- KRACKE, G.R., and G.K. CHACKO. 1979. Polypeptide components of the (Na^+K^+) -ATPase of garfish olfactory nerve axon plasma membrane. *Life Sci.* 25: 2125-2129.
- KRACKE, G.R., S.G. O'NEAL, and G.K. CHACKO. 1981. Partial purification and characterization of (Na^+K^+) -ATPase from garfish olfactory nerve axon plasma membrane. *J. Membr. Biol.* 63: 147-156.
- KRATSKIA, I.L., N.P. VESEKIN, G.M. PALATINKOV, and R.Yu. KASIMOV. 1977. Electrical responses in the brain of sturgeons *Acipenser guldenstadti* to stimulation of the olfactory bulb and their pharmacological modification. *J. Evol. Biochem. Physiol.* 13: 75-77.
- KRATT, L.F., and R.J.F. SMITH. 1979. Agonistic behaviour of age 0, age 1 and non-breeding adult Arctic grayling *Thymallus arcticus* (Pallas). *J. Fish Biol.* 15: 389-404.
- KREUTZBERG, G.W., and G.W. GROSS. 1977. General morphology and axonal ultrastructure of the olfactory nerve of the pike, *Esox lucius*. *Cell Tissue Res.* 181: 443-457.
- KRINNER, M. 1935. Ueber die Geschmacksempfindlichkeit der Elritze. *Z. Vgl. Physiol.* 21: 317-342.
- KROGIUS, F.V. 1954. The relation of the up-river migration of sockeye salmon and the seaward migration of their young to the daily cycle of water temperature, pH and content of dissolved gases. *Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr.* 41: 197-229.
- KRUEGER, J.M., and R.H. CAGAN. 1976. Biochemical studies of taste sensation. Binding of L-[^3H]alanine to a sedimentable fraction from catfish barbel epithelium. *J. Biol. Chem.* 251: 88-97.
- KRUZHALOV, N.B., and V.I. GUSEL'NIKOV. 1980. Responses of neurons of the olfactory bulb of pink salmon to olfactory stimuli. *Biol. Nauki (Moscow)* 1: 65-69. (In Russian)
- KUBIAK, H. 1962. The blood vessels of the olfactory organ in the silver bream (*Blicca björkna* L.). *Acta Biol. Cracov. Ser. Zool.* 5: 57-66.
- KUDO, J., M. OKANO, and Y. SUGAWA. 1979. Scanning electron microscope and transmission electron microscope studies of the carp olfactory epithelium. *Bull. Coll. Agric. Vet. Med. Nihon Univ.* 36: 11-30.
- KUDO, Y., M. SATOU, S. KAJI, and K. UEDA. 1972. Frequency analysis of olfactory response in fish by band-pass filters. *J. Fac. Sci. Univ. Tokyo Sect. 4* 12: 365-383.
- KUDO, Y., and K. UEDA. 1980. The measurement of the electric activity of the olfactory bulb in free swimming carp (*Cyprinus carpio* L.) by underwater telemetry systems. *IEEE Trans. Biomed. Eng. BME-27*: 694-698.
- KÜHME, W. 1963. Chemisch ausgelöste Brutpflege- und Schwarmreaktionen bei *Hemichromis bimaculatus* (Pisces). *Z. Tierpsychol.* 20: 688-704.
- KÜHME, W. 1964. Eine chemisch ausgelöste Brutpflegereaktion bei Cichliden (Pisces). *Naturwissenschaften* 51: 20-21.
- KÜHME, W. 1964. Eine chemisch ausgelöste Schwarmreaktion bei jungen Cichliden (Pisces). *Naturwissenschaften* 51: 120-121.
- KULSHRESHTHA, S.D. 1975. Histomorphology of the taste receptors of some freshwater fishes. *Indian J. Fish.* 22: 143-170.
- KUMAGAE, T., H. NODAI, M. WADA, and D. OGATA. 1952. Ueber den Aktionspotential der Geschmacksnervenfasern von Fischen. *Kyushu Shika Gakkai Zasshi* 6: 1-4.
- KURZINA, N.P. 1981. Evoked potentials in carp (*Cyprinus carpio*) cerebellum in response to electrical stimulation of the facial nerve. *Vestn. Leningr. Univ. Biol.* 2: 67-73. (In Russian)
- KYLE, H.M. 1900. On the presence of nasal secretory sacs and a nasopharyngeal communication in Teleostei, with special reference to *Cynoglossus semilaevis*. *J. Linn. Soc. London Zool.* 27: 541-556.
- KYLE, A.L., and R.E. PETER. 1982. Effects of forebrain lesions on spawning behaviour in the male goldfish. *Physiol. Behav.* 28: 1103-1109.
- KYLE, A.L., N.E. STACEY, and R.E. PETER. 1982. Ventral telencephalic lesions: effects on bisexual behavior, activity, and olfaction in the male goldfish. *Behav. Neural Biol.* 36: 229-241.
- LAIBACH, E. 1937. Das Geruchsorgan des Aals (*Anguilla vulgaris*) in seiner verschiedenen Entwicklungsstadien. *Zool. Jahrb., Abt. Anat. Ontog. Tiere* 63: 37-72.
- LANE, E.B., and M. WHITEAR. 1980. Skein cells in lamprey epidermis. *Can. J. Zool.* 58: 450-455.
- LANE, E.B., and M. WHITEAR. 1982. Sensory structures at the surface of fish skin.

- I. Putative chemoreceptors. Zool. J. Linn. Soc. 75: 141-151.
- LANE, E.B., and M. WHITEAR. 1982. Sensory structures at the surface of fish skin. II. Lateralis system. Zool. J. Linn. Soc. 76: 19-28.
- LAWRY, J.V. Jr. 1973. The olfactory epithelium of the lantern fish, *Varleytonbeania crenularis* (Myctophidae). Z. Zellforsch. 138: 31-40.
- LEBEDEVA, N.Ye., G.A. MALYUKINA, and A.O. KASUMYAN. 1975. The natural repellent from the skin of cyprinids. J. Ichthyol. 15: 472-480.
- LEGGETT, W.C. 1977. The ecology of fish migrations. Annu. Rev. Ecol. Syst. 8: 285-308.
- LE MARTRET, M.-A., and P. SAGLIO. 1982. Communication intraspecific d'origine pheromonale chez le carassin dore immature, *Carassius auratus* L. I. Mise en evidence olfactometrique du phenomene. Biol. Behav. 7: 41-54.
- LERCH, K. 1968. The olfactory organ of the fish. Goldfish histology. Aquarien Terr. 15: 94-95.
- LIANG, C.-L., and Z.-H. SHAO. 1981. Studies on the submicroscopic structure of taste buds in the barbels of the catfish (*Parasilurus asotus*). Acta Zool. Sinica 27: 228-231.
- LIERMANN, K. 1933. Ueber den Bau des Geruchsorgans der Teleostier. Z. Anat. Entwicklungsgesch. 100: 1-39.
- LILEY, N.R. 1982. Chemical communication in fish. Can. J. Fish. Aquat. Sci. 39: 22-35.
- LINDAHL, P.E., and A. MARCSTRÖM. 1958. On the preference of roaches (*Leuciscus rutilus*) for trinitrophenol, studied with the fluorium technique. J. Fish. Res. Board Can. 15: 685-694.
- LITTLE, E.E. 1977. Conditioned aversion to amino acid flavors in the catfish, *Ictalurus punctatus*. Physiol. Behav. 19: 743-747.
- LITTLE, E.E. 1981. Conditioned cardiac response to the olfactory stimuli of amino acids in the channel catfish, *Ictalurus punctatus*. Physiol. Behav. 27: 691-697.
- LOSEY, G.S. Jr. 1969. Sexual pheromone in some fishes of the genus *Hypsoblennius* Gill. Science (Wash. D.C.) 163: 181-183.
- LOWE, G.A. 1974. The occurrence of ciliary aggregations on the olfactory epithelium of two species of gadoid fish. J. Fish Biol. 6: 537-539.
- LOWE, G.A., and N.K. MacLEOD. 1975. The ultrastructural organization of olfactory epithelium of two species of gadoid fish. J. Fish Biol. 7: 529-532.
- LUITEN, P.G.M. 1975. The central projections of the trigeminal, facial and anterior lateral line nerves in the carp (*Cyprinus carpio* L.). J. Comp. Neurol. 160: 399-418.
- LUK'YANOV, A.S., and A.A. POTAPOV. 1982. Synaptic mechanisms of spike generation in bursts by neurons of the carp tectum and olfactory bulb. Neurophysiology (USSR) 14: 352-358.
- MacGINITIE, G.E. 1939. The natural history of the blind goby, *Typhlogobius californiensis* Steindachner. Am. Midl. Nat. 21: 489-505.
- MACKAY, B. 1977. Visual and flavor cues in toxicosis conditioning of codfish. Behav. Biol. 19: 87-97.
- MACKIE, A.M. 1982. Identification of the gustatory feeding stimulants, p. 275-292. In T.J. Hara (ed.) Chemoreception in fishes. Elsevier, Amsterdam.
- MACKIE, A.M., and J.W. ADRON. 1978. Identification of inosine and inosine 5'-monophosphate as the gustatory feeding stimulants for the turbot, *Scophthalmus maximus*. Comp. Biochem. Physiol. 60A: 79-83.
- MACKIE, A.M., J.W. ADRON, and P.T. GRANT. 1980. Chemical nature of feeding stimulants for the juvenile Dover sole, *Solea solea* (L.). J. Fish Biol. 16: 701-708.
- MACKIE, A.M., and A.I. MITCHELL. 1982. Further studies on the chemical control of feeding behaviour in the Dover sole, *Solea solea*. Comp. Biochem. Physiol. 73A: 89-93.
- MACKIE, A.M., and A.I. MITCHELL. 1982. Chemical ecology and chemoreception in the marine environment, p. 11-24. In Actualites de Biochimie Marine, les Comptes - Rendus des Journees de GABTIM, Vol 5. CNRS, Paris.
- MACKIE, A.M., and A.I. MITCHELL. 1983. Studies on the chemical nature of feeding stimulants for the juvenile European eel, *Anguilla anguilla* (L.). J. Fish Biol. 22: 425-430.
- MacLEOD, N.K. 1976. Spontaneous activity of single neurons in the olfactory bulb of the rainbow trout (*Salmo gairdneri*) and its modulation by olfactory stimulation with amino acids. Exp. Brain Res. 25: 267-278.
- MacLEOD, N.K. 1976. Field potentials in the olfactory bulb of the codfish (*Gadus morhua*). Comp. Biochem. Physiol. 55A: 297-299.
- MacLEOD, N.K., and G.A. LOWE. 1976. Field potentials in the olfactory bulb of the rainbow trout (*Salmo gairdneri*): evidence for a dendrodendritic inhibitory pathway. Exp. Brain Res. 25: 255-266.

- MADISON, D.M., A.T. SCHOLZ, J.C. COOPER, R.M. HORRALL, A.D. HASLER, and A.E. DIZON. 1973. I. Olfactory hypotheses and salmon migration: a synopsis of recent findings. Fish. Res. Board Can. Tech. Rep. 414: 35 p.
- MAINARDI, D., and A.C. ROSSI. 1970. Chemical communication with regard to the construction of the nest of the anabantid fish, *Colisa colla*. Ist. Lomb. Accad. Sci. Lett. Rend. Sci. Biol. Med. B 102: 23-28.
- MAJUMDAR, N.N. 1952. On the anatomy and histology of the palate of *Cirrhinus mrigala* (Ham.), with special reference to the papillae present on it together with comments on their possible respiratory function. J. Zool. Soc. India 3: 255-266.
- MAJUMDAR, N.N., and B.P. SAXENA. 1961. On the palatal organs of *Labeo dero* (Hamilton). Proc. Natl Acad. Sci. India Sect. B 31: 109-116.
- MALYUKINA, G.A., G.V. DEVITSINA, and Ye.A. MARUSOV. 1971. A study of olfaction in Lake Sevan fish. Biol. Zh. Arm. 24(8): 27-34. (In Russian)
- MALYUKINA, G.A., G.V. DEVITSINA, and Ye.A. MARUSOV. 1974. Communication on the basis of chemoreception in fishes. Zh. Obshch. Biol. 35: 70-79. (In Russian)
- MALYUKINA, G.A., N.G. DMITRIEVA, Ye.A. MARUSOV, and G.V. YURKEVICH. 1969. Smell and its role in the behaviour of fish. Zoologiya 1969: 32-78.
- MALYUKINA, G.A., and V.I. MARTEM'YANOV. 1981. Electrocardiographic studies of chemical sensitivity of some freshwater fishes. J. Ichthyol. 21(3): 77-84.
- MALYUKINA, G.A., and Ye.A. MARUSOV. 1971. Study of the olfaction of fishes by electrocardiography. J. Ichthyol. 11: 959-966.
- MANN, H. 1969. Geschmacksbeeinflussungen bei Fischen. Fette Seifen Anstrichm. 71: 1021-1024.
- MARCSTRÖM, A. 1959. Reaction thresholds of roaches (*Leuciscus rutilus* L.) to some aromatic substances. Ark. Zool. 12: 335-338.
- MARCSTRÖM, A., and G. STEINHOLTZ. 1982. A new method for measuring the ability of fish to orient in chemical gradients. Physiol. Behav. 29: 1183-1184.
- MARSHALL, N.B. 1967. The olfactory organs of bathypelagic fishes. Symp. Zool. Soc. London 19: 57-70.
- MARTYNOVA, G.I. 1981. Age dynamics of the olfactory organ structure of the sockeye *Oncorhynchus nerka*. Biol. Morya 5: 57-59.
- MARUI, T. 1977. Taste responses in the facial lobe of the carp, *Cyprinus carpio* L. Brain Res. 130: 287-298.
- MARUI, T. 1981. Taste responses in the superior secondary gustatory nucleus of the carp, *Cyprinus carpio* L. Brain Res. 217: 59-68.
- MARUI, T., and J. CAPRIO. 1982. Electrophysiological evidence for the topographical arrangement of taste and tactile neurons in the facial lobe of the channel catfish. Brain Res. 231: 185-190.
- MARUI, T., and M. FUNAKOSHI. 1979. Tactile input to the facial lobe of the carp, *Cyprinus carpio* L. Brain Res. 177: 479-488.
- MARUI, T., and M. FUNAKOSHI. 1980. Comparison of chemoreceptions of terminal buds and pit organs of the carp, *Cyprinus carpio*. Brain Res. 193: 570-573.
- MARUI, T., S. HARADA, and Y. KASAHARA. 1983. Gustatory specificity for amino acids in the facial taste system of the carp, *Cyprinus carpio* L. J. Comp. Physiol. 153: 299-308.
- MARUSOV, Ye.A. 1975. Reactions of young salmonids to certain natural chemical stimuli. J. Ichthyol. 15: 341-343.
- MATHEWSON, R.F., and E.S. HODGSON. 1972. Klistaxis and rheotaxis in orientation of sharks toward chemical stimuli. Comp. Biochem. Physiol. 42A: 79-84.
- MAYNARD, D.J., and D.D. WEBER. 1981. Avoidance reactions of juvenile coho salmon (*Oncorhynchus kisutch*) to monocyclic aromatics. Can. J. Fish. Aquat. Sci. 38: 772-778.
- MAZEAUD, F. 1981. Morpholine, a nonspecific attractant for salmonids. Aquaculture 26: 189-191.
- MATSUMOTO, Y., and E. TANNER. 1975. Action potential of the garfish non-myelinated olfactory nerve. Life Sci. 16: 1067-1078.
- McBRIDE, J.R., U.H.M. FAGERLUND, M. SMITH, and N. TOMLINSON. 1964. Olfactory perception in juvenile salmon. I. Conditioned response of juvenile sockeye salmon (*Oncorhynchus nerka*) to lake waters. Can. J. Zool. 42: 245-248.
- McBRIDE, J.R., D.R. IDLER, R.E.E. JONAS, and N. TOMLINSON. 1962. Olfactory perception in juvenile salmon. II. Observations on response of juvenile sockeye to extracts of foods. J. Fish. Res. Board Can. 19: 327-334.
- McCABE, G.T. Jr., C.W. LONG, and S.L. LEEK. 1983. Survival and homing of juvenile coho salmon, *Oncorhynchus kisutch*, transported by barge. U.S. Natl Mar. Fish. Serv. Fish. Bull. 81: 412-415.
- McCleave, J.D. 1967. Homing and orientation of cutthroat trout (*Salmo clarki*) in Yellow-

- stone Lake, with special reference to olfaction and vision. *J. Fish. Res. Board Can.* 24: 2011-2044.
- McINTYRE, D.C., and L.M. HEALY. 1979. Effects of telencephalon damage on intraspecific aggression and activity in rainbow trout (*Salmo gairdneri*) juveniles. *Behav. Neural Biol.* 25: 490-501.
- McKAYE, K.R., and G.W. BARLOW. 1976. Chemical recognition of young by the Midas cichlid, *Cichlasoma citrinellum*. *Copeia* 1976 (2): 276-282.
- McMAHON, T., and J.C. TASH. 1979. The use of chemosenses by threadfin shad, *Dorosoma petenense* to detect conspecifics, predators and food. *J. Fish Biol.* 14: 289-296.
- MELINKAT, R., and E. ZEISKE. 1979. Functional morphology of ventilation of the olfactory organ in *Bedotia geayi* (Teleostei, Atherinidae). *Zool. Anz.* 203: 354-368.
- MENG, Q.-W., and M.-C. YIN. 1981. A study of the olfactory organ of the sharks. *Trans. Chinese Ichthyol. Soc.* 2: 1-24. (In Chinese)
- MENG, Q.-W., and M.-C. YIN. 1981. A study on the olfactory organ of skates, rays and chimaeras. *J. Fish. China* 5: 209-228. (In Chinese)
- MEREDITH, M. 1981. The analysis of response similarity in single neurons of the goldfish olfactory bulb using amino-acids as odor stimuli. *Chem. Senses* 6: 277-293.
- MEREDITH, M., and D.G. MOULTON. 1978. Patterned response to odor in single neurones of goldfish olfactory bulb: influence of odor quality and other stimulus parameters. *J. Gen. Physiol.* 71: 615-643.
- METCALF, I.S.H. 1973. Olfactory organ of *Sphyrna tudes*. *Bull. S.C. Acad. Sci.* 35: 93-94.
- MEYER, J.H., and N.R. LILEY. 1982. The control of production of a sexual pheromone in the female guppy, *Poecilia reticulata*. *Can. J. Zool.* 60: 1505-1510.
- MEYER-ROCHOW, V.B. 1981. Fish tongues: surface fine structures and ecological considerations. *Zool. J. Linn. Soc.* 71: 413-426.
- MIESNER, H.J., and R. VON BAUMGARTEN. 1966. Untersuchungen über die Geruchswahrnehmung und das Geruchsgedächtnis des Goldfisches. *Pfluegers Arch.* 288: 118-133.
- MILES, S.G. 1968. Rheotaxis of elvers of the American eel (*Anguilla rostrata*) in the laboratory to water from different streams in Nova Scotia. *J. Fish. Res. Board Can.* 25: 1591-1602.
- MILES, S.G. 1968. Laboratory experiments on the orientation of the adult American eel, *Anguilla rostrata*. *J. Fish. Res. Board Can.* 25: 2143-2155.
- MILLER, R.J., and H.E. EVANS. 1965. External morphology of the brain and lips in catostomid fishes. *Copeia* 1965 (4): 467-487.
- MITCHELL, A.I., and A.M. MACKIE. 1983. Binding of [^{14} C] inosine to gustatory tissues of the turbot, *Scophthalmus maximus*. *Comp. Biochem. Physiol.* 75A: 471-474.
- MORITA, Y., H. ITO, and H. MASAI. 1980. Central gustatory paths in the crucian carp, *Carassius carassius*. *J. Comp. Neurol.* 191: 119-132.
- MORITA, Y., T. MURAKAMI, and H. ITO. 1983. Cytoarchitecture and tonographic projections of the gustatory centers in a teleost, *Carassius carassius*. *Biol. Cyber.* 47: 378-394.
- MUROFUSHI, S., and K. INA. 1981. Survey of feeding stimulants for the sea bream present in the dried pupae of silkworms. *Agric. Biol. Chem.* 45: 1501-1504.
- MYRBERG, A.A. Jr. 1966. Parental recognition of young in cichlid fishes. *Anim. Behav.* 14: 565-571.
- MYRBERG, A.A. Jr. 1975. The role of chemical and visual stimuli in the preferential discrimination of young by the cichlid fish *Cichlasoma nigrofasciatum* (Günther). *Z. Tierpsychol.* 37: 274-297.
- MYRBERG, A.A. Jr. 1980. Sensory mediation of social recognition processes in fishes, p. 146-178. In J.E. Bardach, J.J. Magnuson, R.C. May, and J. M. Reinhart (ed.) *Fish behavior and its use in the capture and culture of fishes*. International Center for Living Aquatic Resources Management, Manila.
- NANBA, R., B. DJAHANPARWA, and R. VON BAUMGARTEN. 1966. Erregungsmuster einzelner Fasern des Tractus olfactorius lateralis des Fisches bei Reizung mit verschiedenen Geruchsstoffen. *Pfluegers Arch.* 288: 134-150.
- NAZAROV, L.A. 1968. Stimulation mechanism of the olfactory receptors in fish. *Fiziol. Zh. SSSR im. I.M. Sechenova* 54: 824-831. (In Russian)
- NESTOROVICH, M.A., and N.I. POPOVA. 1972. Comparative morphology and histochemistry of the olfactory epithelium of some sea fish. *Izv. Sib. Otd. Akad. Nauk SSSR Ser. Biol.-Med. Nauk* 3: 95-101. (In Russian)
- NEUHAUS, W., and S. APPELBAUM. 1980. Quantitative Bestimmung der Geruchadaptation bei *Phoxinus laevis* L. und die Bedeutung der Adaptation bei der Geruchsorientierung der Wanderfische. *Zool. Jahrb., Abt. Allg. Zool. Physiol.* 84: 458-471.
- NEURATH, H. 1949. Ueber die Leistung des Geruchssinnes bei Elritzen. *Z. Vgl. Physiol.* 31: 609-626.

- NEWCOMBE, C., and G. HARTMAN. 1973. Some chemical signals in the spawning behavior of rainbow trout (*Salmo gairdneri*). J. Fish. Res. Board Can. 30: 995-997.
- MOAKES, D.L.G., and G.W. BARLOW. 1973. Cross-fostering and parent-off-spring responses in *Cichlostoma citrinellum* (Pisces, Cichlidae). Z. Tierpsychol. 33: 147-152.
- NOBLE, G.K., and B. CURTIS. 1939. The social behavior of the jewel fish, *Hemichromis bimaculatus* Gill. Bull. Am. Mus. Nat. Hist. 76: 1-46.
- NORDENG, H. 1971. Is the local orientation of anadromous fishes determined by pheromones? Nature (London) 233: 411-413.
- NORDENG, H. 1977. A pheromone hypothesis for homeward migration in anadromous salmonids. Oikos 28: 155-159.
- NOVOSELOV, V.I., L.D. KRAPIVINSKAYA, and E.E. FESENKO. 1980. Molecular mechanisms of odor sensing. V. Some biochemical characteristics of the alanine receptor from the olfactory epithelium of the skate *Dasyatis pastinaca*. Chem. Senses 5: 195-203.
- OBUKHOV, D.K., G. MARKOV, and E.K. RUSTAMOV. 1980. Structure of the olfactory bulbs in sturgeons. J. Evol. Biochem. Physiol. 16: 426-432.
- OELSCHLÄGER, H.A. 1976. Morphologisch-funktionelle Untersuchungen am Geruchsorgan von *Lampris guttatus* (Brünnich 1788) (Teleostei: Alotriognathi). Zoomorphologie 85: 89-110.
- OHNO, I., M. OHYAMA, Y. HANAMURE, and K. OGAWA. 1981. Comparative anatomy of olfactory epithelium. Biomed. Res. 2: 455-458.
- OHSUGI, T., I. HIDAKA, and M. IKEDA. 1978. Taste receptor stimulation and feeding behaviour in the puffer, *Fugu pardalis*. II. Effects produced by mixtures of constituents of clam extracts. Chem. Senses Flavor 3: 355-368.
- OJHA, P.P., and A.S. KAPOOR. 1972. Functional anatomy of nose in the teleost *Wallago attu* Bl. and Schn. Arch. Biol. 83: 105-116.
- OJHA, P.P., and A.S. KAPOOR. 1972. Histochemistry of the olfactory epithelium of the fish, *Channa punctatus* Bloch. Acta Anat. 83: 540-555.
- OJHA, P.P., and A.S. KAPOOR. 1973. Structure and function of the olfactory apparatus in the fresh-water carp, *Labeo rohita* Ham. Buch. J. Morphol. 140: 77-86.
- OJHA, P.P., and A.S. KAPOOR. 1973. Histology of the olfactory epithelium of the fish, *Labeo rohita* Ham. Buch. Arch. Biol. 44: 425-441.
- OJHA, P.P., and A.S. KAPOOR. 1973. The anatomy of the olfactory organs in the hill-stream fish *Glyptothorax telchitta* Ham. with a note on its relationship with the mode of life of the fish. Zool. Pol. 22: 287-295.
- OJHA, P.P., and A.S. KAPOOR. 1974. Structure and function of the olfactory organs in the fish *Sisor rhabdophorus* Ham. Acta Anat. 87: 124-130.
- OKA, Y. 1980. The origin of the centrifugal fibers to the olfactory bulb in the goldfish, *Carassius auratus*: an experimental study using the fluorescent dye primuline as a retrograde tracer. Brain Res. 185: 215-225.
- OKA, Y. 1983. Golgi, electron-microscopic and combined Golgi-electron-microscopic studies of the mitral cells in the goldfish olfactory bulb. Neuroscience 8: 723-742.
- OKA, Y., M. ICHIKAWA, and K. UEDA. 1982. Synaptic organization of the olfactory bulb and central projection of the olfactory tract, p. 61-76. In T.J. Hara (ed.) Chemoreception in fishes. Elsevier, Amsterdam.
- OKA, Y., and K. UEDA. 1981. Telencephalic afferents in the goldfish: an anterograde degeneration study. Brain Res. Bull. 7: 391-394.
- OKA, Y., and K. UEDA. 1981. Telencephalic projections in the goldfish (*Carassius auratus*): an anterograde degeneration study. J. Fac. Sci. Univ. Tokyo Sect. 4 15: 1-8.
- OLMSTED, J.M.D. 1918. Experiments on the nature of the sense of smell in the common catfish, *Amiurus nebulosus* (Lesueur). Am. J. Physiol. 46: 443-455.
- OLMSTED, J.M.D. 1920. The results of cutting the seventh cranial nerve in *Amiurus nebulosus* (Lesueur). J. Exp. Zool. 31: 369-401.
- OLMSTED, J.M.D. 1920. The nerve as a formative influence in the development of taste buds. J. Comp. Neurol. 31: 465-468.
- ONO, R.D. 1980. Fine structure and distribution of epidermal projections associated with taste buds on the oral papillae in some loriciid catfishes (Siluriformes: Loricariidae). J. Morphol. 164: 139-159.
- ORSINI, J.C., and M. DUPÉ. 1972. Potential evoked at the surface of the lungfish olfactory bulb and its variations with the animal's type of life. C. R. Soc. Biol. 165: 1942-1945.
- OSHIMA, K., and A. GORBMAN. 1966. Olfactory responses in the forebrain of goldfish and their modification by thyroxine treatment. Gen. Comp. Endocrinol. 7: 398-409.
- OSHIMA, K., and A. GORBMAN. 1966. Influences of thyroxine and steroid hormones on spon-

- taneous and evoked unitary activity in the olfactory bulb of goldfish. *Gen. Comp. Endocrinol.* 7: 482-491.
- OSHIMA, K., and A. GORBMAN. 1968. Modification by sex hormones of the spontaneous and evoked bulbar electrical activity in goldfish. *J. Endocrinol.* 40: 409-420.
- OSHIMA, K., and A. GORBMAN. 1969. Effect of estradiol on NaCl-evoked olfactory bulbar potentials in goldfish: dose-response relationships. *Gen. Comp. Endocrinol.* 13: 92-97.
- OSHIMA, K., A. GORBMAN, and H. SHIMADA. 1969. Memory-blocking agents: effects on olfactory discrimination in homing salmon. *Science (Wash. D.C.)* 165: 86-88.
- OSHIMA, K., W.E. HAHN, and A. GORBMAN. 1969. Olfactory discrimination of natural waters by salmon. *J. Fish. Res. Board Can.* 26: 2111-2121.
- OSHIMA, K., W.E. HAHN, and A. GORBMAN. 1969. Electroencephalographic olfactory responses in adult salmon to waters traversed in the homing migration. *J. Fish. Res. Board Can.* 26: 2123-2133.
- OSTRETSOVA, I.B. 1980. Cyclic nucleotide phosphodiesterase in the taste buds of the catfish *Ictalurus nebulosus*. *Zh. Evol. Biokhim. Fiziol.* 16: 521-524. (In Russian)
- OVALLE, W.K., and S.L. SHINN. 1977. Surface morphology of taste buds in catfish barbels. *Cell Tissue Res.* 178: 375-384.
- OVERMIER, J.B., and D. GROSS. 1974. Effects of telencephalic ablation upon nest-building and avoidance behaviors in east African mouthbreeding fish, *Tilapia mossambica*. *Behav. Biol.* 12: 211-222.
- PANDAY, J.P., and A.S. DWIVEDI. 1973. Studies on morphology and physiology of olfactory organs in a murrell *Channa punctatus*. *Indian J. Zootomy* 14: 59-66.
- PANDEY, A.K., and R.C. MISRA. 1977. The olfactory organs of *Notopterus notopterus* Day. *Geobios* 4: 66-67.
- PANDEY, K.C., and R.C. MISRA. 1979. Olfactory organs and olfaction in a tetraodontiform fish *Tetraodon hypselogenion*. *Indian J. Zootomy* 20: 55-58.
- PANKHURST, N.W., and J.N. LYTGOE. 1983. Changes in vision and olfaction during sexual maturation in the European eel *Anguilla anguilla* (L.). *J. Fish Biol.* 23: 229-240.
- PARKER, G.H. 1905. The function of the lateral line organ in fishes. *Bull. U.S. Bur. Fish.* 24: 183-207.
- PARKER, G.H. 1907. The interrelation of sensory stimulations in *Amphioxus*. *Science (Wash. D.C.)* 25: 724-725.
- PARKER, G.H. 1908. The sensory reactions of *Amphioxus*. *Proc. Am. Acad. Arts Sci.* 43: 413-455.
- PARKER, G.H. 1910. Influence of the eyes, ears, and other allied sense organs on the movements of the dogfish, *Mustelus canis* (Mitchill). *Bull. U.S. Bur. Fish.* 29: 43-57.
- PARKER, G.H. 1910. Olfactory reactions in fishes. *J. Exp. Zool.* 8: 535-542.
- PARKER, G.H. 1911. The olfactory reactions of the common killifish, *Fundulus heteroclitus* (Linn.). *J. Exp. Zool.* 10: 1-5.
- PARKER, G.H. 1912. The reactions of smell, taste, and the common chemical sense in vertebrates. *Proc. Acad. Nat. Sci. Philadelphia* 15: 221-234.
- PARKER, G.H. 1914. The directive influence of the sense of smell in the dogfish. *Bull. U.S. Bur. Fish.* 33: 63-68.
- PARKER, G.H., and R.E. SHELDON. 1912. The sense of smell in fishes. *Bull. U.S. Bur. Fish.* 32: 35-46.
- PARTRIDGE, B.L., N.R. LILEY, and N.E. STACY. 1976. The role of pheromones in the sexual behaviour of the goldfish. *Anim. Behav.* 24: 291-299.
- PAVLOV, D.S. 1962. Some data on the sense of smell of nalima (*Gaidropsarus mediterraneus* L.) and its significance in searching for food. *Vopr. Ikhtiol.* 2: 361-366. (In Russian)
- PAWSON, M.G. 1977. Analysis of a natural chemical attractant for whiting *Merlangius merlangus* L. and cod *Gadus morhua* L. using a behavioural bioassay. *Comp. Biochem. Physiol.* 56A: 129-135.
- PAWSON, M.G. 1978. The responses of cod *Gadus morhua* (L.) to chemical attractants in moving water. *J. Cons. Cons. Int. Explor. Mer* 37: 316-318.
- PEARSON, W.H., and S.E. MILLER. 1980. Chemo-reception in the food-searching and feeding behavior of the red hake, *Urophycis chuss* (Walbaum). *J. Exp. Mar. Biol. Ecol.* 48: 139-150.
- PEEKE, H.V.S., and D.G. GORDON. 1981. Deficits in foraging behavior after telencephalon ablation in the goldfish (*Carassius auratus*). *Exp. Neurol.* 72: 204-210.
- PESARO, M., M. BALSAMO, G. GANDOLFI, and P. TONGIORGI. 1981. Discrimination among different kinds of water in juvenile eels, *Anguilla anguilla* (L.). *Monit. Zool. Ital.* 15: 183-191.
- PETERS, M. 1971. Sensory mechanisms of homing in salmonids: a comment. *Behaviour* 39: 18-19.

- PEVZNER, R.A. 1969. Structural and cytochemical bases of the mechanism of taste bud function. *Usp. Sovrem. Biol.* 67: 53-67. (In Russian)
- PEVZNER, R.A. 1976. Ultrastructural organization of the taste buds of some elasmobranchs. *Tsitologiya* 18: 560-566. (In Russian)
- PEVZNER, R.A. 1978. Electron microscopic study of the taste buds of the eel. *Tsitologiya* 20: 1112-1118. (In Russian)
- PEVZNER, R.A. 1981. The fine structure of taste buds of the ganoid fishes. I. Adult Acipenseridae. *Tsitologiya* 23: 760-767. (In Russian)
- PEVZNER, R.A. 1981. The fine structure of taste buds of the ganoid fishes. II. Fries during endo-exogenous feeding. *Tsitologiya* 23: 867-873. (In Russian)
- PEVZNER, R.A. 1981. Evolution of structural and cytochemical organization of the taste buds in vertebrates. *Zh. Evol. Biokhim. Fiziol.* 17: 486-491. (In Russian)
- PFEIFFER, W. 1960. Ueber die Verbreitung der Schreckreaktion bei Fischen. *Naturwissenschaften* 47: 23.
- PFEIFFER, W. 1960. Ueber die Schreckreaktion bei Fischen und die Herkunft des Schreckstoffes. *Z. Vgl. Physiol.* 43: 578-614.
- PFEIFFER, W. 1962. Die Verbreitung der Schreckreaktion bei nordamerikanischen Fischen. *Naturwissenschaften* 49: 141.
- PFEIFFER, W. 1962. The fright reaction of fish. *Biol. Rev. Cambridge Philos. Soc.* 37: 495-511.
- PFEIFFER, W. 1962. Ueber die Verbreitung der Schreckreaktion bei Salmfischen (Characidae) und Welsen (Siluridae). *Naturwissenschaften* 49: 614.
- PFEIFFER, W. 1963. The fright reaction in North American fish. *Can. J. Zool.* 41: 69-77.
- PFEIFFER, W. 1963. Alarm substances. *Experientia* 19: 113-123.
- PFEIFFER, W. 1963. The morphology of the olfactory organ of the Pacific salmon (*Oncorhynchus*). *Can. J. Zool.* 41: 1233-1236.
- PFEIFFER, W. 1963. Vergleichende Untersuchungen über die Schreckreaktion und den Schreckstoff der Ostariophysen. *Z. Vgl. Physiol.* 47: 111-147.
- PFEIFFER, W. 1964. The morphology of the olfactory organ of *Haplopogon guentheri* Gill 1862. *Can. J. Zool.* 42: 235-237.
- PFEIFFER, W. 1965. The size of the olfactory organ in the burbot, *Lota lota* (L.). *Can. J. Zool.* 43: 223-224.
- PFEIFFER, W. 1966. Die Schreckreaktion der Fische und Kaulquappen. *Naturwissenschaften* 53: 565-570.
- PFEIFFER, W. 1966. Ueber die Vererbung der Schreckreaktion bei *Astyanax* (Characidae, Pisces). *Z. Vererbungst.* 98: 97-105.
- PFEIFFER, W. 1966. Die Verbreitung der Schreckreaktion bei Kaulquappen und die Herkunft des Schreckstoffes. *Z. Vgl. Physiol.* 52: 79-98.
- PFEIFFER, W. 1967. Schreckreaktion und Schreckstoffzellen bei Ostariophysen und Gonorhynchiformes. *Z. Vgl. Physiol.* 56: 380-396.
- PFEIFFER, W. 1968. Die Fahrenholz'schen Organe der Dipnoi und Brachiopterygii. *Z. Zellforsch.* 90: 127-147.
- PFEIFFER, W. 1968. Ueber die Epidermis von *Latimeria chalumnae*, J.L.B. Smith 1939 (Crossopterygii, Pisces). *Z. Morph. Tiere* 63: 419-427.
- PFEIFFER, W. 1968. Das Geruchsorgan der Polypteridae (Pisces, Brachiopterygii). *Z. Morph. Tiere* 63: 75-110.
- PFEIFFER, W. 1968. Fische mit abweichender Normallage. *Experientia* 24: 1122.
- PFEIFFER, W. 1969. Kolbenzellen in der Epidermis der Galaxiidae, *Galaxias attenwatus* (Salmoniformes). *Experientia* 25: 432.
- PFEIFFER, W. 1969. Der Geruchssinn der Polypteridae (Pisces, Brachiopterygii). *Z. Vgl. Physiol.* 63: 151-164.
- PFEIFFER, W. 1969. Das Geruchsorgan der rezenten Actinistia und Dipnoi (Pisces). *Z. Morph. Tiere* 64: 309-337.
- PFEIFFER, W. 1970. Ueber die Schreckstoffzellen der Siluriformes (Ostariophysen, Pisces). *Anat. Anz.* 126: 113-119.
- PFEIFFER, W. 1971. Bau, Leistung und biologische Bedeutung des Geruchsorgans der Knochenfische. *Naturwiss. Rundsch.* 24: 417-423.
- PFEIFFER, W. 1974. Pheromones in fish and amphibia, p. 269-296. In M.C. Birch (ed.) *Pheromones*. North-Holland, Amsterdam.
- PFEIFFER, W. 1975. Ueber fluoreszierende Pterine aus der Haut von Cypriniformes (Pisces) und ihre Beziehung zum Schreckstoff. *Rev. Suisse Zool.* 82: 705-711.
- PFEIFFER, W. 1977. The distribution of fright reaction and alarm substance cells in fishes. *Copeia* 1977(4): 653-665.
- PFEIFFER, W. 1982. Chemical signals in communication, p. 307-326. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.

- PFEIFFER, W., and D. LAMOUR. 1976. Die Wirkung von Schreckstoff auf die Herzfrequenz von *Phoxinus phoxinus* (L.) (Cyprinidae, Ostariophysi, Pisces). *Rev. Suisse Zool.* 83: 861-873.
- PFEIFFER, W., and J. LEMKE. 1973. Untersuchungen zur Isolierung und Identifizierung des Schreckstoffes aus der Haut der Elritze, *Phoxinus phoxinus* (L.) (Cyprinidae, Ostariophysi, Pisces). *J. Comp. Physiol.* 82: 407-410.
- PFEIFFER, W., and T.F. PLETCHER. 1964. Club cells and granular cells in the skin of lamprey. *J. Fish. Res. Board Can.* 21: 1083-1087.
- PFEIFFER, W., and G. RIEGELBAUER. 1978. The effect of the alarm substance on the central nervous excitation of the black tetra *Gymnocorymbus ternetzi* (Characidae, Ostariophysi, Pisces) indicated by dorsal light response. *J. Comp. Physiol.* 123: 281-288.
- PFEIFFER, W., D. SASSE, and M. ARNOLD. 1971. Die Schreckstoffzellen von *Phoxinus phoxinus* und *Morulus chrysophakedion* (Cyprinidae, Ostariophysi, Pisces). Histochemische und elektronenmikroskopische Untersuchungen. *Z. Zellforsch.* 118: 203-213.
- PFUDERER, P., P. WILLIAMS, and A.A. FRANCIS. 1974. Partial purification of the crowding factor from *Carassius auratus* and *Cyprinus carpio*. *J. Exp. Zool.* 187: 375-382.
- PIPPING, M. 1926. Der Geruchssinn der Fische mit besonderer Berücksichtigung seiner Bedeutung für das Aufsuchen des Futters. *Commentat. Biol. Soc. Sci. Fenn.* II 4: 1-28.
- PIPPING, M. 1927. Ergänzende Beobachtungen über den Geruchssinn der Fische mit besonderer Berücksichtigung seiner Bedeutung für das Aufsuchen des Futters. *Commentat. Biol. Soc. Sci. Fenn.* II 10: 1-10.
- PITCHER, T. 1979. Sensory information and the organization of behaviour in a shoaling cyprinid fish. *Anim. Behav.* 27: 126-149.
- POGOJEFF, L. 1888. Ueber die feinere Struktur des Geruchsorgans des Neunauges. *Arch. Mikrosk. Anat.* 31: 1-14.
- POLLAK, E.I., L.R. BECKER, and K. HAYNES. 1978. Sensory control of mating in the blue gourami, *Trichogaster trichopterus* (Pisces, Belontiidae). *Behav. Biol.* 22: 92-103.
- POPOVA, N.I. 1971. Comparative morphology of olfactory epithelium of some fresh water fish. *Izv. Sib. Otd. Akad. Nauk SSSR Ser. Biol.-Med. Nauk* 2: 123-130. (In Russian)
- POPOVA, N.I. 1971. Comparative histochemical characteristics of olfactory epithelium of some fresh water fish. *Izv. Sib. Otd. Akad. Nauk SSSR Ser. Biol.-Med. Nauk* 3: 123-132. (In Russian)
- POPOVA, N.I. 1972. Some data on the transfer of lipids, protein, mucopolysaccharide complexes, and acid phosphatase on the olfactory epithelium of the Baikal herring under the effect of aromatic substances. *Izv. Sib. Otd. Akad. Nauk SSSR Ser. Biol.-Med. Nauk* 1: 61-67. (In Russian)
- POTAPOV, A.A. 1981. Dendritic potentials in the granular cells of carp olfactory bulb. *Neurofiziologiya* 13: 101-103. (In Russian)
- POTAPOV, A.A., and K.G. GUSEL'NIKOVA. 1975. Electrical characteristics of granule cells of the carp olfactory bulb. *Neurophysiology (USSR)* 7: 461-465.
- POTAPOV, A.A., and K.G. GUSEL'NIKOVA. 1976. Electrotonic interaction between secondary neurons of the carp olfactory bulb. *Neurophysiology (USSR)* 8: 375-379.
- POTAPOV, A.A., and K.G. GUSEL'NIKOVA. 1977. Internal excitatory mechanisms of the carp olfactory bulb. Control of excitability of secondary neurons by pacemaker neurons. *Vestn. Mosk. Univ. Ser. 16* 2: 18-25. (In Russian)
- PRASADA RAO, P.D., and K.B. DABHADE. 1973. In situ demonstration of changes in the preoptico-neurohypophyseal complex after electrical stimulation of the olfactory tract in the catfish *Clarias batrachus* (Linn.). *Z. Zellforsch.* 139: 95-99.
- PYATKINA, G.A. 1974. Electron microscopic studies on the olfactory organ in sturgeons. *Zh. Evol. Biokhim. Fiziol.* 10: 125-131. (In Russian)
- PYATKINA, G.A. 1975. Electron microscopic study of the olfactory organ in the sterlet *Acipenser ruthenus*. *Arkh. Anat. Gistol. Embriol.* 68: 85-93. (In Russian)
- PYATKINA, G.A. 1976. Receptor cells of various types and their proportional interrelation in the olfactory organ of larvae and adults of acipenserid fishes. *Tsitologiya* 18: 1444-1449. (In Russian)
- QUASTLER, H., and H. WEINGARTEN. 1930. Können Fische die Riechschleimhaut regenerieren? *Arch. Entwicklungsmech. Org.* 122: 763-769.
- QUINN, T.P. 1980. Locomotor responses of juvenile blind cave fish, *Astyanax jordani*, to the odors of conspecifics. *Behav. Neural Biol.* 29: 123-127.
- QUINN, T.P., E.I. BRANNON, and R.P. WHITMAN. 1983. Pheromones and the water source preferences of adult coho salmon *Oncorhynchus kisutch* Walbaum. *J. Fish Biol.* 22: 677-684.
- RADERMAN-LITTLE, R. 1979. The effect of temperature on the turnover of taste bud

- cells in catfish. *Cell Tissue Kinet.* 12: 169-180.
- RAHMANI, A.R., and S.M. KHAN. 1977. Functional morphology of the olfactory organs of *Anabas testudineus*. *J. Zool. Res.* 1: 53-60.
- RAHMANI, A.R., and S.M. KHAN. 1980. Histology of the olfactory epithelium and the accessory nasal sacs of an anabantoid fish, *Anabas testudineus* (Bloch). *Arch. Biol.* 91: 397-411.
- RAHMANI, A.R., and S.M. KHAN. 1981. The olfactory organ in a few Indian teleosts. *Curr. Sci.* 50: 329-330.
- RAHMANI, A.R., and S.M. KHAN. 1981. Development of the secondary lamellae in the olfactory epithelium of *Anabas testudineus*. *Jpn. J. Ichthyol.* 28: 177-180.
- RAJBANSHI, V.K. 1966. A note on the study of gustatory senses of the barbels of fresh water teleosts. *Naturwissenschaften* 53: 208-209.
- RAJBANSHI, V.K. 1979. Scanning microscopical and histological studies of barbel epithelium of *Heteropneustes fossilis*. *Zool. Beitr.* 25: 73-80.
- RAJBANSHI, V.K., and H.B. TEWARI. 1968. Structure of the taste bud of *Saccobranchus fossilis*. *Z. Biol. (Munich)* 116: 22-28.
- RAJBANSHI, V.K., and H.B. TEWARI. 1969. Histochemical studies on the distribution of alkaline and acid phosphatases in the barbels of a fresh-water teleost, *Saccobranchus fossilis*. *Acta Biol. Acad. Sci. Hung.* 20: 1-9.
- RAKIĆ, L.M., and L.N. LAZAREVIĆ. 1977. Telencephalon cytoarchitecture in *Serranus scriba*. *Acta Anat.* 99: 414-424.
- RAMSAY, D.A. 1961. Olfactory cues in migrating salmon. *Science (Wash. D.C.)* 133: 56-57.
- RAND, G., H. KLEEREKOPER, and J. MATIS. 1975. Interaction of odour and flow perception and the effects of parathion in the locomotor orientation of the goldfish *Carassius auratus* L. *J. Fish Biol.* 7: 497-504.
- RAO, P.D.P. 1970. The effect of electrical stimulation of olfactory tract on the nucleus preopticus in the catfish *Heteropneustes fossilis*. *Experientia* 26: 1377-1378.
- RAPPOPORT, D.A., and H.F. DAGINAWALA. 1968. Changes in nuclear RNA of brain induced by olfaction in catfish. *J. Neurochem.* 15: 991-1006.
- REED, J.R. 1969. Alarm substances and fright reaction in some fishes from the southeastern United States. *Trans. Am. Fish. Soc.* 98: 664-668.
- REED, J.R., W. WIELAND, and T.D. KIMBROUGH. 1973. A study on the biochemistry of alarm substances in fish. *Proc. Annu. Conf. Southeast. Assoc. Game Fish Comm.* 26: 608-610.
- REINKE, W. 1936. Zur Ontogenie und Anatomie des Geruchsorgans der Knochenfische. *Z. Anat. Entwicklungsgesch.* 100: 600-624.
- RETZIUS, G. 1879. Om epitelet i membrana olfactoria hos *Myxine glutinosa*. (Sur l'epithelium de la membrane olfactive de la *Myxine glutinosa*.) *Nord. Med. Arkiv* 11: 1-8.
- RETZIUS, G. 1880. Das Riechepithel der Cyclostomen. *Arch. Anat. Entwicklungsgesch.* 4: 9-21.
- REUTTER, K. 1971. Die Geschmacksknospen des Zwergwelses *Amiurus nebulosus* (Leseur). Morphologische und histochemische Untersuchungen. *Z. Zellforsch.* 120: 280-308.
- REUTTER, K. 1973. Typisierung der Geschmacksknospen von Fischen. 1. Morphologische und neurohistochemische Untersuchungen an *Xiphophorus helleri* Heckel (Poeciliidae, Cyprinodontiformes, Teleostei). *Z. Zellforsch.* 143: 409-424.
- REUTTER, K. 1974. Cholinergic innervation of scattered sensory cells in fish epidermis. *Cell Tissue Res.* 149: 143-146.
- REUTTER, K. 1974. Classification of the gustatory bulbs of *Xiphophorus helleri* (Poeciliidae, Teleostei). Morphological and neurohistochemical studies. *Verh. Anat. Ges.* 68: 851-854.
- REUTTER, K. 1975. Der Einfluss des Nervensystems auf die Differenzierung von Geschmacksknospen. *Verh. Anat. Ges.* 69: 679-684.
- REUTTER, K. 1978. Taste organ in the bullhead (Teleostei). *Adv. Anat. Embryol. Cell Biol.* 55: 1-98.
- REUTTER, K. 1978. Zur Beeinflussung der differenzierten Geschmacksknospe durch das Nervensystem. *Verh. Anat. Ges.* 72: 645-647.
- REUTTER, K. 1981. Can scanning electron microscopy provide a true picture of mucosa-covered surfaces?: Studies on the receptor fields of the taste buds of the catfish (*Amiurus nebulosus*). *Verh. Anat. Ges.* 75: 575-578.
- REUTTER, K. 1982. Taste organ in the barbel of the bullhead, p. 77-91. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- REUTTER, K. 1983. X-ray microanalytical determination of zinc in the gustatory system of the bullhead catfish, *Amiurus nebulosus* (Teleostei). *Acta Histochem.* 528: 243-248.
- REUTTER, K., and W. BREIPOHL. 1975. Rasterelektronenmikroskopische Untersuchung der

- Geschmacksknospen von Fischen (*Amiurus nebulosus* und *Xiphophorus helleri*). *Verh. Anat. Ges.* 69: 879-884.
- REUTTER, K., and C. KLESSEN. 1979. Vergleichend-kohlenhydrathistochemische Untersuchung der Geschmacksknospen niederer und hoererer Wirbeltiere. *Verh. Anat. Ges.* 73: 1019-1021.
- REUTTER, K., and W. PFEIFFER. 1973. Fluoreszenzmikroskopischer Nachweis des Schreckstoffes in den Schreckstoffzellen der Elritze, *Phoxinus phoxinus* (L.) (Cyprinidae, Ostariophysi, Pisces). *J. Comp. Physiol.* 82: 411-418.
- REUTTER, K., W. BREIPOHL, and G.J. BIJVANK. 1974. Taste bud types in fishes. II. Scanning electron microscopical investigations on *Xiphophorus helleri* Heckel (Poeciliidae, Cyprinodontiformes, Teleostei). *Cell Tissue Res.* 153: 151-165.
- RHEIN, L.D. 1983. Biochemical studies of olfaction: role of cilia in odorant recognition. *J. Nematol.* 15: 159-168.
- RHEIN, L.D., and R.H. CAGAN. 1980. Biochemical studies of olfaction: isolation, characterization and odorant binding activity of cilia from rainbow trout olfactory rosettes. *Proc. Natl Acad. Sci. U.S.A.* 77: 4412-4416.
- RHEIN, L.D., and R.H. CAGAN. 1981. Role of cilia in olfactory recognition, p. 47-68. In R.H. Cagan and M.R. Kare (ed.) *Biochemistry of taste and olfaction*. Academic Press, New York.
- RHEIN, L.D., and R.H. CAGAN. 1983. Biochemical studies of olfaction: binding specificity of odorants to a cilia preparation from rainbow trout olfactory rosettes. *J. Neurochem.* 41: 569-577.
- RHEIN, L.D., R.H. CAGAN, P.M. ORKAND, and M.K. DOLACK. 1981. Surface specializations of the olfactory epithelium of rainbow trout, *Salmo gairdneri*. *Tissue Cell* 13: 577-587.
- RICHARDS, I.S. 1974. Caudal neurosecretory system: possible role in pheromone production. *J. Exp. Zool.* 187: 405-408.
- RIDET, J.M., R. BAUCHOT, and M. DIAGNE. 1976. L'encéphale de la loche d'étang, *Misgurnus fossilis* (L.), 1758 (poissons, téléostéens, Cobitidae). Un exemple du dimorphisme sexuel. *Acta Anat.* 95: 169-181.
- RITCHIE, J.M., and R.W. STRAUB. 1975. The movement of potassium ions during electrical activity and the kinetics of the recovery process in the nonmyelinated fibers of the garfish olfactory nerve. *J. Physiol. (London)* 249: 327-348.
- RITCHIE, J.M., and R.W. STRAUB. 1978. Increase in efflux of inorganic phosphate during electrical activity in small nonmyelinated nerve fibers. *J. Physiol. (London)* 274: 539-548.
- RITCHIE, J.M., and R.W. STRAUB. 1979. Phosphate efflux and oxygen consumption in small nonmyelinated nerve fibers at rest and during activity. *J. Physiol. (London)* 287: 315-328.
- RITCHIE, J.M., R.B. ROGART, and G.R. STRICHARTZ. 1976. A new method for labeling saxitoxin and its binding to nonmyelinated fibers of the rabbit vagus, lobster walking leg, and garfish olfactory nerves. *J. Physiol. (London)* 261: 477-494.
- ROBERTS, M.G., and G.E. SAVAGE. 1978. Effects of hypothalamic lesions on the food intake of the goldfish (*Carassius auratus*). *Brain Behav. Evol.* 15: 150-164.
- ROBERTS, N.J., and H.E. WINN. 1962. Utilization of the senses in feeding behavior of the Johnny darter, *Etheostoma nigrum*. *Copeia* 1962(3): 567-570.
- ROSENBLATT, R.H., and G.S. LOSEY Jr. 1967. Alarm reaction of the top smelt, *Atherinops affinis*: reexamination. *Science (Wash. D.C.)* 158: 671-672.
- ROSENTHAL, H. 1968. Beobachtungen über die Entwicklung des Schwarmverhaltens bei den Larven des Herrings *Clupea harengus*. *Mar. Biol.* 2: 73-76.
- ROSENTHAL, H. 1969. Untersuchungen über das Beutefangverhalten bei Larven des Herrings *Clupea harengus*. *Mar. Biol.* 3: 208-221.
- ROSSI, A.C. 1969. Chemical signals and nest-building in two species of *Colisa* (Pisces, Anabantidae). *Monit. Zool. Ital.* 3: 225-237.
- ROSSI, A., A. BASILE, and F. PALOMBI. 1972. Speculations on the function of the nervus terminalis system in teleosts. *Riv. Biol.* 65: 401-409.
- ROTH, A., and T. SZABO. 1969. The effect of sensory nerve transection on the sensory cells and on the receptor potential of the tuberous (Knollen) organ in mormyrid fish (*Gnathonemus* sp.). *Z. Vgl. Physiol.* 62: 395-410.
- ROZIN, P.N., and J. MAYER. 1961. Regulation of food intake in the goldfish. *Am. J. Physiol.* 201: 968-974.
- ROZIN, P.N., and J. MAYER. 1964. Some factors influencing short-term food intake of the goldfish. *Am. J. Physiol.* 206: 1430-1436.
- RÜPPELL, G., and E. GÖSSWEIN. 1972. Die Schwärme von *Leucaspis delineatus* (Cyprinidae, Teleostei) bei Gefahr im Hellen und im Dunkeln. *Z. Vgl. Physiol.* 76: 333-340.
- RUZHINSKAYA, N.N. 1978. Responses of carp olfactory receptors to chemical substances of different classes. *Fiziol. Zh. SSSR im. I.M. Sechenova* 64: 919-926. (In Russian)

- RUZHINSKAYA, N.N., and A.A. BYZOV. 1978. The nature of impulse activity on the surface of anterior portions of the fish olfactory bulb. *Fiziol. Zh. SSSR im. I.M. Sechenova* 64: 1704-1710. (In Russian)
- RYZHKOV, L.P. 1970. The role of certain receptors in the formation of the group effect in the bream (*Abramis brama* (L.)). *J. Ichthyol.* 10: 358-363.
- SAFARYAN, E.Kh., and M.N. GARNOVSKAYA. 1981. Chemoreceptive structures of the brown bullhead *Ictalurus nebulosus*: isolation and properties of plasmatic membranes from barbels. *Zh. Evol. Biokhim. Fiziol.* 17: 378-383. (In Russian)
- SAGLIO, P. 1979. Interactions sociales chez les poissons: les phéromones. *Bull. Fr. Piscic.* 273: 173-184.
- SAGLIO, P. 1979. Communication chimique et migration reproductrice chez les salmonides. *Bull. Fr. Piscic.* 275: 72-82.
- SAGLIO, P. 1982. Préageage d'anguilles (*Anguilla anguilla* L.) dans le milieu naturel au moyen d'extraits biologiques d'origine intraspécifique. Mise en évidence de l'attractivité phéromonale du mucus épidermique. *Acta Oecol. Oecol. Appl.* 3: 223-231.
- SAGLIO, P., and M.-A. LE MARTRET. 1982. Communication intraspécifique d'origine phéromonale chez le carassin doré immature (*Carassius auratus* L.) II. Etude en olfactométrie de l'activité comportementale d'extraits d'origine épidermique. *Biol. Behav.* 8: 221-234.
- SAINT-HILAIRE, G. 1825. Mémoire sur la structure et les usages de l'appareil olfactif dans les poissons, suivie de considérations sur l'olfaction des animaux qui odorant dans l'air. *Ann. Sci. Nat.* 6: 322-354.
- SANDERS, F.K. 1940. Second-order olfactory and visual learning in the optic tectum of goldfish. *J. Exp. Biol.* 17: 426-434.
- SANGSTER, A.W., S.E. THOMAS, and N.L. TINGLING. 1975. Fish attractants from marine invertebrates. Arcamine from *Arca zebra* and Strombine from *Strombus gigas*. *Tetrahedron* 31: 1135-1137.
- SASSE, P., W. PFEIFFER, and M. ARNOLD. 1970. Epidermale Organe am Kopf von *Morulus chrysophakedion* (Cyprinidae, Ostariophysi, Pisces). Histochemische und elektronenmikroskopische Untersuchungen an den sog. "flaschenförmigen" Organen von *Labeo*. *Z. Zellforsch.* 103: 218-231.
- SATO, M. 1937. On the barbels of a Japanese sea catfish, *Plotosus anguillaris* (Lacépède). *Sci. Rep. Tohoku Univ. Ser. 4* 11: 323-332.
- SATO, Y., and N. SUZUKI. 1969. Single unit analysis of the olfactory tract of the crucian carp. *J. Fac. Sci. Hokkaido Univ. Ser. 6* 17: 208-223.
- SATOU, M. 1971. Electrophysiological study of the olfactory system in fish. I. Bulbar responses with special reference to adaptation in the carp, *Cyprinus carpio* L. *J. Fac. Sci. Univ. Tokyo Sect. 4* 12: 183-218.
- SATOU, M. 1974. Electrical responses at various levels of the olfactory pathways in hime salmon, *Oncorhynchus nerka*. *Jpn. J. Physiol.* 24: 389-402.
- SATOU, M., I. FUJITA, M. ICHIKAWA, K. YAMAGUCHI, and K. UEDA. 1983. Field potential and intracellular potential studies of the olfactory bulb in the carp: evidence for a functional separation of the olfactory bulb into lateral and medial subdivisions. *J. Comp. Physiol.* 152: 319-333.
- SATOU, M., M. ICHIKAWA, K. UEDA, and S.F. TAKAGI. 1979. Topographical relation between olfactory bulb and olfactory tracts in the carp. *Brain Res.* 173: 142-146.
- SATOU, M., and K. UEDA. 1975. Spectral analysis of olfactory responses to amino acids in rainbow trout, *Salmo gairdneri*. *Comp. Biochem. Physiol.* 52A: 359-365.
- SATOU, M., and K. UEDA. 1978. Synchronized rhythmic discharges of the secondary olfactory neurons in carp. *Brain Res.* 158: 313-329.
- SAVAGE, G.E. 1971. Behavioral effects of electrical stimulation of the telencephalon of the goldfish, *Carassius auratus*. *Anim. Behav.* 19: 661-668.
- SAXENA, O.P., S.K. DEVI, and V. CHOWDHERY. 1980. Olfactory epithelium of the fish, *Colisa fasciata*. *Intl J. Acad. Ichthyol.* 1: 7-12.
- SCALIA, F., and S.O.E. EBBESSON. 1971. The central projections of the olfactory bulb in a teleost (*Gymnothorax funebris*). *Brain Behav. Evol.* 4: 376-399.
- SCHADÉ, J.P., and I.J. WEILER. 1959. Electroencephalographic patterns of the goldfish (*Carassius auratus* L.). *J. Exp. Biol.* 36: 435-452.
- SCHARRER, E., S.W. SMITH, and S.L. PALAY. 1947. Chemical sense and taste in the fishes, *Prionotus* and *Trichogaster*. *J. Comp. Neurol.* 86: 183-198.
- SCHEMMELE, C. 1967. Vergleichende Untersuchungen an den Hautsinnesorganen ober- und unterirdisch lebender *Astyanax*-Formen. Ein Beitrag zur Evolution der Cavernicolen. *Z. Morphol. Tiere* 61: 255-316.
- SCHEMMELE, C. 1974. Genetic studies on the evolution of the gustatory apparatus of cavernicolous fish. *Z. Zool. Syst.*

- Evolutionsforsch. 12: 196-215. (In German)
- SCHEMEL, C. 1977. Zur Morphologie und Funktion der Sinnesorgane von Typhlasina pearsei (Hubbs) (Ophidiidae, Teleostei). Zoomorphologie 87: 191-202.
- SCHMALHAUZEN, I.L. 1962. Morphological studies of olfactory organs in fish. Tr. Inst. Morfol. Zhivotn. Akad. Nauk SSSR 40: 157-187. (In Russian)
- SCHMALHAUZEN, I.L. 1962. Disturbance of olfactory organ development in the sturgeon under specific development conditions. Tr. Inst. Morfol. Zhivotn. Akad. Nauk SSSR 40: 188-218. (In Russian)
- SCHOLZ, A.T., J.C. COOPER, R.M. HORRALL, and A.D. HASLER. 1978. Homing of morpholine-imprinted brown trout, Salmo trutta. Fish. Res. Bull. 76: 293-295.
- SCHOLZ, A.T., J.C. COOPER, D.M. MADISON, R.M. HORRALL, A.D. HASLER, A.E. DIZON, and R.J. POFF. 1973. Olfactory imprinting in coho salmon: behavioral and electrophysiological evidence. Proc. Conf. Great Lakes Res. 16: 143-153.
- SCHOLZ, A.T., R.M. HORRALL, J.C. COOPER, and A.D. HASLER. 1976. Imprinting to chemical cues: the basis for home stream selection in salmon. Science (Wash. D.C.) 192: 1247-1249.
- SCHOLZ, A.T., C.K. GOSSE, J.C. COOPER, R.M. HORRALL, A.D. HASLER, R.I. DALY, and R.J. POFF. 1978. Homing of rainbow trout transplanted in Lake Michigan: a comparison of three procedures used for imprinting and stocking. Trans. Am. Fish. Soc. 107: 439-443.
- SCHROEDER, D.M., and S.O.E. EBBESSON. 1974. Nonolfactory telencephalic afferents in the nurse shark (Ginglymostoma cirratum). Brain Behav. Evol. 9: 121-155.
- SCHULTE, E. 1972. Untersuchungen an der Regio olfactoria des Aals, Anguilla anguilla L. I. Feinstruktur der Riechepithels. Z. Zellforsch. Mikrosk. Anat. 125: 210-228.
- SCHULTE, E., and A. HOLL. 1971. Feinstruktur des Riechepithels von Calamoichthys calabaricus J.A. Smith (Pisces, Brachiopterygii). Z. Zellforsch. Mikrosk. Anat. 120: 261-279.
- SCHULTE, E., and A. HOLL. 1971. Investigation of taste buds of barbels in Corydoras paleatus. Part 1. Ultrastructure of the taste buds. Z. Zellforsch. Mikrosk. Anat. 120: 450-462. (In German)
- SCHULTE, E., and R. RIEHL. 1977. Elektronenmikroskopische Untersuchungen am Geruchsorgan von Ophicephalus (Channa) obscurus Guenther, 1861 (Teleostei, Ophicephalidae). Z. Naturforsch. Teil C 32: 307-308.
- SCHULTE, E., and R. RIEHL. 1978. Feinstruktur der Regio olfactoria vom Piranha, Serrasalmus nattereri (Kner, 1860) (Teleostei, Characidae). Zool. Anz. 200: 119-131.
- SCHULTZ, F. 1956. Ueber die Schreckreaktion bei Fischen und die Herkunft des Schreckstoffes. Z. Vgl. Physiol. 38: 84-135.
- SCHULTZE, M. 1856. Ueber die Endigungsweise des Geruchsnerven und die Epithelialgebilde der Nasenschleimhaut. Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1856: 504-514.
- SCHWAGMEYER, P., R.E. DAVIS, and J. KASSEL. 1977. Telencephalic lesions and behavior in the teleost Macropodus opercularis (L.): effects of telencephalon and olfactory bulb ablation on spawning and foam nest building. Behav. Biol. 20: 463-470.
- SEGAAR, J., J.P.C. DE BRUIN, A.P. VAN DER MECHÉ, and M.E. VAN DER MECHÉ-JACOBI. 1983. Influence of chemical receptivity on reproductive behaviour of the male three-spined stickleback (Gasterosteus aculeatus L.). An ethological analysis of cranial nerve functions regarding nest fanning activity and the zigzag dance. Behaviour 86: 100-166.
- SELSET, R. 1980. Chemical methods for fractionation of odorants produced by char smolts and tentative suggestions for pheromone origins. Acta Physiol. Scand. 108: 97-103.
- SELSET, R., and K.B. DØVING. 1980. Behavior of mature anadromous char (Salmo alpinus L.) towards odorants produced by smolts of their own population. Acta Physiol. Scand. 108: 113-122.
- SENN, D.G. 1976. Notes on the midbrain and forebrain of Calamoichthys calabaricus Smith, 1865 (Polypteridae, Brachiopterygii). Acta Zool. (Stockholm) 57: 129-135.
- SHABAB, M., A.R. RAHMANI, and S.M. KHAN. 1981. Anatomy of the olfactory apparatus of a siluroid fish, Rita rita. J. Anim. Morphol. Physiol. 28: 53-61.
- SHELDON, R.E. 1908. The participation of medullated fibers in the innervation of the olfactory mucous membrane of fishes. Science (Wash. D.C.) 27: 915-916.
- SHELDON, R.E. 1908. An analysis of the olfactory paths and centers in fishes. Anat. Rec. 2: 108-109.
- SHELDON, R.E. 1909. The reactions of the dogfish to chemical stimuli. J. Comp. Neurol. 19: 273-311.
- SHELDON, R.E. 1911. The sense of smell in Selachians. J. Exp. Zool. 10: 51-61.
- SHELDON, R.E. 1912. The olfactory tracts and centers in teleosts. J. Comp. Neurol. 22: 177-339.

- SHIBA, Y., Y. SASAKI, T. ENOMOTO, and Y. KANNO. 1982. Microtubule formation in regenerating terminal buds of the silurid fish, *Corydoras aeneus*. *Dev. Growth Differ.* 24: 199-204.
- SHIBUYA, T. 1960. The electrical responses of the olfactory epithelium of some fishes. *Jpn. J. Physiol.* 10: 317-326.
- SHPARKOVSKIY, I.A., and V.M. MURAVEIKO. 1980. Response of the skate *Raja radiata* fore-brain neurons to action of amino acids. *Fiziol. Zh. SSSR im. I.M. Sechenova* 66: 1181-1186. (In Russian)
- SHPARKOVSKIY, I.A., I.D. PAVLOV, N.V. TROSHICHEVA, and D.V. KLETS. 1981. Response of pink salmon, *Oncorhynchus gorbuscha*, and Atlantic salmon, *Salmo salar*, to amino acids during spawning migration. *J. Ichthyol.* 21(6): 135-140.
- SILVER, W.L. 1979. Olfactory responses from a marine elasmobranch, the Atlantic stingray, *Dasyatis sabina*. *Mar. Behav. Physiol.* 6: 297-305.
- SILVER, W.L. 1982. Electrophysiological responses from the peripheral olfactory system of the American eel, *Anguilla rostrata*. *J. Comp. Physiol.* 148: 379-388.
- SILVER, W.L., J. CAPRIO, J.F. BLACKWELL, and D. TUCKER. 1976. The underwater electro-olfactogram: a tool for the study of the sense of smell of marine fishes. *Experientia* 32: 1216-1217.
- SIMÓN, A. 1975. Chemoreception in the Siamese fighting fish, *Betta splendens*: II. *J. Biol. Psychol.* 17: 24-25.
- SIMÓN, A. 1975. Chemoreception in *Betta splendens*. *Psychol. Rep.* 37: 97-98.
- SINGH, C.P. 1972. A comparative study of the olfactory organ of some Indian freshwater teleostean fishes. *Anat. Anz.* 131: 225-233.
- SINGH, C.P. 1972. A comparative observation of the brain of some Indian freshwater teleosts, with special reference to their feeding habits. *Anat. Anz.* 131: 234-237.
- SINGH, C.P. 1976. Studies on the oral valves of some Indian freshwater teleosts. *Vestn. Cesk. Spol. Zool.* 40: 153-156.
- SINGH, S.P. 1967. Histology and histochemistry of the olfactory epithelium of certain fresh-water teleosts. *Indian J. Zootomy* 8: 87-108.
- SINGH, S.P. 1977. Functional anatomy of olfactory organs in some marine teleosts. *Zool. Anz.* 199: 441-444.
- SINGH, S.P. 1978. The functional anatomy of the olfactory organs in a hill-stream fish *Garra mullya* (Ham.). *Anat. Anz.* 144: 220-224.
- SINGH, W., and H.R. SINGH. 1981. Olfactory apparatus of the hillstream fish *Barilius bendelisis*. *J. Anim. Morphol. Physiol.* 28: 31-37.
- SINGH, W., and H.R. SINGH. 1981. Olfactory organs of a hillstream sisorid catfish, *Pseudecheneis sulcatus*, in relation to its ecological habitat. *Proc. Indian Natl Sci. Acad. Part B* 47: 170-174.
- SINHA, G.M. 1975. On the origin, development and probable functions of taste bud in the lip and bucco-pharyngeal epithelia of an Indian freshwater major carp, *Cirrhinus mrigala* (Hamilton) in relation to food and feeding habits. *Z. Mikrosk. Anat. Forsch.* 89: 294-304.
- SINHA, G.M. 1979. Functional light and scanning electron microscopical studies on the palate in a freshwater major carp, *Cirrhinus mrigala* (Hamilton), during the young and adult stages. *Zool. Jahrb. Abt. Anat. Ontog. Tiere* 102: 361-380.
- SINHA, G.M., and S.K. MOITRA. 1975. On the origin, development and probable functions of taste buds in the buccopharyngeal epithelium of a fresh water major carp *Catla catla*. *Z. Mikrosk. Anat. Forsch.* 88: 1061-1068.
- SINHA, G.M., and S.K. MOITRA. 1975. Structure, distribution and probable functions of 'end-buds' and 'mucous cells' in the buccopharyngeal region of four Indian fresh water major carp fries. *J. Inland Fish. Soc. India* 7: 7-15.
- SINHA, G.M., and S.K. MOITRA. 1978. Studies on the comparative histology of the taste buds in the alimentary tract of a herbivorous fish, *Labeo calbasu* (Ham.), an omnivorous fish, *Catla catla* (Ham.), and a carnivorous fish, *Clarias batrachus* (Linn.), in relation to food and feeding habits. *Zool. Beitr.* 24: 43-58.
- SINHA, R.K., S.P. SINGH, and S.B. SINGH. 1981. Olfactory organs in the exotic fish *Tilapia mossambica*. *Folia Morphol. (Prague)* 29: 258-262.
- SINHA, R.K., S.P. SINGH, and S.B. SINGH. 1982. Functional anatomy of the olfactory organs in a green snake-headed fish, *Channa gachua*. *Folia Morphol. (Prague)* 30: 14-19.
- SKINNER, W.A., R.D. MATHEWS, and R.M. PARK-HURST. 1962. Alarm reaction of the top smelt, *Atherinops affinis* (Ayres). *Science (Wash. D.C.)* 138: 681-682.
- SMEETS, W.J.A.J. 1983. The secondary olfactory connections in two chondrichthians, the shark *Scyliorhinus canicula*, and the ray *Raja clavata*. *J. Comp. Neurol.* 218: 334-344.
- SMITH, R.J.F. 1969. Control of prespawning behaviour of sunfish (*Lepomis gibbosus* and

- L. megalotis*). I. Gonadal androgen. *Anim. Behav.* 17:279-285.
- SMITH, R.J.F. 1973. Testosterone eliminates alarm substance in male fathead minnows. *Can. J. Zool.* 51: 875-876.
- SMITH, R.J.F. 1974. Effects of 17 α -methyltestosterone on the dorsal pad and tubercles of fathead minnows (*Pimephales promelas*). *Can. J. Zool.* 52: 1031-1038.
- SMITH, R.J.F. 1976. Seasonal loss of alarm substance cells in North American cyprinoid fishes and its relation to abrasive spawning behaviour. *Can. J. Zool.* 54: 1172-1182.
- SMITH, R.J.F. 1976. Male fathead minnows (*Pimephales promelas* Rafinesque) retain their fright reaction to alarm substance during the breeding season. *Can. J. Zool.* 54: 2230-2231.
- SMITH, R.J.F. 1977. Chemical communication as adaptation: alarm substance of fish, p. 303-320. In D. Müller-Schwarze and M.M. Mozell (ed.) *Chemical signals in vertebrates*. Plenum Press, New York.
- SMITH, R.J.F. 1978. Seasonal changes in the histology of the gonads and dorsal skin of the fathead minnow, *Pimephales promelas*. *Can. J. Zool.* 56: 2103-2109.
- SMITH, R.J.F. 1979. Alarm reaction of Iowa and Johnny darters (*Etheostoma*, Percidae, Pisces) to chemicals from injured conspecifics. *Can. J. Zool.* 57: 1278-1282.
- SMITH, R.J.F. 1981. Effect of food deprivation on the reaction of Iowa darters (*Etheostoma exile*) to skin extract. *Can. J. Zool.* 59: 558-560.
- SMITH, R.J.F. 1982. The adaptive significance of the alarm substance-fright reaction system, p. 327-342. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- SMITH, R.J.F. 1982. Reaction of *Percina nigrofasciata*, *Ammocrypta beani*, and *Etheostoma swaini* (Percidae, Pisces) to conspecific and intergeneric skin extracts. *Can. J. Zool.* 60: 1067-1072.
- SMITH, R.J.F., and B.D. MURPHY. 1974. Functional morphology of the dorsal pad in fathead minnows (*Pimephales promelas* Rafinesque). *Trans. Am. Fish. Soc.* 103: 65-72.
- SMITH, R.J.F., and J.D. SMITH. 1983. Seasonal loss of alarm substance cells in *Chrosomus neogaeus*, *Notropis venustus* and *N. whipleri*. *Copeia* 1983(3): 822-826.
- SOLOMON, D.J. 1973. Evidence for pheromone-influenced homing by migrating Atlantic salmon, *Salmo salar* (L.). *Nature* (London) 244: 231-232.
- SOLOMON, D.J. 1977. A review of chemical communication in freshwater fish. *J. Fish Biol.* 11: 363-376.
- STABELL, O.B., and T. REFSTIE. 1980. A note on the significance of the olfactory sense upon sexual maturation in Atlantic salmon (*Salmo salar* L.). *Aquaculture* 21: 165-170.
- STABELL, O.B., and R. SELSET. 1980. Comparison of mucus collecting methods in fish olfaction. *Acta Physiol. Scand.* 108: 91-96.
- STABELL, O.B., R. SELSET, and K. SLETTEN. 1982. A comparative chemical study on population-specific odorants from Atlantic salmon. *J. Chem. Ecol.* 8: 201-217.
- STACEY, N.E. 1983. Hormones and pheromones in fish sexual behavior. *BioScience* 33: 552-556.
- STACEY, N.E., and A.L. KYLE. 1983. Effects of olfactory tract lesions on sexual and feeding behavior in the goldfish. *Physiol. Behav.* 30: 621-628.
- STANKEVICH, L.M., and G.K. SUKHOVA. 1979. Impulse activity of neurons of the mesencephalic tectum of *Cyprinus carpio* during stimulation of cutaneous chemoreceptors. *Vestn. Leningr. Univ. Biol.* 4: 58-66.
- STEVEN, D.M. 1959. Studies on the shoaling behaviour of fish. I. Responses of two species to changes of illumination and to olfactory stimuli. *J. Exp. Biol.* 36: 261-280.
- STORCH, V.N., and U.N. WELSCH. 1970. Electron microscopic observations on the taste-buds of some bony fishes. *Arch. Histol. Jpn.* (Niigata Jpn) 32: 145-153.
- STORY, R.H. 1964. The olfactory bulbar formation and related nuclei of the paddlefish (*Polyodon spathula*). *J. Comp. Neurol.* 123: 285-298.
- STOTT, B., and B.R. BUCKLEY. 1979. Avoidance experiments with homing shoals of minnows, *Phoxinus phoxinus*, in a laboratory stream channel. *J. Fish Biol.* 14: 135-146.
- STRIECK, F. 1924. Untersuchungen über den Geruch- und Geschmackssinn der Elritzen. *Z. Vgl. Physiol.* 2: 122-154.
- SU, J.-X., and W.-D. LI. 1982. A study on the patterns of the olfactory organ of tetraodontiform fishes in China. *Acta Zool. Sinica* 28: 389-398.
- SUKHACHEV, V.A., and L.A. NAZAROV. 1976. A morphological study of the olfactory organ of the Baikal cisco. *Izv. Sib. Otd. Akad. Nauk SSSR Ser. Biol. Med. Nauk* 2: 103-107. (In Russian)
- SULZE, W. 1909. Ueber die elektrische Reaktion des Nervus olfactorius des Hechtes auf Doppelreizung. *Arch. Ges. Physiol.* 127: 57-73.

- SUTTERLIN, A.M. 1974. Pollutants and the chemical senses of aquatic animals - perspective and review. *Chem. Senses Flavor* 1: 167-178.
- SUTTERLIN, A.M. 1975. Chemical attraction of some marine fish in their natural habitat. *J. Fish. Res. Board Can.* 32: 729-738.
- SUTTERLIN, A.M., and R. GRAY. 1973. Chemical basis for homing of Atlantic salmon (*Salmo salar*) to a hatchery. *J. Fish. Res. Board Can.* 30: 985-989.
- SUTTERLIN, A.M., and N. SUTTERLIN. 1970. Taste responses in Atlantic salmon (*Salmo salar*) parr. *J. Fish. Res. Board Can.* 27: 1927-1942.
- SUTTERLIN, A.M., and N. SUTTERLIN. 1971. Electrical responses of the olfactory epithelium of Atlantic salmon (*Salmo salar*). *J. Fish. Res. Board Can.* 28: 565-572.
- SUTTERLIN, A., N. SUTTERLIN, and S. RAND. 1971. The influence of synthetic surfactants on the functional properties of the olfactory epithelium of Atlantic salmon. *Fish. Res. Board Can. Tech. Rep.* 287: 1-8.
- SUZUKI, N. 1977. Intracellular responses of lamprey olfactory receptors to current and chemical stimulation, p. 13-22. In Y. Katsuki, M. Sato, S.F. Takagi, and Y. Oomura (ed.) *Food intake and chemical senses*. University of Tokyo Press, Tokyo.
- SUZUKI, N. 1978. Effects of different ionic environments on the responses of single olfactory receptors in the lamprey. *Comp. Biochem. Physiol.* 61A: 461-467.
- SUZUKI, N. 1982. Responses of olfactory receptor cells to electrical and chemical stimulation, p. 93-108. In T.J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- SUZUKI, N., and D. TUCKER. 1971. Amino acids as olfactory stimuli in freshwater catfish, *Ictalurus catus* (Linn). *Comp. Biochem. Physiol.* 40A: 399-404.
- SZÉKELY, S., and V. CSÁNYI. 1978. Effects of forebrain ablation on growth in teleost fishes. *Acta Biol. Acad. Sci. Hung.* 29: 121-127.
- TAKAGI, S.F. 1968. Olfaction in fishes - recent progress in neurophysiological research. *Seitai No Kagaku* 19: 206-223. (In Japanese)
- TAKAGI, S.F., M. IINO, and H. YARITA. 1978. Effects of gustatory stimulants upon the olfactory epithelium of the bullfrog and the carp. *Jpn. J. Physiol.* 28: 109-128.
- TAKAGI, S.F., M. IINO, H. YARITA, and K. MORI. 1978. Ionic stimulation of the olfactory epithelium in the bullfrog and the carp. *Jpn. J. Physiol.* 28: 129-148.
- TARRANT, R.M. Jr. 1966. Threshold of perception of eugenol in juvenile sockeye salmon. *Trans. Am. Fish. Soc.* 95: 112-115.
- TATEDA, H. 1961. Response of catfish to taste stimuli. *Nature (London)* 192: 343-344.
- TATEDA, H. 1964. The taste response of the isolated barbels of the catfish. *Comp. Biochem. Physiol.* 11: 367-378.
- TATEDA, H. 1966. Taste receptors of organic acid and hydrogen ion in catfish and frog. *Mem. Fac. Sci. Kyushu Univ. Ser. E* 4: 95-105.
- TAVOLGA, W.W. 1956. Visual, chemical and sound stimuli as cues in the sex discriminatory behavior of the gobiid fish *Bathygobius sporator*. *Zoologica* 41: 49-64.
- TAYLOR, L.R., and D.J. COSTANZO. 1972. Preference of fish for home waters. *J. Gen. Psychol.* 87: 3-12.
- TEETER, J. 1982. Pheromone communication in sea lampreys (*Petromyzon marinus*): implications for population management. *Can. J. Fish. Aquat. Sci.* 37: 2123-2132.
- TEICHMANN, H. 1954. Vergleichende Untersuchungen an der Nase der Fische. *Z. Morphol. Oekol. Tiere* 43: 171-212.
- TEICHMANN, H. 1957. Das Riechvermögen des Aales (*Anguilla anguilla* L.). *Naturwissenschaften* 44: 242.
- TEICHMANN, H. 1958. Geruchsdrressuren beim Aal (*Anguilla anguilla* L.). *Verh. Dtsch. Zool. Ges.* 1957: 298-303.
- TEICHMANN, H. 1957. Defektstufen von Nase und Auge bei Fehlgebildeten Larven der Regenbogenforelle (*Salmo irideus* W. Gibb). *Arch. Entwicklungsmech. Org.* 149: 365-386.
- TEICHMANN, H. 1959. Ueber die Leistungen des Geruchssinnes beim Aal (*Anguilla anguilla* L.). *Z. Vgl. Physiol.* 42: 206-254.
- TEICHMANN, H. 1962. Was leistet der Geruchssinn bei Fischen? *Umsch. Wiss. Tech.* 19: 588-591.
- TEICHMANN, H. 1962. Die Chemorezeption der Fische. *Ergeb. Biol.* 25: 177-205.
- TEICHMANN, H. 1964. Experimente zur Nasenentwicklung der Regenbogenforelle (*Salmo irideus* W. Gibb). *Arch. Entwicklungsmech. Org.* 155: 129-143.
- TEICHMANN, H., and R. TEICHMANN. 1959. Untersuchungen über den Geruchssinn der Haifische. *Pubbl. Stn. Zool. Napoli* 21: 76-81.
- TESCH, F.W. 1970. Homing capacity of eels *Anguilla anguilla* after obstruction of the olfactory sense after adaptation or after transplantation into a neighboring estuary. *Mar. Biol.* 6: 148-157.

- TESTER, A.L. 1952. Reaction of tench and other fish to stimuli. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 90: 1-7.
- TESTER, A.L. 1963. The role of olfaction in shark predation. Pac. Sci. 17: 145-170.
- TESTER, A.L. 1963. Olfaction, gustation and the common chemical sense in sharks, p. 255-282. In P.W. Gilbert (ed.) *Sharks and survival*. D.C. Heath and Co., Lexington, Mass.
- TESTER, A.L., P.B. VAN WEEL, and J.J. NAUGHTON. 1955. Reaction of tuna to stimuli, 1952-53. Part I: Response of tuna to chemical stimuli. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 130: 1-62.
- TEWARI, H.B., and V.K. RAJBANSHI. 1969. Histochemical studies on the distribution of alkaline phosphatase in the cutaneous gustatory epithelia of freshwater teleosts. Acta. Biol. Acad. Sci. Hung. 20: 269-279.
- TEWARI, H.B., and V.K. RAJBANSHI. 1971. Histochemical studies on the distribution of a few hydrolytic enzymes in cutaneous gustatory epithelia of freshwater teleost, *Saccolabrus fossilis*. Ann. Histochim. 16: 255-264.
- THEISEN, B. 1970. The morphology and vascularization of the olfactory organ in *Calamoichthys calabaricus* (Pisces, Polypteridae). Vidensk. Medd. Dan. Naturhist. Foren. Kobenhavn 133: 31-50.
- THEISEN, B. 1972. Ultrastructure of the olfactory epithelium in the Australian lungfish *Neoceratodus forsteri*. Acta Zool. (Stockholm) 53: 205-218.
- THEISEN, B. 1973. The olfactory system in the hagfish *Myxine glutinosa*. I. Fine structure of the apical part of the olfactory epithelium. Acta Zool. (Stockholm) 54: 271-284.
- THEISEN, B. 1976. The olfactory system in the Pacific hagfishes, *Eptatretus stoutii*, *Eptatretus deani*, and *Myxine cirrifrons*. Acta Zool. (Stockholm) 57: 167-173.
- THEISEN, B., H. BREUCKER, E. ZEISKE, and R. MELINKAT. 1980. Structure and development of the olfactory organ in the garfish, *Belone belone* (L.) (Teleostei, Atheriniformes). Acta Zool. (Stockholm) 61: 161-170.
- THIESSEN, D.D., and S.K. STURDIVANT. 1977. Female pheromone in the black molly fish (*Mollinnesia latipinna*): a possible metabolic correlate. J. Chem. Ecol. 3: 207-217.
- THINÉS, G., and J.M. LEGRAIN. 1973. Effects of alarm substances on the behavior of the cave fish *Anoptichthys jordani* and *Caecobarbus geertsii*. Ann. Speleol. 28: 291-297.
- THINÉS, G., and E. VANDENBUSSCHE. 1966. The effects of alarm substance on the schooling behaviour of *Rasbora heteromorpha* Duncker in day and night conditions. Anim. Behav. 14: 296-302.
- THOMMESEN, G. 1982. Specificity and distribution of receptor cells in the olfactory mucosa of char (*Salmo alpinus* L.). Acta Physiol. Scand. 115: 47-56.
- THOMMESEN, G. 1983. Morphology, distribution, and specificity of olfactory receptor cells in salmonid fishes. Acta Physiol. Scand. 117: 241-249.
- THORNHILL, R.A. 1967. The ultrastructure of the olfactory epithelium of the lamprey *Lampetra fluviatilis*. J. Cell Sci. 2: 591-602.
- THORNHILL, R.A. 1970. Cell division in the olfactory epithelium of the lamprey, *Lampetra fluviatilis*. Z. Zellforsch. 109: 147-157.
- THUNBERG, B.E. 1971. Olfaction in parental stream selection by the alewife (*Alosa pseudoharengus*). Anim. Behav. 19: 217-225.
- TIMMS, A.M. 1975. Intraspecific communication in goldfish. J. Fish Biol. 7: 377-389.
- TIMMS, A.M., and H. KLEEREKOPER. 1972. The locomotor responses of male *Ictalurus punctatus*, the channel catfish, to a pheromone released by the ripe female of the species. Trans. Am. Fish. Soc. 101: 302-310.
- TODD, J.H. 1971. The chemical languages of fishes. Sci. Am. 224: 98-108.
- TODD, J.H., J. ATEMA, and J.E. BARDACH. 1967. Chemical communication in social behavior of a fish, the yellow bullhead (*Ictalurus natalis*). Science (Wash. D.C.) 158: 672-673.
- TORREY, T.W. 1934. The relation of taste buds to their nerve fibres. J. Comp. Neurol. 59: 203-220.
- TROSHYKHIN, V.D., and T.P. KRYSHTAB. 1968. The formation and reinforcement of conditional food reflexes on the basis of the olfactory mechanism in fish (carp) during ontogeny. Fiziol. Zh. (Kiev) 14: 812-814. (In Russian)
- TRUDEL, P.J. 1929. Untersuchungen über Geschmacksreaktionen der Fische auf süsse stoffe. Z. Vgl. Physiol. 10: 367-409.
- TRUJILLO-CENÓZ, O. 1961. Electron microscope observations on chemo- and mechanoreceptor cells of fishes. Z. Zellforsch. Mikrosk. Anat. 54: 654-676.
- TSUKAMOTO, Y. 1958. Olfaction and its ecological significance in fishes. Koryo 54: 51-58. (In Japanese)

- TSUSHIMA, J., and K. INA. 1978. Survey of feeding stimulants for carps, *Cyprinus carpio*. J. Agric. Chem. Soc. Jpn 52: 225-229.
- TUCKER, D. 1973. Rapid decline of olfactory and gustatory receptor sensitivities of wild catfish (Ictaluridae) after capture. J. Fish. Res. Board Can. 30: 1243-1245.
- TUCKER, D., and N. SUZUKI. 1972. Olfactory responses to Schreckstoff of catfish, p. 121-127. In D. Schneider (ed.) Olfaction and taste IV. Wissenschaftliche Verlagsgesellschaft MBH, Stuttgart.
- UCHIDA, T. 1933. An experiment on the taste of fishes. Science (Tokyo) 3: 196-200. (In Japanese)
- UEDA, K. 1969. Migration and chemical senses in salmon. Science (Tokyo) 39: 308-314. (In Japanese)
- UEDA, K., T.J. HARA, and A. GORBMAN. 1967. Electroencephalographic studies on olfactory discrimination in adult spawning salmon. Comp. Biochem. Physiol. 21: 133-144.
- UEDA, K., T.J. HARA, M. SATOU, and S. KAJI. 1971. Electrophysiological studies of olfactory discrimination of natural waters by hime salmon, a land-locked Pacific salmon, *Oncorhynchus nerka*. J. Fac. Sci. Univ. Tokyo Sect. 4 12: 167-182.
- UEDA, K., M. SATOU, S. KAJI, and Y. KUDO. 1979. Electrophysiological studies on the homing behavior of salmon with special reference to stimulants for the adult chum salmon in home stream waters, p. 356-357. In M. Ito (ed.) Integrative control functions of the brain. Kodansha, Tokyo.
- UGA, S., and K. HAMA. 1967. Electron microscopic studies on the synaptic region of the taste organ of carps and frogs. J. Electron Microsc. 16: 269-276.
- UMEZU, T. 1966. Behavioral responses of fishes to chemical stimuli. Bull. Jpn. Soc. Sci. Fish. 32: 352-376.
- VAN DER BERGHE, L. 1929. Observations sur l'olfaction et sur le mécanisme des courants olfactifs chez quelques téléostéens. Bull. Cl. Sci. Acad. R. Belg. 15: 278-305.
- VAN METER, V.B., and B.W. ACHE. 1974. Host location by the pearlfish *Carapus bermudensis*. Mar. Biol. 26: 379-383.
- VAN WEEL, P.B. 1952. Observations on the chemoreception of tuna. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 91: 8-35.
- VASILEVSKAYA, N.E., and V.I. CHILINGIRIS. 1972. Conditioned cardiac reflexes in fish after stimulation of the surface of the head with varied sugar solutions. Neurosci. Behav. Physiol. 5: 162-168.
- VASILEVSKAYA, N.E., and I.D. PAVLOV. 1971. Electrical reactions in the fish brain following stimulation of chemoreceptors on the oral cavity. J. Evol. Biochem. Physiol. 7: 231-236.
- VASILEVSKAYA, N.E., and N.N. POLYAKOVA. 1973. Impulse activity of neurons of the medulla oblongata of fish in response to stimulation of skin chemoreceptors. Dokl. Biol. Sci. 209: 184-187.
- VASILEVSKAYA, N.E., and N.N. POLYAKOVA. 1977. On central mechanisms of taste in fishes. Chem. Senses Flavor 2: 503-514.
- VASILEVSKAYA, N.E., and N.N. POLYAKOVA. 1978. Comparative characteristics of neuronal responses in vagal and facial lobes of the carp medulla oblongata to chemoreceptor stimulation. Neurofiziologiya 10: 613-621. (In Russian)
- VASILEVSKAYA, N.E., and N.N. POLYAKOVA. 1980. Effect of stimulation of skin taste receptors with natural food stimulus on neuronal responses of carp medulla oblongata. Vestn. Leningr. Univ. Biol. 4: 72-79. (In Russian)
- VASILEVSKAYA, N.E., and L.N. STANKEVICH. 1976. Evoked potentials to electrical stimulation of the facial nerve in the carp tectum mesencephali. Neurophysiology 8: 33-39.
- VERHEIJEN, F.J. 1956. Transmission of a fright reaction amongst a school of fish and the underlying mechanisms. Experientia 12: 202-204.
- VERHEIJEN, F.J. 1959. Absence of alarm substance in some clupeids. Pubbl. Stn. Zool. Napoli 31: 146-152.
- VERHEIJEN, F.J. 1962. Alarm substance and intra-specific predation in cyprinids. Naturwissenschaften 49: 356.
- VERHEIJEN, F.J. 1963. Alarm substance in some north American cyprinid fishes. Copeia 1963(1): 174-176.
- VERHEIJEN, F.J., and J.H. REUTER. 1969. The effect of alarm substance on predation among cyprinids. Anim. Behav. 17: 551-554.
- VERRAES, W. 1976. Postembryonic development of the nasal organs, sacs and surrounding skeletal elements in *Salmo gairdneri* (Teleostei: Salmonidae) WITH some functional interpretations. Copeia 1976(1): 71-75.
- VIJAYAMADHAVAN, K.T., and T. IWAI. 1975. Histochemical observations on the permeation of heavy metals into taste buds of goldfish. Bull. Jpn. Soc. Sci. Fish. 41: 631-639.
- VINNIKOV, Ya.A. 1966. Structural and cytochemical organization of receptor cells of the

- sense organs in the light of their functional evolution. Fed. Proc. Fed. Am. Soc. Exp. Biol. Transl. Suppl. 25, II: T34-T42.
- VINNIKOV, Ya.A., and R.A. PEVZNER. 1981. The structure and cytochemistry of the vertebrate taste buds, p. 637-648. In L. Surjan and Gy. Bodo (ed.) Proc. XIIth ORL World Congr. Hungarian Academy of Sciences, Budapest.
- VINNIKOV, Ya.A., G.A. PYATKINA, E.I. SHAKHMA-TOVA, and Yu.V. NATOCHIN. 1979. Structure and ionic composition of olfactory and respiratory mucus of sturgeons Acipenser guldenstadti and Acipenser stellatus and the oxidative hypothesis of olfaction. Dokl. Biol. Sci. 245: 837-840.
- VINOGRADOVA, V.M., and Yu.B. MANTEYFEL'. 1982. The role of chemical signals and olfaction in the sexual behavior of the guppy, Poecilia reticulata (Cyprinodontiformes, Poeciliidae). J. Ichthyol. 22: 107-113.
- VON BAUMGARTEN, R.J., and H.J. MIESSNER. 1968. Regeneration in teleost olfactory system, p. 101-105. In D. Ingle (ed.) The central nervous system and fish behavior. University of Chicago Press, Chicago.
- VON FRISCH, K. 1938. Zur Psychologie des Fischeschwarmes. Naturwissenschaften 26: 601-606.
- VON FRISCH, K. 1941. Die Bedeutung des Geruchssinnes in Leben der Fische. Naturwissenschaften 29: 321-333.
- VON FRISCH, K. 1941. Ueber einen Schreckstoff der Fischhaut und seine biologische Bedeutung. Z. Vgl. Physiol. 29: 46-145.
- VON FRISCH, K. 1961. Gerüche als Lock- und Schreckstoffe, p. 203-214. In K. von Frisch (ed.) Ausgewählte Vorträge 1911-1969. BLV, München.
- VON KÖLLIKER, A. 1843. Ueber das Geruchsorgan von Amphioxus. Arch. Anat. Physiol. Wiss. Med. 32-35.
- VON MURALT, A., E.R. WEIBEL., and J.V. HOWARTH. 1976. The optical spike structure of the olfactory nerve of pike and rapid birefringence changes during excitation. Pfluegers Arch. 367: 67-76.
- VON UEXKÜLL, J. 1895. Vergleichend-sinnesphysiologische Untersuchungen. I. Ueber die Nahrungsaufnahme des Katzenhais. Z. Biol. (Munich) 32: 548-566.
- VREELAND, R.R., and R.J. WAHLE. 1983. Homing and fisheries contribution of marked coho salmon, Oncorhynchus kisutch, released at two Columbia River locations. U.S. Natl Mar. Fish. Serv. Fish. Bull. 81: 143-148.
- WALDMAN, B. 1982. Quantitative and developmental analyses of the alarm reaction in the zebra danio, Brachydanio rerio. Copeia 1982(1): 1-9.
- WALKER, T.J., and A.D. HASLER. 1949. Detection and discrimination of odors of aquatic plants by Hyborhynchus notatus (Raf.). Physiol. Zool. 22: 45-63.
- WATLING, H., and H.H. HILLEMANN. 1964. The development of the olfactory apparatus of the grayling (Thymallus arcticus). J. Fish. Res. Board Can. 21: 373-396.
- WEBBERS, J.P.P., and E.E. LITTLE. 1978. Multiple liquid stimulus dispenser. Physiol. Behav. 20: 95-98.
- WEBER, D.D., D.J. MAYNARD, W.D. GRONLUND, and V. KONCHIN. 1981. Avoidance reactions of migrating adult salmon to petroleum hydrocarbons. Can. J. Fish. Aquat. Sci. 38: 779-781.
- WEDEKIND, H.P. 1978. Riesenzenellen im Bulbus olfactorius von Teleosteen. Zoomorphologie 91: 217-224.
- WEDEKIND, H.P. 1979. Electron microscopic study of the giant cells in the olfactory bulb of labyrinth fish (Belontiidae, Perciformes). Cell Tissue Res. 199: 509-517.
- WEISEL, G.F. 1979. Histology of the feeding and digestive organs of the shovelnose sturgeon, Scaphirhynchus platyrhynchus. Copeia 1979 (3): 518-525.
- WEISS, D.G., V. KRYGIER-BRÉVART, G.W. GROSS, and G.W. KREUTZBERG. 1978. Rapid axoplasmic transport in the olfactory nerve of the pike: II. Analysis of transported proteins by SDS gel electrophoresis. Brain Res. 139: 77-87.
- WELLS, M.M. 1915. Reactions and resistance of fishes in their natural environment to acidity, alkalinity and neutrality. Biol. Bull. (Woods Hole, Mass.) 29: 221-257.
- WELSCH, V., and V. STORCH. 1969. Die Feinstruktur der Geschmacksknospen von Welsen [Clarias batrachus (L.) und Kryptopterus bicirrhitis (Cuvier et Valenciennes)]. Z. Zellforsch. 100: 552-559.
- WERNER, R.G. 1979. Homing mechanism of spawning white suckers in Wolf Lake, New York. N.Y. Fish Game J. 26: 48-58.
- WESTERMAN, R.A. 1965. Specificity in regeneration of optic and olfactory pathways in teleost fish, p. 263-269. In D.R. Curtis and A.K. McIntyre (ed.) Studies in physiology. Springer, Berlin.
- WESTERMAN, R.A., and R. VON BAUMGARTEN. 1964. Regeneration of olfactory paths in carp (Cyprinus carpio L.). Experientia 20: 519-521.
- WESTERMAN, R.A., and A.F. WILSON. 1968. The fine structure of the olfactory tract in the teleost Carassius carassius L. Z. Zellforsch. 91: 186-199.

- WHITEAR, M. 1952. The innervation of the skin of teleost fishes. *Q. J. Microsc. Sci.* 93: 289-305.
- WHITEAR, M. 1952. Internode length in the skin plexuses of fish and the frog. *Q. J. Microsc. Sci.* 93: 307-313.
- WHITEAR, M. 1965. Presumed sensory cells in fish epidermis. *Nature (London)* 208: 703-704.
- WHITEAR, M. 1971. The free nerve endings in fish epidermis. *J. Zool. (London)* 163: 231-236.
- WHITEAR, M. 1971. Cell specialization and sensory function in fish epidermis. *J. Zool. (London)* 163: 237-264.
- WHITEAR, M. 1977. A functional comparison between the epidermis of fish and amphibians. *Symp. Zool. Soc. London* 39: 291-313.
- WHITEAR, M., and E.B. LANE. 1981. Bar synapses in the end buds of lamprey skin. *Cell Tissue Res.* 216: 445-448.
- WHITEAR, M., and E.B. LANE. 1981. Fine structure of Merkel cells in lampreys. *Cell Tissue Res.* 220: 139-151.
- WHITEAR, M., and E.B. LANE. 1983. Polyvillous cells of the epidermis: transportive elements of lamprey skin. *J. Zool. (London)* 199: 345-358.
- WHITEAR, M., and E.B. LANE. 1983. Oligovillous cells of the epidermis: sensory elements of lamprey skin. *J. Zool. (London)* 199: 359-384.
- WHITEAR, M., and E.B. LANE. 1983. Multivillous cells: epidermal sensory cells of unknown function in lamprey skin. *J. Zool. (London)* 201: 259-272.
- WILSON, J.A.F., and R.A. WESTERMAN. 1967. The fine structure of the olfactory mucosa and nerve in the teleost *Carassius carassius* L. *Z. Zellforsch. Mikrosk. Anat.* 83: 196-206.
- WINSLADE, P. 1974. Behavioural studies on the lesser sandeel *Ammodytes marinus* (Raitt). I. The effect of food availability on activity and the role of olfaction in food detection. *J. Fish Biol.* 6: 565-576.
- WISBY, W.J., and A.D. HASLER. 1954. Effect of olfactory occlusion on migrating silver salmon (*O. kisutch*). *J. Fish. Res. Board Can.* 11: 472-478.
- WREDE, W.L. 1932. Versuche über den Artduft der Elritzen. *Z. Vgl. Physiol.* 17: 510-519.
- WUNDER, W. 1927. Sinnesphysiologische Untersuchungen über die Nahrungsaufnahme bei verschiedenen Knochenfischarten. *Z. Vgl. Physiol.* 6: 67-98.
- WUNDER, W. 1957. Die Sinnesorgane der Fische. 9. Der Geruchssinn. *Allg. Fisch. Ztg.* 82: 171-173.
- WUNDER, W. 1957. Die Sinnesorgane der Fische. 10. Der Geschmackssinn. *Allg. Fisch. Ztg.* 82: 193-194.
- YAMAGISHI, H. 1975. Role of vision and olfaction in the release of aggression and the maintenance of social hierarchy in the yearling rainbow trout, *Salmo gairdneri* Richardson. *Zool. Mag.* 84: 248-257.
- YAMAMOTO, K., S. FUJIMOTO, and Y. TAKESHIGE. 1975. The taste bud ultrastructure of the fish *Corydoras paleatus*. *J. Electron Microsc.* 24: 185-186.
- YAMAMOTO, M. 1982. Comparative morphology of the peripheral olfactory organ in teleosts, p. 39-60. In T. J. Hara (ed.) *Chemoreception in fishes*. Elsevier, Amsterdam.
- YAMAMOTO, M., and K. UEDA. 1977. Comparative morphology of fish olfactory epithelium - I. Salmoniformes. *Bull. Jpn. Soc. Sci. Fish.* 43: 1163-1174.
- YAMAMOTO, M., and K. UEDA. 1978. Comparative morphology of fish olfactory epithelium - II. Clupeiformes. *Bull. Jpn. Soc. Sci. Fish.* 44: 855-859.
- YAMAMOTO, M., and K. UEDA. 1978. Comparative morphology of fish olfactory epithelium - III. Cypriniformes. *Bull. Jpn. Soc. Sci. Fish.* 44: 1201-1206.
- YAMAMOTO, M., and K. UEDA. 1978. Comparative morphology of fish olfactory epithelium - IV. Anguilliformes and Myxophthalmiformes. *Bull. Jpn. Soc. Sci. Fish.* 44: 1207-1212.
- YAMAMOTO, M., and K. UEDA. 1978. Comparative morphology of fish olfactory epithelium - V. Gasterosteiformes, Channiformes and Synbranchiformes. *Bull. Jpn. Soc. Sci. Fish.* 44: 1309-1314.
- YAMAMOTO, M., and K. UEDA. 1978. Comparative morphology of fish olfactory epithelium. VI. Siluriformes. *Zool. Mag. (Tokyo)* 84: 254-261.
- YAMAMOTO, M., and K. UEDA. 1978. Comparative morphology of fish olfactory epithelium. VII. Gadiformes, Lophiiformes and Gobiocichliformes. *J. Fac. Sci. Univ. Tokyo Sec. 4* 14: 115-125.
- YAMAMOTO, M., and K. UEDA. 1979. Comparative morphology of fish olfactory epithelium. VIII. Atheriniformes. *Zool. Mag. (Tokyo)* 88: 155-164.
- YAMAMOTO, M., and K. UEDA. 1979. Comparative morphology of fish olfactory epithelium. IX. Tetraodontiformes. *Zool. Mag. (Tokyo)* 88: 210-218.
- YAMAMOTO, M., and K. UEDA. 1979. Comparative morphology of fish olfactory epithelium.

- X. Perciformes, Beryciformes, Scorpaeniformes, and Pleuronectiformes. J. Fac. Sci. Univ. Tokyo Sect. 4 14: 273-297.
- YAMAZAKI, F., and K. WATANABE. 1979. The role of steroid hormones in sex recognition during spawning behaviour of the goldfish, *Carassius auratus* L. Proc. Indian Natl Sci. Acad. Part B 45: 505-511.
- YOAKIM, E.G., and J.M. GRIZZLE. 1982. Ultrastructure of alarm substance cells in the epidermis of the channel catfish, *Ictalurus punctatus* (Rafinesque). J. Fish Biol. 20: 213-221.
- YOSHII, K., N. KAMO, K. KURIHARA, and Y. KOBATAKE. 1979. Gustatory responses of eel palatine receptors to amino acids and carboxylic acids. J. Gen. Physiol. 74: 301-317.
- YOSHII, K., M. KASHIWAYANAGI, K. KURIHARA, and Y. KOBATAKE. 1980. High sensitivity of the eel palatine receptors to carbon dioxide. Comp. Biochem. Physiol. 66A: 327-330.
- YOSHII, K., and K. KURIHARA. 1983. Role of cations in olfactory reception. Brain Res. 274: 239-248.
- YOSHII, K., and K. KURIHARA. 1983. Mechanism of the water response in carp gustatory receptors: independent generation of the water response from the salt response. Brain Res. 279: 185-191.
- YOSHII, K., and K. KURIHARA. 1983. Ion dependence of the eel taste response to amino acids. Brain Res. 280: 63-67.
- ZEISKE, E. 1973. Morphologische Untersuchungen am Geruchsorgan von Zahnkarpfen (Pisces, Cyprinodontidae). Z. Morphol. Tiere 74: 1-16.
- ZEISKE, E. 1974. Morphologische und morphometrische Untersuchungen am Geruchsorgan oviparer Zahnkarpfen (Pisces). Z. Morphol. Tiere 77: 19-50.
- ZEISKE, E., H. BREUCKER, and R. MELINKAT. 1979. Gross morphology and fine structure of the olfactory organ of rainbow fish (Atheriniformes, Melanotaeniidae). Acta Zool. (Stockholm) 60: 173-186.
- ZEISKE, E., J. KUX, and R. MELINKAT. 1976. Development of the olfactory organ of oviparous and viviparous cyprinodonts (Teleostei). Z. Zool. Syst. Evolutionsforsch. 14: 34-40.
- ZEISKE, E., R. MELINKAT, H. BREUCKER, and J. KUX. 1976. Ultrastructural studies on the epithelia of the olfactory organ of cyprinodonts (Teleostei, Cyprinodontidae). Cell Tissue Res. 172: 245-267.
- ZELSON, P.R., and R.H. CAGAN. 1979. Biochemical studies of taste sensation - VIII. Partial characterization of alanine-binding taste receptor sites of catfish *Ictalurus punctatus* using mercurials, sulfhydryl reagents, trypsin and phospholipase C. Comp. Biochem. Physiol. 64B: 141-147.
- ZIEGLER-GÜNDER, I. 1956. Untersuchungen über die Purin- und Pterin-pigmente in der Haut und in den Augen der Weissfische. Z. Vgl. Physiol. 39: 163-189.
- ZIELINSKA, K. 1975. The Golgi apparatus in cells of the olfactory epithelium in the pike. Folia Morphol. (Warsaw) 34: 485-492.
- ZIELINSKA, K. 1976. Mitochondria and respiratory and hydrolytic enzymes in the cells of the olfactory epithelium in the pike. Folia Morphol. (Warsaw) 35: 21-29.
- ZIPPEL, H.P. 1970. Verhaltenskomponenten und Differenzierungsvermögen in der straffreien Geruchsdressur beim Goldfisch (*Carassius auratus*). Z. Vgl. Physiol. 69: 54-78.
- ZIPPEL, H.P., and BIECK, B. 1970. Interaction of color and taste stimuli during a simultaneous double training of the goldfish *Carassius auratus*. J. Biol. Psychol. 12: 8-12.
- ZIPPEL, H.P., W. BREIPOHL, and H. SCHOON. 1981. Functional and morphological changes in fish chemoreception systems following ablation of the olfactory bulbs, p. 377-394. In H. Flohr and W. Precht (ed.) Lesion-induced neuronal plasticity in sensorimotor systems. Springer-Verlag, Berlin.
- ZIPPEL, H.P., and G.F. DOMAGK. 1969. Versuche zur chemischen Gedächtnisübertragung von forbdressierten Goldfischen auf undressedierte Tiere. Experientia 25: 938-940.
- ZIPPEL, H.P., and G.F. DOMAGK. 1971. Transfer of taste preference from trained goldfish (*Carassius auratus*) into untrained recipients. Pfluegers Arch. 323: 258-264.
- ZIPPEL, H.P., and G.F. DOMAGK. 1971. Experiments concerning the transfer specificity of brain extracts in the taste discrimination of goldfish. Pfluegers Arch. 323: 265-272.
- ZIPPEL, H.P., H. SCHOON, and R. VOIGT. 1978. Functional and electrophysiological evidence for separation of smell and taste in the goldfish (*Carassius auratus*). Drug Res. 28: 2368-2369.
- ZIPPEL, H.P., and R. VOIGT. 1982. Neuronal correlates of olfactory behavior in goldfish, p. 181-200. In T.J. Hara (ed.) Chemoreception in fishes. Elsevier, Amsterdam.
- ZIPPEL, H.P., R. VON BAUMGARTEN, and R.A. WESTERMAN. 1970. Histologische, funktionelle und spezifische Regeneration nach Durchtrennung der Fila olfactoria beim

Goldfisch (*Carassius auratus*). Z. Vgl. Physiol. 69: 79-98.

ZIPPEL, H.P., and R.A. WESTERMAN. 1970. Geruchsdifferenzierungsvermögen der Karausche (*Carassius carassius*) nach funktioneller und histologischer Regeneration des Tractus olfactorius und der Commissura anterior. Z. Vgl. Physiol. 69: 38-53.

REVIEW PAPERS

ADEY, W.R. 1959. The sense of smell, p. 535-548. In J. Field (ed.) Handbook of physiology, neurophysiology. American Physiological Society, Washington, D.C.

ALLISON, A.C. 1953. The morphology of the olfactory system in the vertebrates. Biol. Rev. Cambridge Philos. Soc. 28: 195-244.

ANDRES, K.H. 1975. Neue morphologische Grundlagen zur Physiologie des Riechens und Schmeckens. Arch. Oto-Rhino-Laryngol. 210: 1-41.

ARONSON, L.R. 1963. The central nervous system of sharks and bony fishes with special reference to sensory and integrative mechanisms, p. 165-241. In P.W. Gilbert (ed.) Sharks and survival. D. C. Heath & Co., Boston.

BARADI, A.F., and G.H. BOURNE. 1953. Gustatory and olfactory epithelia. Int. Rev. Cytol. 2: 289-330.

BEIDLER, L.M. 1961. The chemical senses. Annu. Rev. Psychol. 12: 363-388.

BEIDLER, L.M. 1961. Taste receptor stimulation. Prog. Biophys. Biophys. Chem. 12: 107-151.

BENJAMIN, R.M., B.P. HALPERN, D.G. MOULTON, and M.M. MOZELL. 1965. The chemical senses. Annu. Rev. Psychol. 16: 381-416.

CHEAL, M.L. 1975. Social olfaction: a review of the ontogeny of olfactory influences on vertebrate behavior. Behav. Biol. 15: 1-26.

DIJKGRAAF, S. 1962. The functioning and significance of the lateral-line organs. Biol. Rev. Cambridge Philos. Soc. 38: 51-105.

DØVING, K.B. 1976. Evolution trends in olfaction, p. 149-160. In G. Benz (ed.) Structure-activity relationships in chemoreception. Information Retrieval, London.

DØVING, K.B. 1967. Problems in the physiology of olfaction, p. 52-94. In H. W. Schultz (ed.) The chemistry and physiology of flavors. AVI Publishing, Westport.

EHRENSVÄRD, G. 1942. Ueber die Primärvorgänge bei Chemorezeptorenbeeinflussung. Acta Physiol. Scand. 42, Suppl. 9: 1-151.

GÉRARD, P. 1954. Organe olfactif, p. 522-552. In P. P. Grassé (ed.) Traité de Zoologie, Tome 12. Masson, Paris.

GEREBTZOFF, M. 1953. L'Olfaction. Structure de l'organe olfactif et mécanisme de l'olfaction. J. Physiol. (Paris) 45: 247-283.

GLEESON, R.A. 1978. Functional adaptation in chemosensory systems, p. 291-317. In M. A. Ali (ed.) Sensory ecology. Review and perspectives. Plenum Press, New York.

HOPKINS, A.G. 1926. Olfactory receptors in vertebrates. J. Comp. Neurol. 41: 253-289.

KATSUKI, Y., T. HASHIMOTO, and K. YANAGISAWA. 1970. The lateral-line organ of shark as a chemoreceptor. Adv. Biophys. 1: 1-51.

LILEY, N.R. 1980. Patterns of hormonal control in the reproductive behavior of fish, and their relevance to fish management and culture programs, p. 210-246. In J.E. Bardach, J.J. Magnuson, R.C. May, and J.M. Reinhart (ed.) Fish behavior and its use in the capture and culture of fishes. International Center for Living Aquatic Resources Management, Manila.

LINDSTEDT, K.J. 1971. Chemical control of feeding behaviour. Comp. Biochem. Physiol. 39A: 553-581.

MACKIE, A.M. 1975. Chemoreception, p. 69-105. In D.C. Malins and J.R. Sargent (ed.) Biochemical and biophysical perspectives in marine biology. Academic Press, London.

MICHELS, K.M., D.S. PHILLIPS, R.H. WRIGHT, and J. PUSTEK Jr. 1962. Odor and olfaction: a bibliography, 1948-1960. Percept. Mot. Skills 15: 475-529.

MOULTON, D.G. 1976. Spatial patterning of response to odors in the peripheral olfactory system. Physiol. Rev. 56: 578-593.

MOULTON, D.G., and L.M. BEIDLER. 1967. Structure and function in the peripheral olfactory system. Physiol. Rev. 47: 1-51.

MOULTON, D.G., and D. TUCKER. 1964. Electrophysiology of the olfactory system. Ann. N.Y. Acad. Sci. 116: 380-428.

MURRAY, R.G. 1973. The ultrastructure of taste buds, p. 1-81. In I. Friedemann (ed.) The ultrastructure of sensory organs. North Holland, Amsterdam.

NAGEL, W. 1894. Vergleichend-physiologische und anatomische Untersuchungen an den Geruchs- und Geschmackssinn und ihre Organe. Bibl. Zool. 18: 1-207.

NIEUWENHUY, R. 1967. Comparative anatomy of olfactory centres and tracts. Prog. Brain Res. 23: 1-64.

- OTTOSON, D. 1956. Analysis of the electrical activity of the olfactory epithelium. *Acta Physiol. Scand.* 35, Suppl. 122: 1-83.
- OTTOSON, D. 1963. Some aspects of the function of the olfactory system. *Pharmacol. Rev.* 51: 1-42.
- OTTOSON, D. 1971. The electro-olfactogram, p. 95-131. In L. M. Beidler (ed.) *Handbook of sensory physiology*. Vol. 4. Springer-Verlag, Berlin.
- OTTOSON, D., and G.M. SHEPHERD. 1967. Experiments and concepts in olfactory physiology. *Prog. Brain Res.* 23: 83-138.
- PATTON, H.D. 1950. Physiology of smell and taste. *Annu. Rev. Physiol.* 12: 469-484.
- REESE, T.S., and M.W. BRIGHTMAN. 1970. Olfactory surface and central olfactory connexions in some vertebrates, p. 115-149. In G.E.W. Wolstenholme, and J. Knight (ed.) *Taste and smell in vertebrates*. J. & A. Churchill, London.
- ROVAINEN, C.M. 1979. Neurobiology of lampreys. 1979. *Physiol. Rev.* 59: 1007-1077.
- TUCKER, D., and J.C. SMITH. 1969. The chemical senses. *Annu. Rev. Psychol.* 20: 129-158.
- WENZEL, B.M., and M.H. SIECK. 1966. Olfaction. *Annu. Rev. Physiol.* 28: 381-434.
- WUNDER, W. 1957. Die Sinnesorgane der Fische. *Allg. Fischwirtschaftsztg.* 82: 1-24.
- RELATED BOOKS
- ADLER, H.E. 1975. Fish behavior: why fishes do what they do. T.F.H. Publications, Neptune City. 271 p.
- AMOORE, J.E. 1970. Molecular basis of odor. C.C. Thomas, Springfield. 200 p.
- BEIDLER, L.M. (ed.) 1971. *Handbook of sensory physiology*. Vol. 4. Chemical senses, Part 1. Olfaction. Springer-Verlag, Berlin. 518 p.
- BEIDLER, L.M. (ed.) 1971. *Handbook of sensory physiology*. Vol. 4. Chemical senses, Part 2. Taste. Springer-Verlag, Berlin. 410 p.
- BENZ, G. (ed.) 1976. Structure-activity relationships in chemoreception. Information Retrieval, London. 232 p.
- BIRCH, M.C. (ed.) 1974. Pheromones. North-Holland, Amsterdam. 495 p.
- BOND, C.E. 1979. Biology of fishes. W.B. Saunders, Philadelphia. 514 p.
- BRANNON, E.L., and E.O. SALO (ed.) 1982. Proceedings of the salmon and trout migratory behavior symposium. University of Washington Press, Seattle. 309 p.
- BREIPOHL, W. (ed.) 1982. Olfaction and endocrine regulation. IRL Press, Oxford. 409 p.
- BURTON, R. 1976. The language of smell. Routledge and Kegan Paul, London. 120 p.
- CAGAN, R.H., and M.R. KARE (ed.) 1981. Biochemistry of taste and olfaction. Academic Press, New York. 539 p.
- CAIN, W.S. (ed.) 1974. Odors: Evaluation, utilization, and control. New York Academy of Sciences, New York. 439 p.
- DENTON, D.A., and J.P. COGHLAN (ed.) 1975. Olfaction and taste V. Academic Press, New York. 460 p.
- DOTY, R.L. (ed.) 1976. Mammalian olfaction, reproductive processes, and behavior. Academic Press, New York. 344 p.
- ENGEL, T. 1982. The perception of odors. Academic Press, New York. 202 p.
- FUNAKOSHI, M. (ed.) 1979. Japanese symposium on taste and smell 13. Japanese Association for the Study of Taste and Smell, Osaka. 182 p.
- GILBERT, P.W. (ed.) 1963. Sharks and survival. D.C. Heath and Company, Boston. 578 p.
- GRANT, P.T., and A.M. MACKIE (ed.) 1974. Chemoreception in marine organisms. Academic Press, London. 295 p.
- HARPER, R. 1972. Human senses in action. Churchill Livingstone, Edinburgh. 358 p.
- HAYASHI, T. (ed.) 1967. Olfaction and taste II. Pergamon Press, Oxford. 835 p.
- HIJI, Y. (ed.) 1981. Japanese symposium on taste and smell 15. Japanese Association for the Study of Taste and Smell, Osaka. 252 p.
- INGLE, D. (ed.) 1968. The central nervous system and fish behavior. University of Chicago Press, Chicago. 272 p.
- JAPANESE SOCIETY OF SCIENTIFIC FISHERIES (ed.) 1981. Chemical senses of fish and feeding stimulants. Koseisha-Koseikaku, Tokyo. 130 p.
- JOHNSTON, J.W. Jr., D.G. MOULTON, and A. TURK (ed.) 1970. Advances in chemoreception I: communication by chemical signals. Appleton-Century-Croft, New York. 416 p.
- JONES, F.R.H. 1968. Fish migration. Edward Arnold, London. 325 p.
- KATSUKI, Y., M. SATO, S.F. TAKAGI, and Y. OOMURA (ed.) 1977. Food intake and chemical senses. University of Tokyo Press, Tokyo. 614 p.

- KEENLEYSIDE, M.H.A. 1979. Diversity and adaptation in fish behaviour. Springer-Verlag, New York. 208 p.
- KROEZE, J.H.A. (ed.) 1979. Preference behaviour and chemoreception. Information Retrieval, London. 533 p.
- LAGLER, K.F., J.E. BARDACH, R.R. MILLER, and D.R.M. PASSINO. 1977. Ichthyology. John Wiley & Sons, New York. 506 p.
- LE MAGNEN, J., and P. MacLEOD (ed.) 1977. Olfaction and taste VI. Information Retrieval, London. 527 p.
- MCCARTNEY, W. 1968. Olfaction and odours. Springer-Verlag, Berlin. 249 p.
- MONCRIEFF, R.W. 1951. The chemical senses. Leonard Hill, London. 538 p.
- MONCRIEFF, R.W. 1970. Odours. William Heinemann Medical Books, London. 237 p.
- MOSKOWITZ, H.R., and C.B. WARREN (ed.) 1981. Odor quality and chemical structure. American Chemical Society, Washington, D.C. 243 p.
- MOULTON, D.G., A. TURK, and J.W. JOHNSTON Jr. (ed.) 1975. Methods in olfactory research. Academic Press, London. 497 p.
- MOYLE, P.B., and J.J. CECI Jr. 1982. Fishes: An introduction to ichthyology. Prentice-Hall, Englewood Cliffs. 593 p.
- MUELLER-SCHWARZE, D., and R.M. SILVERSTEIN (ed.) 1979. Chemical signals: vertebrates and aquatic invertebrates. Plenum Press, New York. 445 p.
- NORRIS, D.M. (ed.) 1981. Perception of behavioral chemicals. Elsevier/ North-Holland, Amsterdam. 328 p.
- OHLOFF, G., and A.F. THOMAS (ed.) 1971. Gustation and olfaction. Academic Press, London. 275 p.
- PAINTAL, A.S. (ed.) 1974. Morphology and mechanisms of chemoreceptors. University of Delhi, Delhi. 357 p.
- PARKER, G.H. 1922. Smell, taste and the allied senses in the vertebrates. Lippincott, Philadelphia. 192 p.
- PASCHAL, G. 1952. Odors and the sense of smell: A bibliography 320 B.C.-1947. Air-kem Inc., New York. 342 p.
- PAVLOVSKII, E.N. (ed.) 1964. Techniques for the investigation of fish physiology. Israel Program for Scientific Translations, Jerusalem. 313 p.
- PFAMMANN, C. (ed.) 1969. Olfaction and taste III. Rockefeller University Press, New York. 648 p.
- POYNTER, T.M. (ed.) 1973. Transduction mechanisms in chemoreception. Information Retrieval, London. 366 p.
- RITTER, F.J. (ed.) 1979. Chemical ecology: odour communication in animals. Elsevier/ North-Holland, Amsterdam. 127 p.
- SCHNEIDER, D. (ed.) 1972. Olfaction and taste IV. Wissenschaftliche Verlagsgesellschaft, Stuttgart. 400 p.
- SHOREY, H.H. 1976. Animal communication by pheromones. Academic Press, New York. 167 p.
- STEINER, J.E., and J.R. GANCHROW (ed.) 1982. The determination of behaviour by chemical stimuli. IRL Press, London. 350 p.
- STODDART, D.M. 1980. The ecology of vertebrate olfaction. Chapman and Hall, London. 234 p.
- THEIMER, E.T. (ed.) 1982. Fragrance chemistry. The science of the sense of smell. Academic Press, New York. 635 p.
- TOMITA, H. (ed.) 1980. Japanese symposium on taste and smell 14. Japanese Association for the Study of Taste and Smell, Osaka. 188 p.
- VAN DER STARRE, H. (ed.) 1980. Olfaction and taste VII. IRL Press, London. 500 p.
- WHIPPLE, H.E. (ed.) 1964. Recent advances in odor: theory, measurement, and control. New York Academy of Sciences, New York. Ann. N.Y. Acad. Sci. Vol. 116, Art. 2, p. 357-744.
- WOLSTENHOLME, G.E.W., and J. KNIGHT (ed.) 1970. Taste and smell in vertebrates. J. & A. Churchill, London. 402 p.
- WRIGHT, R.H. 1964. The science of smell. George Allen and Unwin, London. 164 p.
- WRIGHT, R.H. 1982. The sense of smell. CRC Press, Boca Raton. 236 p.
- YOSHIDA, M. (ed.) 1982. Japanese symposium on taste and smell 16. Japanese Association for the Study of Taste and Smell, Osaka. 190 p.

Printed in Canada by
Supply and Services Canada
Printing Office
for exclusive distribution by
Fisheries and Oceans
Freshwater Institute
Winnipeg, Manitoba
Canada

POOR

QUALITY

ORIGINAL